U.S. \$3 Canada \$3.95 April 1986 soft sector The Monthly Magazine For Sanyo Personal Computer Users **Expanding Sanyo Dimensions** 512K For The 550/555 **Keep Track Of Medical Records W** Command Sanyo BASIG Plus: Letterhead Graphics



The ULTIMATE

In Computer Graphics Programs

PICASSO by Bill Dunlevy

This is the one to set the standards! PICASSO does more than many graphics programs costing thousands of dollars more. Never before has such power and simplicity been available to the user.

What does PICASSO do? Everything!

- Large, helpful picture menus, eliminate the need to memorize control keys or cumbersome graphic languages
- Keyboard, Joystick, or even Graphic Tablet controlled, in "directional" or "tree-hand" tormat.
- You can choose from 64 pre-mixed colors, or mix your own for over 10,000 possible patterns, and save your favorites to a palette on disk!
- Over 0 different "broshes" let your draw with symbols in Merent "densities" for an air-brushed effect.
- Special "Rubber band" graphics let you see what you're doing AS you make adjustments on lines, rays, boxes, circles. polygons stamps etc.

 Versatile Pil' permits you to change multi-color patterns.
- not restricted to simple circles and elipses here! You cen create ANY kind of polygon: from triangles, to eliptical bentagons, to perfect circles and everything in between!
- ful Stand system lets you copy, move, save, and in complexed operations with any sections of your
- You can use your pinture lifes with Michiron's new FREEZE FRAME graphic profiles utility for fantastic hardcopy pictures and in your own BASIC or machine language programs for all

What DOESN'T PICASSO do? Result your imagi


PICASSO is guaranteed to know your smocks off!

stick recomme

\$99.9

Telegraph Road Pontiac, Michigan 48053 Orders & Into: (313) 334 5700

INTELLICOM



A COMPLETE Communications System

Now you can tap any of the countless telephone data based INFO sources. EXTRACT an FILE that data away for use later. Suddenly, your computer is the amartest terminal around because emulates such INTELLICOM terminals as:

- DigitalVT52/VT100
- TeleVideo 910 ADM3A/5
- ADDS Viewpoint/25
- · CompuServe Executive
- · Simple TTY
- TeleVideo 925

Now you can transfer both binary and test files, using simple ASCII, ASCII Capture, Xon/Xoff, XMODEM (both Cheksum and CRC are supported) or CompuServe A Protocols. Operate at

DON'T DELAY!

any speed up to 4800 (Sanyo) or 9600 baud (IBM PC) without ever being outdated as higher speed/lower priced modems are introduced.

And our expert mode will allow you to even bypass the menus. Autodial directories (Hayes or equivalent modems) are supported along with simultaneous printing. Our built in DOS WINDOW will actually let you run another program from within INTELICOM (192K min. ram).

Additional features: Variable Buffer from the \$89.95 purchase price. Size reduces disk activity, while utilizing RAM capacity. BATch file

utility program included. Persistence feature for autodialing.

Auto log-on script files can be used to support almost any smart modem Simple menu selections, with a built in and/or automatically log into your HELP facility keep it easy forever. favorite remote system. User defined function keys. Color support. Michtron and AOK DOS support and more! Best of all, the entire versatile INTELLI-COM package costs you only \$89.95 COMPLETE! RUSH \$15 today and you'll receive a fully functional demo disk that lets you check it all out. If you order INTELICOM, simply return the demo disk and we'll deduct your \$15

> For \$10.00 more we will supply you with the host support code for the error checking protocol on Dec system 10. 20, or VAX ... and save your company a bundle!

ORDER TODAY! RETURN UPS SHIPMENT **GUARANTEED! HURRY!**

MasterCard/VISA/COD orders accepted 1325 East Main Street, Waterbury, CT 06705 Specify computer and DOS version when In Connecticut call: 597-0273 ordering. Connecticut residents add 71/2% sales lax Add \$5 shipping for all orders.



soft sector

The Monthly Magazine for Sanyo Personal Computer Users

Vol. II, Issue 9

April 1986 **Editor and Publisher** Lawrence C. Falk

Managing Editor Ed Ellers Senior Editor Tamara Dunn Consulting Editors Gordon Monnier, T Kevin Nickols

Submissions Editor Julta Kapfhammer Reviews Editor Monica Dorth Editorial Consultants Jo Anna Arnott,

Danny Humphress, Belinda C. Kirby Contributing Editors Fred Blechman Tim Purves, Brian M. Stone, Charlotte A. Stone

Technical Assistants Cray Augsburg. Editorial Assistants Wendy Falk,

Judi Hutchinson, Angela Kapthammer, Shirley Morgan

Art Director Sandra Underwood Design Staff Jody Gilbert, Tracey Jones, di Maxedon, Kevin Quiggins Production Assistant Cindy Jett

Chief of Typography Debbie Hartley **Typography Services**

Jody Doyle, Suzanne Benish Kurowsky FPSS, Ag. Publications Enterprises, Inc.

President Lawrence C. Falk

General Manager Patricia H. Hirsch Asst. General Mgr. for Finance Donna Shuck Admin. Asst. to the Publisher Sue Rodgers Special Events Coordinator Judy Brashear

Editorial Director James E. Reed Asst. Editorial Director Jutta Kapfhammer Creative Director Jerry McKlernan Manager of Public Relations Holly Weaver

Chief Bookkeeper Diane Moore

Advertising Accounts Bev Taylor Dealer Accounts Judy Quashnock Accounts Payable/ADP Lisa Ragan Director of Fulfillment Services Bonnie Frowenfeld Asst. Dir. of Fulfillment Services Sandy Apple Asst. Customer Service Mgr. Beverly Bearden Word Processor Manager Patricia Eaton Chief of Printing Services Melba Smith Pre-press Production John Pike Dispatch Janice Eastburn Asst. Dispatch Mark Herndon

Business Assistants Laurie Falk, Doug Orr, Sharon Smith, Monica Wheat, Pam Workhoven Advertising Coordinator Dotis Taylor

Advertising Representative Kim Vincent Advertising Assistant Debbie Baxter (502) 228-4492

West Coast Advertising and Marketing Office Director Clady Shackleford

Advertising Representative Shirley Duranseau For Soft Sector Advertising and Marketing office information, see Page 62.

SOFT SECTOR — The Monthly Magazine for Sanyo Personal Computer Users (ISSN 8755-7450) is published every month of the year by FPSS, Ag. Publications Enterprises, Inc., The Falsoft Building, P.O. Box 385, Prospect, KY, 40059, Phone (502) 228-4492, SOFT SECTOR — The Monthly Magazine for Sanyo Personal Computer Users SOFT SECTOR ON DISK and the SOFT SECTOR logotypes

SOFT SECTOR ON DISK and the SOFT SECTOR logotypes are registered * trademarks of FPSS, Ag.
Second Class Postage Rates are paid at Prospect, Kentucky and additional offices: USPS 741-750. POSTMASTER. Send address changes to SOFT SECTOR, P.O. Box 385. Prospect, KY 40059. Forwarding Postage Guaranteed.
Entire contents copyright * 1985, by FPSS, Ag. SOFT SECTOR — The Monthly Magazine for Sanyo Personal Computer Users is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of intormation herein is for the aingle end use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an iss is basis, without warranty of any kind whatsoever.
Sanyo MBC-550755 and 775 are registered * trademarks of the Sanyo Business Systems Corp.
Subscriptions to SOFT SECTOR — The Monthly Magazine for Sanyo Personal Computer Users are 528 per year

Subscriptions to SOFT SECTOR — The Monthly Magazine for Sanyo Personal Computer Users are \$28 per year in the United States. Canadian rates are U.S. \$35. Surface mail to other countries is U.S. \$64, air mail U.S. \$85. All subscriptions begin with the next available issue. Payment accepted by VISA MesterCard, American Express, Cash, Check or Money Order in United States currency only. Full return after mailing of one issue. A refund of 10/12ths, the subscription amount after two issues are mailed. NO refund after mailing of three or more magazines.

CONTENTS

FEATURES

0	Sanyo BASIC to PC BASIC Converter/Mike Albers	10
0	Design Your Letterhead/Sue Anderson	14
	BASIC Training/Fred Blechman Timing your long-distance calls	17
	Piggybacking/Bob Jack	20
	DRAW\$ Emulator/Ray C. Robinson	28
	Medical Records/Bill Nieberding	36
0	Galactic Empire/Jon McGuire	44

DEPARTMENTS

Advertisers Index	62
Back Issue Order Form	
Business Sector/Charlotte & Brian Stone	
Delphi Bureau	6
Letters To The Editor	8
Racksellers	61
Soft Soapbox/Lonnie Falk	7
Soft Talk	58
Submitting Material	59
Subscription Information	60

REVIEWS

Astrology/Prickly-Pear Software					 	 	 		2
Macro Toolkit/Micro Realities					 		 		.2
Query/Micro Realities					 	 	 		2
Respond/Software Synergy		*000				 	 	+.03	.2
Thoroughbred Handicapper/Federal Hill	So	oft	wa	re		 	 		. 2

Cover illustration copyright @ 1986 by Sandra Underwood

 The small disk symbols appearing beside features and regular columns indicate that the program listings with those articles are on this month's SOFT SECTOR ON DISK, ready to LOAD and RUN. For full details, see the SOFT SECTOR ON DISK ad on Page 27.



Bringing you our very best...

With 48 programs (and still counting) we have the biggest, brightest selection of software available from any company. All our programs run on the Sanyo 550 series; those listed with an asterisk (*) also run on the Sanyo 700 and 800 series and other IBM-compatible computers.

For everyone:

BBS (\$99.95) - bulletin-board system for your Sanyo. Cornerman (\$39.95) - sidekick for your Sanyo has calendar, notepad, calculator, dialer, even an ASCII table. DI (\$24.95) - advanced directory system sorts all files, even in subdirectories or on hard disks. Locates any file instantly.

- * M-Disk (\$34.95) classic RAM disk emulator makes your Sanyo super-fast at any disk-addressing operation. Mi-Key (\$34.95) - a key-change program. Type long strings with two or three keystrokes, or try out the Dvorak keyboard.
- Mi-Term (\$79.95) terminal communication program helps your Sanyo talk to virtually any other computer system.
- Mousetick (\$39.95) trick to make a joystick act like a mouse. Printer Helper (\$29.95) - controller helps Epson printers use their full range of features with your Sanyo.
- Soft Spool (\$34.95) software print buffer and spooler keeps your computer working while the printer chugs along. Solar Sim (\$29.95) - educational solar simulation lets you estimate whether solar power is right for your home.
- * SuperDirectory (\$39.95) cataloger keeps track of all files on all your disks. Sorts, prints disk labels, more. Type Right (\$29.95) - training program makes you a faster, more accurate typist, helps prevent frustrating typos.

For businessmen:

- * Business Agreements (\$49.95) attorney-prepared legal forms and contracts simplify your business needs.
- * Calendar (\$24.95) appointment book brings order to your busy life at work or at home. MasterGraph III (\$89.95) - business graphics package creates dramatic line, bar and pie graphs.
- * Mi-Mail (\$79.95) menu-driven business mailing system creates mailing labels, even a personal phone book.
- Personal Money Manager (\$49.95) home financial program keeps track of your budget, projects fixed expenses.
- Pledge (\$199.95) tracks pledges and special gifts to religious institutions, reports to givers and the treasurer.
- Quick and Simple (\$49.95) menu-driven, down-to-earth list manager features easy input, several output options.

For graphics artists:

Grafiti (539.95) - an easy-to-use, basic drawing program. Picasso (\$99.95) - menu-driven, advanced free-form drawing package gives you absolute control of graphics. FreezeFrame (\$39.95) - versatile screen dump utility can be customized to take full advantage of your printer.

For programmers:

- Drive Timer Plus (\$24.95) utility checks disk drives, encodes files and provides menu-driven DOS file commands. DS DOS Plus 2.11 (\$49.95) - MS-DOS enhancement package supports 80-track drives, IBM graphics, sorted directories.
- EasyRecord (\$199.95) C-programmer's file utility manipulates files of all data types with easy-to-use functions.
- EasyWindow (\$199.95) screen display manager makes custom windows easy from C-language programs. Graphpac (\$49.95) - package of graphics routines for Pascal, C and machine language programs.
- Super Zap (\$49.95) full-featured disk editor lets you change anything anywhere on a disk. Fix disk errors with ease.
- Transfer (\$59.95) data transfer program converts TRS-80 files to MS-DOS files, or vice-versa.

For gamers:

Text adventure games:

 Adventure Disk #2 and Adventure Disk #3 (\$34.95 each) - five unique games on each disk.

Arcade games:

Cashman (\$34.95) - take the money and run! Darts (\$34.95) - toss darts with the joystick in eight versions of the classic game of skill.

Demon Seed (\$34.95) - first bats, then demons to defeat. Major Motion (\$29.95) - save the weapons van from attack. Maz (\$24.95) - find you way through the maze without being

eaten by the prowling cat. Mudpies (\$34.95) - throw them at angry circus clowns, duck the clowns and their Indian clubs.

Robounce (\$24.95) - robot aliens move through invisible force fields that deflect your shots.

Speed Racer (\$29.95) - win the race - or at least survive! Thunder Chief (\$34.95) - destroy enemy ground forces as you fly the Thunder Chief on increasingly difficult missions. Time Bandit (\$39.95) - collect the treasures of the ages from 20 worlds, fifteen levels of play.

Strategy games:

Checkmate (\$39.95) - match wits with the chess computer.

- DC-10 (\$39.95) realistic instrument flight simulator, complete with emergencies.
- Emperor (\$34.95) save the Roman Empire from the barbarians, and beware of your own generals.
- FlipSide (\$34.95) try Reversi against live or computer foes. King Arthur (\$24.95) - your foresight and strategy could save Britain from invading Anglo-Saxons and Jutes. Solitaire (\$34.95) - and cribbage and blackjack and poker squares and klondike. Many hours of entertainment. Tic Tac Toe and Cryptogram (\$29.95) - two classics.

lealer inquiries welcome . Visa and Mastercard accepted . Add \$3.00 shipping and handling to each order



576 S. TELEGRAPH, PONTIAC, MI 48053 ORDERS AND INFORMATION (313) 334-5700



Delphi Bureau

By Kevin Nickols MS-DOS SIG Manager

The Delphi MS-DOS SIG has really been picking up steam over the past month. Membership is now well over 2,000, with as many as 100 members accessing the SIG on a single weekend day. And even better, more and more knowledgeable Sanyo users are taking the time to participate, share their programs and help others with answers and advice.

The databases are beginning to fill with public domain and user-supported, or "freeware," programs. There are many excellent utilities, full-featured terminal programs, games, home and business programs, and programming aids. If you are not familiar with user-supported software, these are market-quality programs, distributed freely by the producers with a note asking for a small donation if you like and use the software. It is a great marketing concept, giving you the chance to use a program before paying for it and also saving you the tremendous distribution costs tacked onto conventionally distributed software products.

Regretfully, Delphi has instituted an hourly rate hike, effective March 3. The basic rate for evening and weekend hours, previously \$6, will increase to \$7.20 an hour for mainland U.S. and Canadian members who access via Uninet and Tymnet. The prime daytime rate will increase from \$16 an hour to \$17.40.

Other rates apply for Hawaii, Alaska, Puerto Rico and international users. More information about these may be obtained online in the MS-DOS SIG or by calling Delphi at 1-800-544-4005.

There is some good news regarding rates on the horizon, however. Beginning March 3, Delphi will levy no extra charge for 2400 Baud access. Other online services charge premium fees for access at higher speeds, some as much as two or three times their standard rates. Also, they are beginning a valuepacked membership plan called "The Delphi Advantage" which offers lower access rates, free manuals and command cards, a newsletter and other benefits. In exchange, members agree to use, essentially, six hours of online time each month at a guaranteed \$6 an hour basic rate.

Other good news involves enhancements in the Delphi software. Commands and features are constantly being added to make the system more flexible, powerful and user-friendly. Support for the Kermit file transfer protocol has recently been added to the workspace area and should soon be available in the open databases. This offers several advantages over Xmodem, including greater reliability of data transfer, multiple file transfers, and seven-bit transfers rather than eight (which should be a boon to our Canadian members who access through the seven-bit Datapac network).

At any rate, if you haven't joined us in the MS-DOS SIG by this time, I hope you will soon. Telecommunications is one of the most interesting and exciting things you can do with your computer. At the risk of sounding trite, I have to say it: There really is a whole world out there waiting.

We take the BYTE out of high prices!

SOFTWARE	
TURBO TUTOR	22
TURBO TOOLBOX	39
THUNDER CHIEF	29.95
SPEED RACER	29.95
CHECKMATE	39.95
SANYOPOLY	28,90
DOOM-QUEST	34.90
DAC, EASY ACCOUNTING	and the same
ACCOUNTS RECEIVABLE	
ACCOUNTS PAYABLE	09
INVENTORY	
GENERAL LEDGER	40
ORDER ENTRY	+ 40
PAYROLL	55
RECRUITER	90
APPOINTMENT BOOK	79
FREETE FRAME	34
A CONTRACT OF THE PARTY OF THE	34.95
MAJOR MOTION	24.95
MAJOR MOTION	34.95
DEMON SEED	34.95
MI IDDIES	34.95
SOLITAIRE	34.95
SNARE THE SOUARE	29.95
MATH CASTLE	29.95
TRIVIA MANIA	34.95
STATES & CAPITALS	24.95
PARTIES PARTITIONS STEED HOUSE STEED	

PRINTERS	
PANASONIC KX-P1080	199
KX-P1091	259
KX-P1092	349
KX-P1592	525
JUKI 8000 DAISYWHEEL	166
JUKI 6100 DAISYWHEEL	389
JUKI 6300 DAISYWHEEL	695
QUADJET INKJET COLOR	399
MONITORS	
SANYO 8112 GREEN	CALL
SANYO 8212 AMBER	FOR
Grid Committee C	44,010.00

MONITORS	
SANYO 8112 GREEN	CALL
SANYO 8212 AMBER	FOR
SANYO CRT 30	BEST
SANYO CRT 40	PRICE
SANYO CRT 50 COLOR	CALL
SANYO CRT 70 COLOR	CALL
SANYO CRT 80 COLOR	CALL
SANYO CRT 80 COLON	
COMMUNICATION	S

	COMMUNICATIONS	
:VC	LKSMODEM 300	59
CA	BLE FOR VOLKSMODEM	1-11-12
AN	CHOR MARK X 300 BAUD	1111,129
SM	ARTEAM 1200 BAUD	219
RS	-232C PORT	39
CC	MPUSERVE STARTER KIT	29
Th	E SOURCE STARTER KIT	45
	TERM MODEM SOFTWARE	

ABLE FOR VOLKSMODEM NICHOR MARK X 300 BAUD MARTEAM 1200 BAUD 19-232C PORT	19
MARTEAM 1200 BAUD	
89-232C PORT	19
	39
OMPUSERVE STARTER KIT	19
AI-TERM MODEM SOFTWARE	19

MON-FRI 10-9 SATURDAY 9-9	Comp-U-T
SUNDAY 12-5	P.O. Box 777, Millersville,
	A DIVISION OF GLOBAL CONS

1-800-545-1555

ACCESSORIES	
	0.00
KEYBOARD EXTENDER CABLE	
WORDSTAR TEMPLATE	12.95
FARALLEL PRINTER CABLE	24.95
RS-232 M TO M CABLE	23.95"
TILT/SWIVEL STAND	19.95
DUST COVER SETS	CALL
NASHUA DS/DD DISKS	15.95
MAXELL DS/DD DISKS	
MANUALS	
WEBER MBC-550 USER'S GUIDE	
Charles and the state of the state of	15

SPECIALS

CALL

49.95

TEAC 558 (360K DISK DRIVE)

TEAC ASE/MOOK DISK DRIVE) HARD DISK CONTROLLER/768K VIDEO BOARD 512K

LOTUS 1-2-3 FLIGHT SIMULATOR

MICHOCES	
WEBER MBC-550 USER'S GUIDE	
WEBER MBC-550 BASIC GUIDE	
WEBER BUSINESS PROGRAMP 15	
SANYO BASIC REFERENCE 30	
SANYO MS-DOS 2.11 MANUAL	
SANYO WORDSTAR REFERENCE 35	
SANYO REPORTSTAR REFERENCE	
SANYO DATASTAR REFERENCE	

INQUIRIES & MARYLAND (301) 987-1550 (301) 987-4272

In the area of good news, there has been a management shakeup at Sanyo and some new directions in marketing are in the offing.

Belinda wrote a couple of months ago that Sandy Waters has left Moonachie. He was the marketing manager under Ed Goulart, who has now also left. Goulart was national sales manager.

Lou Leonardo is now national sales manager, while Mark Zeiger continues as manager of research and development. Mark is an "old-timer" and one of the most knowledgeable persons I know of in the Sanyo field. Moreover, he has a level of interpersonal communication skills which was sorely lacking under the old regime.

As I wrote you in this space before, Sanyo certainly has a right to determine how to market products it manufactures. However, the implementation of that program has been poorly handled to the end that sales have suffered greatly. It was interesting that Sanyo was still producing the same fine, high-quality machines as before, but that the sales effort slowed dramatically almost from the day the new regime came aboard.

I see better days for this market. I know that, under the direction of Eisuke Tomochika, who heads Sanyo Business Systems in the United States, there is a firm and committed desire to a successful marketing effort. I also know that the Sanyo machines - both "old" and "new" ones - are excellent products.

Given good leadership in the sales and marketing area, I think those of us who support Sanyo's excellent products have some exciting and happier days ahead.

- Lonnie Falk

PERIPHERAL **PRODUCTS** DISTRIBUTING

SOFT SOAPBOX

introduction

good news

for all Sanyo users prompts me

to take over this space this month. The

introduction involves one Ed Ellers, who, effective

this month, becomes managing editor of SOFT

SECTOR. Ed replaces Belinda Kirby who has been

promoted to a lofty new position as editorial

manager for two weekly newspapers in the Louis-

ville area that we have recently begun to manage.

as I am sure you will agree. I know that all of you

will wish her well.

DOS compatibles.

Belinda has done a fine job with SOFT SECTOR,

Ed has been on our staff for two years, primarily

as a technical assistant, columnist and "answer

man" for all three of our computer publications -

as well as our new video software magazine, VCR.

He has vast experience in both computer hardware

and software and will, I believe, help greatly in

blending the technical intricacies of the sometimes

mysterious 550/555 and the new Sanyo line of MS-

I know you will all join me in welcoming Ed to

his new responsibilities. I believe you will be pleased with some of his ideas and plans for SOFT SECTOR.

 RS-232 INTERFACE at an unbeatable price for \$39.00 the MBC-55X. Top quality and full warranty.

 DATA COMMUNICATIONS PACKAGE! Get online with the Volksmodem 300 baud modem, cable, RS-232 \$149.00 and the Envoy communications software. 289.00 Name package with the Volksmodem 300/1200

MEMORY "CHEAP CHIP" DEAL! When you order any other item in this ad you can get the 150ns 64k \$12.00 memory chips at a fantastic price.

128k

• WHY SHOULD YOU BUY FROM US? No additional charge for MC, VISA or COD orders. Free shipping via

UPS ground on orders over \$25.00. Same day shipping (if order placed by 2:00 MST). Next day and 2 day air services available.

. BATTERY BACKED-UP REAL TIME CLOCK for the MBC-55X. Retain the correct date and time when the power is off. Not affected by disk I/O like the internal clock is. Includes software


	Volksmodem 300/1200 baud modem	199.00
	Volksmodem 300 baud modem	59.00
	Cable for above Volksmodems	10.00
	Envoy communications software	44.00
	Intellicom communications software	66.00
	Intellicom communications software	29.00
١	Comp-u-serve start-up kit	49.00
	The Source start-up kit	10.00
ľ	Memory, Prime 150ns chips	16.00
	128k	32.00
	Bulk diskettes, 20 per package SSDD	16.00
	DSDD	20.00

PERIPHERAL PRODUCTS DISTRIBUTING P.O. BOX 11986 TUCSON, ARIZONA 85734

(602) 881-4280 Allow 18 days for

personal checks AZ residents add 7% tax

ORDERING INFO: For shipping add 3% - \$3.00 minimum. Visa and MasterCard add 3% MD residents add 5% sales tax Personal checks - allow 7-10 days to clear NO CODs. No returns accepted without prior authorization. All returned merchandise subject to 15% restocking fee. Write to



I suggest that APBA Baseball fans, who don't have a 100 percent IBM compatible, write to the game company and to the publisher, Random House Software, complaining about this short-sighted design decision and requesting a generic MS-DOS version that the rest of us in the non-IBM.

Forest Grove, PA

SOFTWARE CATALOG

I am a new owner of a Sanyo MBC-555-2 and am interested in knowing if you have a catalog and price list of programs available for my machine.

I'm presently interested in graphics programs that produce bar charts, etc.

Bob McQuaid Ardmore, PA

Editor's Note: Sanyo currently sells a Sanvo Compatible Software Catalog for \$3. For further information or to order, write: Sanyo Business Systems Corp., 51 Joseph Street, Moonachie, NJ 07074.

MORE MEMORY

I want to expand the memory of my MBC-555-2 to at least 512K, but the expansion cards seem expensive, particularly in

In the January issue, Bob Jack's article, Mega-DOS, says: "You will have to add the additional memory. There are several ways to do this. The most popular way is to "piggyback" four more banks of 64K memory chips onto the two banks of memory chips which plug into the main computer board . . .

This seems to be inexpensive but how could I do it. Could you explain it in great details? Also, what are the other ways? Could I unplug the 64K memory chips and plug 256K memory chips instead?

Marc Routhier Sainte-Foy, Quebec

Editor's Note: In this issue, Bob Jack explains how to add additional memory by piggybacking. Look for his article, "Piggybacking" on Page 20.

885 SUPPORT

Recently, I elected not to renew my subscription to SOFT SECTOR as 1 no longer own a Sanyo MBC-555. My rationale is that your publication is geared toward the 555 775 and not my recently purchased Sanyo

I'm interested in whether or not you intend to include the 885 in your publication. If the answer is yes, I'll consider resubscribing. Whether or not the published routines will work on my machine is of prime importance, as well as the software supplied by your advertisers.

I am most interested in a good, dedicated publication as the SOFT SECTOR 555 relationship has been. Please advise.

Walt Harris Militani, H/

Editor's Note: We do plan to cover the 670, 770 and 880 series computers in future issues. The depth of our coverage will depend on the amount of material we receive from readers like vourself.

PICTURE PERFECT

From reading each issue of SOFT SECTOR I have, I got the impression that your staff is very helpful and I do need a little help.

The only monitor I was able to receive with my computer was the CRT-30 which is very nice, but of course, has no color. Naturally, Sanyo recommends the CRT-70 as the best RGB monitor, and I have seen many advertisements in SOFT SECTOR where I would be able to obtain that model, but I would like to do a little research first.

I don't know anything about the differences in the various RGB monitors, and since there are so many available, I would greatly appreciate it if your staff could please give me some advice. I would like to purchase the best RGB monitor for the least cost. My only concern is to obtain one that performs all the capabilities that are possible with my model.

Could you please send me some information regarding the differences between the various RGB monitors and give me an idea of what may be the best for the money? Are there any that can perform as well as the CRT-70 for less cost? Also, why does the CRT-70 cost so much?

Any help or advice that you could give me sure would be greatly appreciated. Keep up the fine job with your magazine. It is truly the greatest help I have had so far with my Sanyo.

Louis Harding Waldorf, MD

Editor's Note: The Sanyo CRT-70 monitor uses a relatively expensive high-resolution picture tube designed specifically for computer use. Many other monitors, such as Sanyo's CRT-50, use tubes similar to those used in home TV sets and provide somewhat less resolution. Any RGB monitor (or color TV with RGB inputs) designed for use with the IBM PC will work with the Video RAM Board and with the MBC-675, 775 and 885 computers. Many of these will also work with the standard RGB output on the MBC-555, but some monitors won't accept its synchronizing pulse signals.

UPGRADES GALORE

Editor.

Last October I renewed my subscription for another year. Boy, was it worth it. In just two of your issues I was able to change my MS DOS to address my 512K upgrade. I she set up an MS-DOS compatible print appooler (I was using DS-DOS Plus for the whove upgrades).

Your review of the V20 chip allowed me to upgrade my 8088 to the V20 and to change my MS-DOS boot file, FORMAT.COM, and BI SKCOPY to run with the V20.

Using a disk zap routine from the Michigan Software bulletin board, plus your V20 review, I was able to get my Cashman program to run on the V20 chip also. Thanks for a great magazine.

Joe Matherly Orange Park, FL

PRINTING POINTERS

Editor:

Found you at last! I knew you had to exist, but as you don't appear in the usual outlets here, your publication was unknown. It is only since I discovered Molimerx was importing SOFT SECTOR that I knew my search was at an end.

Thank you for producing an entertaining and very helpful magazine. I think I have learned more about my MBC-555 reading SOFT SECTOR than all the nights spent wading through the manuals when starting off. Please keep up your very high standards.

As I have only been receiving the magazine from the November '85 issue, I don't know if the "Helpful Hint" listed below has been covered in a previous issue. Anyway I am sure you will use it if you feel it merits inclusion

I run a Qume-compatible printer with my system (Daisystep 2000). A more pleasing result is obtained using a 12-pitch elite wheel and do the majority of my work with this set up. WordSar, however, is defaulted to print in 10 pitch, with CTRL PA to set the alternate 12 pitch.

I became more and more frustrated with having to remember to put either CTRL PA or .CW 10 at the beginning of each document or letter I produced, so I went back to the installation manual to see if that could help with my problem.

The manual suggests that the printing pitch default can be altered by selecting 'D' Custom Installation of Printer from the Install menu, and then 'Q' - Character Pitch, and inserting the appropriate ESC sequence to enable the required default setting. I tried every permutation of the required sequence without success.

I then wrote to Dr. John D. Lee and Timothy D. Lee, our WordStar "gurus" to ask their help. They came up with the following:

"Using Install and typing '+' at the opening menu gets you to the user patchable area. The default value for the Standard Print Width is stored at Location : INITPF+16 (in WordStar 3.2 and later) where the current value is 00h (12 decimal), this needs to be set to 08h (10 decimal) to effect 12 pitch as the default."

See Page 16 of the Quick Reference part of the Sanyo Micropro Manual under ".CWn" for a fuller explanation of why these numbers are selected.

I implemented these changes through the Install program with complete success and now can forget the drudgery of setting printing widths at the start of every docu-

> Brian Pogson Worthing, West Sussex United Kingdom

UNBELIEVABLE SPEED

I am pleased to report that I, first of all, made all of the speed-up patches for Word-Star printed in SOFT SECTOR magazine. The speed up in the video board mode was fantastic. With my three-color screen, it is unbelievable how fast WordStar is, and with very clear text quality.

Upon reading the advertisement about FastStar by PT Software, I decided to nurchase it for the low price of \$20. I must say that this is even more unbelievable. The speed up is faster in all aspects of WordStar. Even menu scrolling is very fast. It even speeds up WordStar in Sanyo regular mode, to the point that it is acceptably faster in all aspects; although not as fast as in the video board mode.

I also used WizStar from SOFT SECTOR magazine to obtain the extra 10 PF keys, 1 may be mistaken, but it seems that FastStar works even better when you have run Wiz-Star on WordStar also.

The FastStar "RAM disk" feature seems to be even a better feature than A-OK'S Turbo Drive 550, in that you do not have to put COMMAND.COM onto the FastStar RAM disk as you do with Turbo Drive 550. More memory seems to be available. The FastStar RAM disk uses only 73K of RAM.

In the video board mode, WizStar's first 10 PF keys will not show when WordStar first comes on. I found out that in order to get all 20 PF keys to show on the screen, you have to first run a program from the opening menu's 'R' option to run a program. I run CHKDSK and "magically" all 20 PF keys will appear onscreen in beautiful color.

My color monitor is the Taxan RGB 420. I do not have the text clarity problem mentioned in the Silver Fox review in Byte magazine, January 1986, in video board mode.

> John N. Logreco Los Angeles, CA

SEARCHING FOR GAMES

Editor:

We have a Sanyo 550 with two disk drives. Your magazine has been very helpful at various times. We are interested in purchasing some games with good graphics that are action games, not strategy.

Can any of your readers recommend any that they currently have?

I purchased DC-10 after being told by the dealer that it had "good graphics," only to find it is an instrument panel.

Also, can anyone recommend the cheapest dealer from which to purchase these? We

will probably need a joystick, too. Thank you. Please write to me at 1910

Camberly Drive, 44124.

Linda Stavis Lyndhurst, OH

Sanyo BASIC to PC BASIC Converter

Move your 550/555 programs to PC BASIC

Tave you ever written a great program and then tried to show it to your friend — the one with the IBM PC? If so, you have seen the minor problem which occurs, an error called "Direct Statement In File." This will also occur if you go from a Sanyo without the Video RAM Board to a machine with one. The cause of this problem is the line feed characters Sanyo BASIC inserts. PC BASIC does not recognize them.

This program will remove the line feed characters. It works by OPENing the BASIC program as a file and GETting it 128 bytes at a time. It then checks each byte to see if it is a line feed character, CHR\$ [10]. If it is, it changes it to a space. Then it PUTs the record back onto the disk. If you wish to watch it work, insert PRINT Es at Line 405. It should print out all on one line since the line feeds have been removed. However, if you load and list the program, it will still list normally. If E\$ prints out as a bunch of garbage, you did not store the program in ASCII format.

The first thing you must do is save the program in ASCII format with the SAVE "filename", A. Then go back to DOS and find out how many bytes long it is. A word of caution: The length will be different after you save it in ASCII format.

When you run the program, it will ask for the filename. This includes the extension and disk drive, if required. Then it will ask for the number of bytes in the file. The next thing you will see is a statement telling you which record it is working on. This was included to prevent you from thinking it is caught in a loop and panicking on long files. The program can take a couple of minutes to run if the file is

When it is completed, the program you removed the line feeds from should run on a PC. However, you may still get some syntax errors because of differences in Sanyo BASIC and PC BASIC.

Mike Albers holds a degree in mathematics and works as a technical writer. He is currently attempting to market a retirement plan accounting program. He may be contacted at 106 Virginia Place, Cary, NC 27511. (919) 469-3738.

By Mike Albers

```
The listing: LFREMOVE.BAS
10 '*** THIS PROGRAM WILL CONVERT A PROGRAM WRITTEN IN SANYO BASIC
20 '** SO IT CAN RUN ON AN IBM. IT OPENS THE PROGRAM AS A FILE AND
39 '** REMOVES ALL THE LINE FEED CHARACTERS. THE PROGRAM MUST FIRST
49 1*** BE STORED IN ASCII FORMAT. SOME SYNTAX ERRORS MAY STILL OCCUR
5g '*** DUE TO DIFFERENCES IN SANYO BASIC AND IBM BASIC.
60
70 DIM C$(128)
80
90 CLS : LOCATE 10,10 : INPUT "NAME OF FILE "; AS
199 LOCATE 11,19 : INPUT "NUMBER OF BYTES IN FILE "; BYTES
129 OPEN "R", #1, A$, 128
130 FIELD #1, 128 AS F$
140 '
150 FOR J = 1 TO BYTES/128
169 '
179 '** PRINT OUT NUMBER OF RECORD BEING WORKED
180 '
    CLS : LOCATE 10,5,0
190
     PRINT "Record "; J; "of "; BYTES/128; "is being handled now."
299
210 GET #1. J
220 1
239 'work LOAD C$() WITH VALUES FROM THE DISK
249 '
250
      FOR I = 1 TO 128
          C$(I) = MID$(F$,I,1)
260
270
     NEXT I
280 '
290 'thick REMOVE THE LINE FEEDS
300 '
    FOR I = 1 TO 128
310
        IF C$(I) = CHR$(19) THEN C$(I) = " "
320
330
340 '
350 'when PUT C$() IN FORM TO LOAD BACK ON DISK
360 '
370 ES = ""
      FOR I = 1 TO 128
390
         E\$ = E\$ + C\$(I)
499 NEXT I
410 '
429 LSET F$ = E$
430 PUT#1, J
440 1
450 NEXT J
460 CLOSE #1
470 END
```

ASK SANYO the following questions have been

answered by personnel at Sanyo Business Systems Corp. as a service to SOFT SECTOR readers. Should you have a question, mail it to: 51 Joseph Street, July 22 and the MBC-775 was taken. Moonachie, NJ 07074.

Q. I bought a video board and tried a new "out of the box" Lotus. It does not display to the screen although it seems to load. It also appears to run. I thought the video board allows Lotus to run. What gives?

> Alvin Jones Favetteville, NC

A. The biggest problem with installing Lotus 1-2-3 on any system is choosing the correct configuration. If you are using an RGB monitor with your system, install 1-2-3 as IBM color. If you are using a composite black and white monitor. install 1-2-3 as IBM black and white. Never install Lotus as IBM mono, since this assumes video RAM at Address B0000 (Hex). The Sanyo video board emulates the IBM CGA and not the monochrome adapter. If Lotus is installed as IBM mono, nothing will appear on the

O. I'm especially interested in the PeachText 5000 software series. I tried running it on my Sanyo MBC-555, with no success, after configuring it for the IBM PC. If the Peachtext package is compatible with the IBM PC, is it compatible with the addition of a video board to the MBC-555?

> Gary A. Jacobs Redlands, CA

A. We have tested Peach Text 5000 on the MBC-555 with the video board. The version tested was 2.11. The editing, printing and disk functions appear to work satisfactorily. However, because of the size of the program, it was impossible to test every function of the software. Therefore, while we believe PeachText 5000 will function correctly, we cannot guarantee that every phase of the program will work as it does on the IBM PC.

O. I purchased a Sanyo MBC-775 in June and experienced two hard disk failures and three weeks of problems getting it to recognize the 640K of memory which I purchased. The memory problems were encountered by the dealer. An additional problem of getting Calc-Star and WordStar to run was finally resolved by another customer who told us to restrict the memory to 256K and both would work. Finally, I got the machine home on July 20 and all was finally working fine until I was burglarized on

In September I purchased another 775 and the dealer could not make it recognize the hard disk, or the memory simultaneously. He tried to persuade me to switch to the IBM but I remained stubborn in my lovalty to Sanyo. I had owned an MBC-1000 for four years. After many calls to Sanyo, the hard disk manufacturers and two MBC-775s we were forced to give up. I purchased instead an MBC-885. Promptly the hard disk failed and had to be replaced, but all has been perfect ever

I am curious if other users have encountered similar problems, and wonder why Sanyo was unable to assist us. They could have lost a sale and a lot of good will. I work on an IBM-XT at my office and have yet to experience any similar prob-

Miami, FL

A. I am sorry you have had problems getting hard disk systems to work with vour MBC-775. I do not remember hearing from you but if you had contacted us, we would have provided you with a list of controllers we have tested and our PC compatible computer line.

Among the controllers we have found to work satisfactorily are:

Adaptec 2010A DTC

SMS Omti 5510 (half size for the MBC-675)

Centan NDC 5027

Xebec

Western Digital also claims they have a board that has been modified for the Q. Iam an avid reader of SOFT SECTOR accessed at 8 MHz). We have not had the opportunity to test the board yet.

Be aware that all the controllers (except the Adaptec 2010A) require a ROM that matches the drive type. Consult the manufacturer of the controller for details as to which ROM must be used. The Adaptec allows the user to choose the parameters of the drive via software.

O. I would like to say how much enjoy your magazine. Being the owner of a Sanyo MBC-555, I find your magazine very helpful. I've run into a problem with finding hardware or programs that will do computer graphics on this machine.

I'm a commercial artist with an associate's degree in computer programming. My wish is to design logos and illustrations and also to digitize video composite signal from a video recorder into my computer and be able to manipulate a still

I have the Picasso program and love it very much. I have, in fact, designed a logo with this program, but using a joystick is very difficult. Is there a graphics tablet I can purchase that will work on this program, or will the program have to be rewritten to handle such a request? If I'm not mistaken, the graphics tablets input through the RS-232 port.

My needs are to utilize my computer in design using a pen or graphics board. have my own video equipment and would like to input a still frame from video into my computer. I would like to be able to change and print this illustration onto my Epson printer or to output the final result back to video.

My let-down is, all these great thing: are available for the IBM PC and I don't know if they will work on the Sanyo Please let me know of such a program and graphics tablet are available for the

> Guy Fanguy Houma, LA

A. It is possible to add a serial port to Ann Guiles the MBC-555. Sanyo sells such a product

Unfortunately, adding a serial port i not enough to get many software packages to work. Most of the software that makes use of a serial port to run device drivers for graphics tablets and mice, wil probably not work with the MBC-555 This is because the port addresses on the Sanyo are different from those on the IBM PC and the actual UART used has a different structure.

If you would like to write your own software to make use of the serial ports Sanvo will provide you with the information needed. However, patching existing software to work with a different UAR can be very difficult.

and I enjoy reading solutions to Sanyo user problems. I am also a Sanyo user with a problem, but my computer is a Sanyo 1250 which is not featured in SOFT SECTOR. The 1250 is CP/M 2.2 operated with high resolution graphics, (640 by 400) green monitor. It runs Micro Pro software such as WordStar, DataStar, etc., and a graphics program which works very well on the screen but will not print

either on a Tally 180 T or an Epson dot matrix printer. The manual gives an HCOPY command which should print from the screen. I have exhausted all possibiltties including modifications with the ISSM utility.

I would like to know if you are aware of a solution to this problem or if you know of other 1250 users who have solved the problem.

> Andy LaCombe New Rochelle, NY

A. The screen dump program (and consequently the HCDPY command of BASIC) is meant to function with a Hitachi printer that is only available in Japan. To change the program to function with other printers would require that the ROM be completely reprogrammed for the particular printer. Unfortunately, we do not have the information needed to do

1. I currently own an MBC-550 with 36K and am using SS/DD disks and a Panasonic KX-P1091 printer.

In wanting to upgrade this system with double-sided drives, a number of questions have surfaced. Per Jessie Bunch's article, "Upgrading Your MBC-550/555 To Double-Sided Drives, "SOFT SECTOR, September 84, Page 15; the correct drives are TEAC 55Bs. Is this the same as FD-55 B? Also, current advertising reveals TEAC 55F drives are now available. Is there a difference? If so, what? Can they readily be used in the 550 with my bundled suftware?

Also, I have about 50 diskettes formatwith DOS 1.25 and crammed full of programs, spreadsheets and text. If 2.11 formats nine tracks, how can I get all my information transferred from 1.25 formatted diskettes which use eight tracks? thors 2.11 provide a conversion utility for this purpose or have I "lost" all my data to reinput upon upgrading to 2.11?

Additionally, where can I get reference manuals for BASIC and WordStar?

Finally, I've heard DOS 3.1 is now wallable for the MBC-775. Is it to be used in the 550/555 series as well?

Your assistance would be greatly appre-

Dave Uhley Captain USMC Quantico, VA

You may use the TEAC FD-54B or 1D 55B as double-sided drives on the wayo MBC-555 series. Other doubleaded drives will probably work, but the

above mentioned drives are the ones that Sanyo uses and the ones we recommend.

If you want to copy the files from a single-sided to a double-sided disk, do the following:

1) Format a double-sided disk.

2) Put the blank, formatted, doublesided disk in Drive A and the singlesided disk in Drive B.

3) Use the COPY command to copy all COPY 8: * . * A:).

Reference manuals are available from your Sanyo dealer. If your dealer does not have the manuals, he may order them from Sanyo. You may call Sanyo Business Systems directly to get the location of your nearest dealer. The number is (201)

PC-DOS 3.1 runs on the MBC-775 885/675. Sanyo will not be introducing a version of MS-DOS 3.1 for these machines. We will supply MS-DOS 3.1 for the files from Drive B to Drive A (i.e. the new 80286 based computer - the MBC-990 series.



PRICKLY-PEAR SOFTWARE

QUALITY SOFTWARE FOR THE SANYO 550 SERIES

* * * 3 NEW PROGRAMS * * *

ACE - ACE is a set of versatile tools patterned after the UNIX operating system. BROWSE will help you quickly review files. It has a handy help menu containing all the easy-to-remember commands. Scroll up, down, left or right, one line or one or more pages at a time. Quickly return to the top or go to the bottom of the file. Go to a previous file listed in the original command line or choose a file to view, ACE also has a flexable SEARCH routine to help you find any string combination. You can SPLIT large files into smaller files of equal size. SORT lists easily by using this stable sort routine which allows you to sort on any column, ignore case, or specify numbers only. You can even eliminate all duplicate lines in files (not just adjacent) to streamline database files. COPY multiple files to another disk or directory. MOVE multiple files to another disk or directory and rename them, CHANGE is an easy-to-use string substitution facility. ACE works with any text files, PASCAL or C programs, and even Word Star files or BASIC programs saved in ASCII. It provides a quick and easy way to review large files or several small files easily. Use wildcards, fully-qualified pathnames with subdirectory references, redirection or filters. \$34.95

PRINT MASTER - Add variety and style to your hard copies with this menu driven print utility. Print ASCII files in the STANDARD SET, ITALICS or CONDENSED PITCH. Use the DOUBLE STRIKE option to make clearer, darker copies. FORMFEED, LINE FEED, or change the linefeed to 7/72 or 1/8 with a single key stroke. You can also disable the "no paper" indicator. Combine the condensed pitch and line feed changes to print 132 column files on your 80 column printer!!! Print Master works with all Gemini or compatible dot matrix printers. It is shipped on our handsome vinyl case. \$34.95

GANGBUSTERS - In Gangbusters! you can finally do all those things you have always wanted to do. Go ahead, indulge yourself, bribe the heat, or maybe a Judge. Watch your horse race across the screen as you play the

ponies. Take over a union for the Pension money, borrow money from the Juice man or start a bootleg operation and much more, but watch out for the Gangbusters. If you're not careful, and lucky, they will shut you down. Rise through the ranks and become a hood, GAMGINISTISM runner, bookie, torpedo, fence, kingpin, and finally win by being the first one in the game to rise to the exalted level of Syndicate Boss.

The game is set in the 1920's and it is playable by 2 to 6 players in 1 to 2 hours. Each and every game is different and a great combination of text and graphics. \$34.95

FOR ORDERS CALL (602) 749-2864

Your Personal check is welcome no delay include \$1.50 shipping for each program ordered (Ship ping free on \$50.00 or larger orders). AZ residents add 5% sales tax. Orders shipped within two days.

Dealer and author inquiries are always welcome Canadian dealers should contact Kelly Software Distributors, Ltd. P.O. Box 11932, Edmonton, Alberta T5J-3L1 (403) 421-8003

Send for Free Catalog

Send Order To PRICKLY-PEAR SOFTWARE



2640 N. Conestoga Ave. Tucson, Arizona 85749 (602) 749-2864



DESIGN AND PRINI DESIGN AND PRINI DESIGN AND PRINT R April 1988 OPRINT

YOUR LETTERHEAD

the Sketch-It Version 2 program (SOFT SECTOR, January '85, a screen dump and your printer capabilities. Depending on how much memory your screen dump requires, this batch file may require more than 128K to execute. I have copied all of this onto my WordStar disk so I can print out the letterhead each time I write a letter.

First, type in Sketch-It as mentioned above (it's a shame if you haven't already done so as this is a very versatile program). Then you use this program to design your own letterhead logo. Note that you need to consider placement of the logo on the screen so that you can later "dump" it to an appropriate placement on paper. My screen dump prints graphics sideways so my logo actually had to be drawn on the screen. rotated 90 degrees in the upper right-hand corner. (This does make for a slightly sore neck when drawing the logo.)

I found it easier to draw my logo somewhat larger than wanted and then to reduce the size and place it properly using Sketch-It's "Insert" option. This made for better detail. Though not really a problem here, as you'll soon see, another hint is when using a screen dump, it automatically dumps everything on the screen, which in Sketch-It includes the "Press any key ... "line at the bottom. I have changed Line 255 in the program to eliminate that and simply have to remember to press a key when I want to return to the opening menu.

Now that you have designed your logo, you again have to return to Sketch-It and type in Listing 2 on Page 69, using the name you have given your logo in lines 5000 and 5002. Try running this program and see how it looks.

We now need to make a small change in this program to stall the computer so we have time to print your logo before It gips on to the next step in the batch file and so that the Ready prompt does not erase part of your drawing.

You may want to copy your LISTING2 file before modifying it so it is reusable with another program. Then change Line \$6020 as indicated below and add Line 5021. Your Line 5021 may need to be slightly different as you will want to substititle your screen dump's command at CTRL PF2, which is my screen dump's print command. The changes are:

MAJO NEXT X: ON ERROR GOTO 0: CLOSE

LOCATE 21,1,0:PRINT "Press CTRL PF2; when picture is drawn, press BREAK; realign paper; then type system.

Step three is to design the text that you want at the top of your letterhead. You may wonder why I have not simply med the text options in Sketch-It, as this is probably an easier option and one some of you may want to consider. Since my screen dump prints sideways, it does not utilize the full width of the paper and makes for a letter that looks somewhat impulded. Therefore, I have chosen to use the programming options available in my Olympia Compact NP printer.

There may be a more elegant way to format text on the page but this was the easiest way for me. Line 5019 sets the line feed and the remaining lines select the print type and carriage returns as well as perform the actual printing. You will obviously med to consult your printer manual.

It is finally time to gather all of these pieces into a batch file. It may be helpful to consult the article on "The Wonders of Banch Files" by J. Weaver Jr., SOFT SECTOR, February '85. Under MS-DOS 2.11 you simply need to type in COPY CON

Anderson is an ACSW child and family therapist by profession. She enjoys raising Afghan hounds and writing and hern published in both family and Afghan journals. She has owned a Sanyo computer since November 1984 and may www. Walparaiso, IN 46383.

"filename". BAT, your commands, and finally CONTROL-Z by itself as the last line of your file. My batch file is simply:

COPY CON "DOGLETHD. BAT" FF/I BASIC "GRAPHMER. BAS" BASIC"DOGLETHD.BAS" CTRL-Z

To explain the above commands, FF/ I is the command to load Freeze Frame (my screen dump) into memory, where it simply waits until you are ready to use it. The second command will load BASIC and then execute the GRAPHMER program which is what I named Listing 2 from

Sketch-It (don't ask why I chose that name because I simply can't remember). The final command will again load BASIC since control had been passed back to the system and will then execute the file which tells the printer how and what text to

Running this batch file is not completely automatic as you need to tell your computer when to print the logo and possibly to realign the paper. But get it started by simply typing in the name of your batch file; mine is DOGLETHO. The computer should first load your screen dump. BASIC will then be loaded and soon your drawing will appear on the screen. When your Ready prompt appears at the bottom, tell your screen dump to print.

With my screen dump, I can press BREAK as soon as the logo is printed so I don't have to wait for it to go across the rest of the monitor screen, and so it doesn't print what I have placed in the lower left-hand corner of the screen. The computer is now waiting for you to pass control back to the system so it can complete the batch file. You may need to first back your paper up a little so that the text you are going to print next is beside your logo. Then, simply type SYSTEM and BASIC will load. Your printer file, and finally your business name and address will be printed out.

All of this is not nearly as difficult as it may seem and once done, very easily prints a professional letterhead.

The listing: DOGLETHD. BAS 5019 LPRINT CHR\$(27);"2"; CHANTILLY AFGHAN HOUND 5921 LPRINT CHR\$(27);"1"; CHR\$(56);:LPRINT" S":LPRINT CHR\$(27); "W"; CHR\$(\$);:LPRINT CHR\$(1\$); 5923 LPRINT CHR\$(27);"1"; CHR\$(52);:LPRINT" TERRY & SUE ANDERSON" 5925 LPRINT CHR\$(27);"1"; CHR\$(52);:LPRINT" 369 BRINER ROAD" 5927 LPRINT CHR\$(27);"1"; CHR\$(52);:LPRINT" MARION, IN 46953" 5929 LPRINT CHR\$(27);"1"; CHR\$(52);:LPRINT" (317)662-9333"

The Smart Set

Teach your children the letters of the alphabet, how to tell time math basics, spelling and much more. Completely menu driven. The Smart Set comes with 3 different learning games, and its combination of exciting graphics and vibrant music keeps kids coming back for more. Written by a professional educator and kid-tested The Smart Set pleases parents too, for ages 3 and up \$34.95

More Brighter Ideas

HOME MANAGEMENT 1 - 5 programs to simplify your life, including Budget, our popular financial management

HOME FINANCE MANAGEMENT Plan your budget save on taxes, amortize loans, much more, 4 programs \$39.95

BASIC PROGRAMMER'S TOOLKIT 5 tools for more efficient programming; how to convert from IBM to Sanyo \$39.95

UTILITIES 1.25 and 2.11 - 9 handy time-savers, ease file \$29.95 handling

TREKKIE FEVER-3 New graphics and text space games \$29.95 MIND BENDERS - 4 graphic brainteasers **DISKETTES** - any quantity, lifetime warranty

> SS/DD - 95c each DS/DD - \$1 19 each ASK ABOUT OUR USER GROUP DISCOUNTS

Call or write to order or for free catalog



MVP SOFTWARE 1035 DALLAS SE **GRAND RAPIDS, MI 49507**

(616) 245-8376

MC/VISA accepted at no extra charge Add \$3.00 shipping per order



Accounting Software

- · Ledger: Double-Entry General Ledger for Bookkeeping/Accounting \$125.
- · Receivables: Accounts receivable for Accounting/Collections \$125.
- · Payables: Accounts Payable for Bookkeeping/Cash Flow \$125.

Rags to Riches was developed especially for small businesses with under 3 employees: self-employed business people, home-operated businesses, small manufacturers, service businesses, farms and ranches, professionals, comsultants, and retailers, among others. Free Demo available. System Requires DOS 2.11 Dual 360K Drives





14008 Nacogdoches San Antonio, Texas 78247

BASIC TRAINING

Timing Your Long-Distance Calls

By Fred Blechman Soft Sector Contributing Editor

ong-distance phone calls are expensive, and getting more so all the time. Telephone timers or a stop watch can keep track of the time you've been talking, but they don't tell you how much the call is costing.

This program (Listing 1) provides a real-time screen display of the number you are calling, the charge for the first minute, the charge for additional minutes, the number of seconds to the next charge, the total cost so far, and the number of minutes for which you've been charged.

Since the screen shows you the accumulated cost at any point n time, you will be more "cost conscious." Also, since most phone companies charge only for full minutes, and the screen displays the seconds counting down to the next charge, you can either extend your conversation without additional charge for the rest of that minute, or end the conversation before you're charged for another minute.

Fred Blechman, an acknowledged authority on home computers, has written several articles and books related to microcomputers. He is self-taught in electronics and computer BASIC programming and specializes in writing for beginners. Fred may be contacted at 7217 Bernadine Ave., Canoga Park, CA 91307; (818) 346-7024.

Laguright # 1985 by Fred Blechman.

Running the Program

Figure 1 shows the initial screen and Figure 2 is a run beyond that point. If you request specific instructions with a '1' for 'yes," then the additional screens describe the general rules and discount periods for long-distance calls. However, these rules and time periods may vary in your area, so consult the front pages of your local phone book for the information that applies to your locality.

Rate Information

You'll need to refer to your phone book before making the call to determine the rates that apply to the specific destination being called at the time you're calling. You can also get rate information from your information operator.

Entering Data

You'll be asked for the initial time period. This is (usually) three minutes for operator-assisted calls or one minute for direct-dial calls. Next you enter the charge for the initial time period, then the charge for each additional minute.

The screen clears and waits for you to press ENTER. Make the call and when the party at the other end picks up their receiver, press the ENTER key. This clears the screen again and starts the timing.

20 MEG HARD DISK & 512K RAM

·*********************************

1 YEAR WARRANTY 30 DAY RETURN POLICY

COMPLETE INTERNAL SUBSYSTEM FOR SANYO MBC 550/555

INCLUDES: ZOBEX CONTROLLER CARD WITH 512K RAM, 20 MEG SEAGATE ST-225 HARD DISK, POWER SUPPLY UPGRADE KIT. INSTALLATION SOFTWARE FOR MS DOS 2.11, AND INSTALLATION INSTRUCTIONS

132 WALNUT-PLANO CENTER EPIC SALES, INC. 1-800-223-3742 ORDERS GARLAND, TX 75042 EPIC SALES, INC. 1-214-272-5724 INFO.

&&&&&&**&**

Screen Display

A summary of the data you enter (phone number and rates) is displayed, and an empty rectangular box is drawn using graphics characters. Notice that about two seconds is used before the display starts counting down, so the initial countdown number is either 58 (for a one-minute initial rate) or 178 (for a three-minute initial rate.)

Under the empty box is the reminder to press BREAK to stop the program. As the seconds count down nothing else happens until the countdown reaches zero, when the total charge and total time appear in the box. This is updated at the end of every minute.

Accuracy

Don't expect the counting of seconds and minutes in this program to be perfectly accurate. The count is affected by both ambient and computer temperature, and varies from one machine to another. The counting is controlled by the FOR/ NEXT loop in Line 690. I found the number 616 with my Sanyo 550 to yield an accuracy of within a second in five minutes.

To speed up the counting, change the number 616 in Line 690 to a lower number. Even one count makes a small difference over a minute. To slow down the counting, make 616 a higher number. Use a stopwatch or second-counting digital watch to compare the screen counting with your accurate reference.

Program Modules

100 - 260	Program introduction
300 - 390	Data input
400 - 440	Data summary
500 - 540	Draw empty rectangular

r box 600 - 730Countdown, calculate and update

1000 - 1220 Additional instructions

Real Men Don't Use FloPpies


THAT'S RIGHT! And neither do computers with real jobs to do. You see, floppies have very limited capacity with slow access speeds and data transfer rates. Impotent, so to speak. Between 70 and 90 percent of your computer's time is spent while data is getting up to the screen or to a printer or to memory. Such a waste of valuable time ... and unnecessary, too.

Why! Because inside your computer is a connector just waiting for something to happen, and the right prescription for floppy innefficiency is a DISKIT hard disk drive from SPC. Even a small, affordable 5 or 10 Megabyte drive will make your computer feel fulfilled. In fact, just by mentioning this ad you can purchase 20 Mb. for only \$995, our best price ever.

Installation? Nooo problem! DISKIT comes on-line ready for action with just a few quick keystrokes, and the satisfaction you'll both derive is beyond description. So let's get down to business by calling SPC, the hard disk drive source for REAL COMPUTERS. By the way, ask about our 512 Kb. RAMDISK option.

SYSTEMS PERIPHERALS CONSULTANTS 9747 Businesspark Avenue

San Diego, CA 92131 (619) 693-8611



Inquiries receive a free "REAL MEN...." sticker for your wimpy computer

Figure 1: Toll-Charge Initial Screen

Phone Toll-Charge Program

Use this program whenever you make a telephone call out of the local area - especially long distance. The display will show you how many minutes you have been charged, the cost so far, and the number of seconds to the next additional charge, counting down

Who are you calling? [123] 456-7890

Do you want specific instructions? Yes=1, No=27 1

Figure 2: Toll-Charge RUN

Your charges are based upon three things:

- 1) Initial time period (1 or 3 minutes)
- 2) Initial charge (for the initial period)
- 3) Additional charge per minute after initial period

If you use an operator to assist you, the initial time period is 3 minutes. Direct-dial is 1 minute.

The charges are based on the destination called. These are usually listed in the front of phone book, or call operator for the rates.

Do you want information on discount periods?

Yes=1. No=271

There are two discount rates in the continental U.S.A.:

35% discount: 5 p.m. - 11 p.m. Sunday - Friday 8 a.m. - 11 p.m. holidays 60% discount: 11 p.m. - 8 a.m. every night 8 a.m. - 11 p.m. Saturday Ba.m. - Sp.m. Sunday

Charges are based on time at calling point.

Press ENTER to enter time and charge data . . . ?

Telephone Toll Totalizer

What is the initial time period (minutes)? 1 What is the initial charge (cents)? 25 What is the additional charge per minute (cents)? 17

When the party at other end picks up the receiver press enter to start timing?

On your call to (123) 456-7890 The initial cost of the first 1 minute(s) is: \$.25 the additional cost per minute is: \$.17

Seconds to the next additional charge: 31

The total charge is now: 5 .59

Total time charged is now: 3 minutes

Press break to stop counting.

```
The listing: TOLLCHG. BAS
239
399
319
320
339
140
350
399
17.00
```

```
IDD REM ****************
110 REM *
              (C) COPYRIGHT FRED BLECHMAN 1984
129 REM *
                Telephone Toll-Charge Program
130 REM *
                    For Sanyo MBC 559/555
140 REM ***************************
150 REM * LINE 690 CONTROLS THE SECOND-COUNTING ACCURACY *
169 CLS : PRINT : PRINT : PRINT TAB(25);
179 PRINT "PHONE TOLL-CHARGE PROGRAM": PRINT : PRINT
PRINT TAB(19)" USE THIS PROGRAM WHENEVER YOU MAKE A TELEPHONE CALL"
PRINT TAB(19) "OUT OF THE LOCAL AREA - ESPECIALLY LONG DISTANCE. THE DISPLAY
PRINT TAB(19) "WILL SHOW YOU HOW MANY MINUTES YOU HAVE BEEN CHARGED."
PRINT TAB(19) "THE COST SO FAR, AND THE NUMBER OF SECONDS TO THE NEXT"
PRINT TAB(19) "ADDITIONAL CHARGE, COUNTING DOWN ....."
    PRINT : PRINT TAB(19):
    INPUT "WHO ARE YOU CALLING .... "; B$ : PRINT : PRINT TAB(19);
INPUT "DO YOU WANT SPECIFIC INSTRUCTIONS? YES-1, NO-2"; A
269 IF A-1 GOTO 1919
    CLS : PRINT : PRINT : PRINT TAB(25):
    PRINT "TELEPHONE TOLL TOTALIZER": PRINT : PRINT TAB(19);
    INPUT "WHAT IS THE INITIAL TIME PERIOD (MINUTES)"; P
    PRINT : PRINT TAB(19);
    INPUT "WHAT IS THE INITIAL CHARGE (CENTS)": I
    PRINT : PRINT TAB(19):
    INPUT "WHAT IS THE ADDITIONAL CHARGE PER MINUTE (CENTS)"; M
    CLS : PRINT : PRINT : PRINT : PRINT TAB(19);
    PRINT "WHEN THE PARTY AT OTHER END PICKS UP THE RECEIVER" : PRINT TAB(19);
    INPUT " PRESS ENTER TO START TIMING...."; A$
499 CLS : PRINT : PRINT TAB(19)"
                                          ON YOUR CALL TO ":BS:"....."
419 PRINT TAB(19)"THE INITIAL COST OF THE FIRST";P;"MINUTE(S) IS: $";1/199
419 PRINT TAB(19)" THE ADDITIONAL COST PER MINUTE IS: $"; M/199
419 LOCATE 29,23: PRINT "PRESS BREAK TO STOP COUNTING."
449 C-I/199:D-1
199 REM * Draw rectangle with border characters *
519 LOCATE 15,11: PRINT CHR$(291); STRING$(59, CHR$(295)); CHR$(187)
$39 PRINT TAB(11); CHR$(186); SPC(59); CHR$(186): NEXT Z
149 PRINT TAB(11); CHR$(299); STRING$(59, CHR$(295)); CHR$(188)
499 REM * Countdown and update display *
619 T-58
629 IF P=3 THEN T=178
639 GOTO 679
MAN LOCATE 16,22: PRINT "THE TOTAL CHARGE IS NOW: $"; C;
459 LOCATE 18,19: PRINT "TOTAL TIME CHARGED IS NOW: ": P+D: "MINUTES"
669 T-59:D-D+1
679 C=C+(M/199)
AND REM * CHANGE THIS COUNT IF NECESSARY FOR ACCURACY *
699 FOR X-1 TO 616: NEXT X
100 LOCATE 9,18: PRINT "SECONDS TO THE NEXT ADDITIONAL CHARGE: ":T
710 T-T-1
129 IF T=-1 GOTO 649
719 GOTO 699
1999 REM * Instructions if requested *
1919 CLS : PRINT : PRINT TAB(19) "YOUR CHARGES ARE BASED UPON THREE THINGS:"
                            (1) INITIAL TIME PERIOD (1 OR 3 MINUTES)"
1939 PRINT TAB(19)"
                       (2) INITIAL CHARGE (FOR THE INITIAL PERIOD)"
                       (3) ADDITIONAL CHARGE PER MINUTE AFTER INITIAL PERIOD"
     PRINT TAB(19)"
PRINT : PRINT TAB(19) "IF YOU USE AN OPERATOR TO ASSIST YOU, THE INITIAL"
     PRINT TAB(19) "TIME PERIOD IS 3 MINUTES. DIRECT DIAL IS 1 MINUTE."
1979 PRINT : PRINT TAB(19) "THE CHARGES ARE BASED ON THE DESTINATION CALLED .... "
1989 FRINT TAB(19)"....THESE ARE USUALLY LISTED IN THE FRONT OF PHONE BOOK"
IFFU FRINT TAB(19)"...OR....CALL OPERATOR FOR THE RATES."
     PRINT : PRINT TAB(19)" DO YOU WANT INFORMATION ON DISCOUNT PERIODS?"
PRINT : PRINT TAB(19);:INPUT "YES-1, NO-2";B
1179 IF B=2 GOTO 399
GLS : PRINT :PRINT TAB(19) "THERE ARE TWO DISCOUNT RATES IN THE CONT. U.S.A
PRINT :PRINT TAB(19)" 35% DISCOUNT: 5PM - 11PM SUNDAY - FRIDAY"
1139 PRINT TAB(19)"
                                     8AM - 11PM HOLIDAYS": PRINT
1149 PRINT TAB(19)" 69% DISCOUNT: 11PM - 8AM EVERY NIGHT"
1179 PRINT TAB(19)"
                                     8AM - 11PM SATURDAY"
I BU PRINT TAB(10)"
                                     8AM - 5PM SUNDAY"
PRINT : PRINT TAB(19) "CHARGES ARE BASED ON TIME AT CALLING POINT!"
1899 PRINT : PRINT : PRINT TAB(19);
INPUT "PRESS ENTER TO INPUT TIME AND CHARGE DATA .... "; AS
LUNG GOTO 300
```

ould you like to get 512K of memory for \$50? Impossible you say? Not if you use a hardware upgrade technique called piggybacking.

Is piggybacking some crazy hacker technique? Not unless you consider IBM a crazy hacker. Did you know that IBM uses the piggybacking technique to increase the memory in their AT model computer?

Then what is piggybacking? Basically, piggybacking is soldering extra memory chips on top of the socketed memory chips on the main computer board. In this way you pick up all of the signals from the chip below.

The extra memory chips are then controlled by wiring their CAS lines (chip select lines) together in banks. Sanyo must have originally had a 512K computer in mind when they designed the computer because the signals to control four additional banks of memory are present on the board without adding anything.

Would you like to try piggybacking? Well, it's not for everyone. Read on.

Who Should Not Piggyback

If you are not familiar with soldering, it might be better to ask one of your more skilled friends to do it for you. While piggybacking is easy, the use of a wrong soldering device, or sloppy soldering could damage your computer.

Also, by doing the piggybacking, you might void your warranty. If your computer is still under warranty, it might be to your advantage to wait until it is not. However, if you are familiar with soldering, and your computer is not under warranty, you're going to find this project fun. And you're certainly going to save yourself a bundle of money!


Things To Do Before Piggybacking

Before you start on the piggybacking project, make sure you have a DOS which will work with the increased memory. In this way, after you have done the upgrade, you will have a DOS to check your work with.

You can alter DOS 2.11 that comes with your Sanyo (Mega-DOS, SOFT SECTOR, January 86). Make the DOS changes as shown, then put the disk in a safe place for later use.

If you're not familiar with DEBUG, or would rather not become involved with the software end, our own tests have

Bob Jack is a self-employed small-business man who has been programming, using and writing about personal computers for the past 10 years. On Delphi, in the MS-DOS SIG, he is known as BJ85. He may be contacted at 8371 White Rd., Burbank, OH 44214: (216) 948-2059.



shown that DS-DOS PLUS (from Mich-Tron) works well with this method of memory increase.

Second, alter the power supply as shown on Page 10 of the October 85 issue of SOFT SECTOR. The increased memory will add an increased drain on the power supply, so for the piggybacking to work correctly make this alteration.

Third, you will need 48 4164-15 chips. These are 64K dynamic RAM memory chips. Sanyo's specifications call for 150 nanosecond chips. These chips can be gotten from any of the many mail order dealers. A couple of tips: Do business only with a reputable dealer and get only first quality chips.

Fourth, you will need four 1K ohm ¼ watt resistors, very fine rosin core solder (.032 diameter), some plastic coated hookup wire and some plastic electrical tape. For this, take a ride down to your local Radio Shack store.

The resistors come in a pack of five, chip, bend Pin 15 straight out, then solder Catalog number 271-1321. The rosin core the remaining pins to the pins on the

solder comes in a 2.5 oz. spool, Catalog number 64-0005. Get the stranded variety of hookup wire, the thinner the better. Any variety of plastic electrical tape will

As for equipment, you will need a Phillips head screwdriver, a single edge razor blade, and a very light soldering pen (not iron, not pistol, not blowtorch). A Weller soldering pen with a ³/₃₂-inch screwdriver tip will work great.

Gather all your equipment and supplies together before beginning the piggybacking project.

The First Step

The first step is to solder the chips together (setting up the stacks). Basically, what you will be doing is soldering three chips on top of one another. Bend Pin 15 out of the top two chips before soldering. See Figure 1 for details. In other words no change to the bottom chip. On the next chip, bend Pin 15 straight out, then solde the remaining pins to the pins on the

bottom chip. Now you have a stack of two chips with the top chip having its Pin 15 sticking out.

On the next chip, bend Pin 15 straight aut then solder the remaining pins to the pins on the top chip of the stack. Now you have a stack of three chips with the top two chips having their Pin 15 sticking out.

This is a complete stack. Repeat this procedure, until you have 16, three-chip

lips:

When you place one chip on top of smother, make sure they are facing the same way (the notches are both in the same direction).

Do not push the chips down all the way.

I have a little space between them. The

sale of the pins of the upper chip should

sale only about one fourth way (or less)

sale on the pins of the lower chip before

sale on the pins of the lower chip before

sale on the pins of the lower chip before

sale of the lower chip before

The Second Step

The second step is to set up the resistors.

Take four of them, and solder them together on one end. Let the other ends hang free. See Figure 2 for details on this step.

Next, cut a piece of hookup wire about one inch long. Solder one end of it to the soldered together ends of the resistors. Locate the small hole next to the front end of the CNI connector (hole may be filled with solder). This is an easy way to tap into +5 volts. Solder the free end of the hookup wire into the hole. And finally for this step, cover all exposed wire, up to the resistors with plastic electrical tape.

The Third Step

The third step is to wire the CAS lines of the memory chips. See Figure 3 for details on this step. The memory chips are shown spread out so you can see the wiring. Insert each of the 16 stacks of chips into the sockets. Make sure the notch on the chips is facing the back plate of the board.

Next, cut a piece of hookup wire about

two feet long. Begin at the other side of the board, away from the CN1 connector. On the front row, solder the wire onto the middle chip's Pin 15 (which is sticking out).

Peel the insulation away from the wire, about one-fourth inch long, one and a half inches from where you have just soldered. Solder this exposed portion of wire onto the next in the row, middle chip's Pin 15. Repeat this procedure, until you have all eight of the middle chip's Pin 15s, in the front row, wired together.

Peel away a small portion of the insulation and solder the exposed portion of the wire onto one of the ends of a resistor. Cover the exposed part of the resistor which you have just soldered with plastic

electrical tape.

Lead the wire over to Chip 74LS138 (Location 11G — marked on the board U82). Put a dab of solder on the leg of Pin 7 as it comes out of the chip. Put another dab of solder on the end of the hookup wire. Hold the wire end onto Pin 7 and touch it with your soldering pen, melting the solder together. Remember, heat damages computer chips. Also, be careful not to drop any solder or make any solder bridges. At this point, stop for a second and pat yourself on the back. You've just wired in one bank.

Repeat this process on the middle chips in the back row. Connect onto one of the other resistors and solder the end of the wire to Pin 9 of the 74LS138. Do the same thing for the upper chips of the front row. Use Pin 10 of the 74LS138, and finally, the upper chips of the back row. Use Pin 11 of the 74LS138.

The Fourth Step

All you need to do now is cut a trace and put a jumper on.

Find chip 74LS02. It's located at 11E and the board is marked U65. Turn the board over, and with a single-edge razor blade, cut the trace going to Pin 8. Turn the board back over to the chip side. Cut a piece of hookup wire about one inch long. Put some solder on both ends. Put a dab of solder on the top of Pin 8 and on the top of Pin 9 of the 74LS02 chip.

In the same way you soldered the other lines, solder one end of the wire to the top of Pin 8. Bend the wire and solder the other end to the top of Pin 9.

Go over the entire job, put plastic electrical tape over any exposed wires, joints, etc. Push all the wires down, as flat as possible on the board.

That's it. You now have a Half-Meg computer and you did it yourself! What's more important, you probably saved yourself a bundle of money.

esting

Put the computer back together. Make sure you put all the plugs together correctly and put the cover back on. Do not put the screws into the cover until you have tested the increased memory.

Turn the computer on and put your Mega-DOS disk in Drive A. The DOS should boot as normal.

Next, run the CHKDKS program. It should come back and tell you that you have a total of 523776 bytes of memory. Also, it should tell you that you have 400 and some odd thousand bytes of free memory (total and free depends on what DOS you are using).

You will not need a memory checking program because the DOS checks the memory for you. CHKDSK will show less than the full amount if there is a problem with the memory. More than likely everything will check out correctly. If so, put the screws into the cover and jump over the trouble-shooting section.

Trouble-Shooting

If the drives do not turn on, don't panic. Turn the computer off. You have not cut the trace correctly or put the jumper on correctly. Go over Step 4 and correct the problem.

If the CHKDSK program shows that you have less than the 512K total bytes, you have not wired a bank correctly, or you

have a bad memory chip.

You can determine which bank is giving you a problem by subtracting 65536 from 524288. The 65K represents one bank, and the 524K represents total possible memory. The banks are set to come off of the 74LS138 in the order of 7, 9, 10, 11. Where 7 is the next bank after 256K, and 11 is the top bank. All good memory above a troublesome bank will not be shown.

Should you have a problem with the extra memory, turn the computer off. Determine which bank is giving problems. Go over steps one, two and three with that

bank. Correct the problem.

If there is no problem, you may have a bad memory chip and may have to replace the chip or the bank. Generally, having a bad chip is rare unless an excess amount of heat (by using the wrong soldering device) has been applied to the chip or the chip has been exposed to static.


Outside of the pure pleasure of tinkering with your computer, you've probably saved yourself \$200 to \$500 dollars by piggybacking - as opposed to any other method of increasing your memory.


So what do you do with all that extra memory? Well, when you get that much memory, it expands the power of your computer enormously.

You can now construct giant spreadsheets. You can now run memory resident programs (Corner Man, Omega, Side-Kick, etc.) with your largest programs. When you run Sanyo's BASIC, you have 370K or so free. And the best application of all is running a RAM disk. This speeds up any program which uses the disk a lot, to the speed of memory access.

Give piggybacking a try - you and vour wallet will like it.

Figure 1







Software review

Thoroughbred Handicapper - An Odds-On Favorite

There you are at the track, your white suit glistening in the sun. Time for the fourth race. Calmly you look over the printout you made the night before. "Looks like Dead Cat is the bet," you say to yourself. You make your way to the window and, at the last moment, you put \$100 on Dead Cat to win. The blonde behind you says "Dead Cat? Dead Cat is going down at 10 to 1!" "No sweat, baby, easy come, easy go."

You go back to your seat and take another sip of mint julep. You keep your composure as Dead Cat wins by seven lengths. Then you look over your printout for the fifth race.

An unlikely scenario? Maybe, but Thoroughbred by Federal Hill Software will help make it just a little more likely. Thoroughbred was written by Leonard Hyre. If you read SOFT SECTOR, you know Leonard Hyre by the excellence of his software. Thoroughbred won't do anything to damage his reputation.

Don't get the idea that you are being promised a free ticket to sure wealth. That is not the case. If you are the leading handicapper in your part of the country, you probably don't need a computer program to tell you how to bet. If you just go to the track now and then, buy Thoroughbred and try it.

From where I work, I can look out the window and see the famous twin spires of Churchill Downs. Although I don't know much about the sport, I have been there a few times. I know many people who know more about racing than I, and I asked them to help me evaluate this program. They all found it useful. Some even raved about it. My friend, Mike, found that if he put money on Thoroughbred's pick to show, he could cash in a ticket for every race. Several people said you can't make money that way. You have to bet to win. Friends, I can assure you that if you bet to win, you will not cash in a ticket on every time. If you could, I wouldn't be writing this review. I would be at the track getting so rich I'd have to hire an accountant.

Federal Hill does not promise wealth. What they do say is that Thoroughbred is a useful and accurate handicapping program. From what I have seen, they are absolutely correct. Thoroughbred is right 75 to 85 percent of the time when given

RENT PUBLIC DOMAIN SOFTWARE!

Public Domain Software isn't copyrighted! Business-Games-Educational-Graphics-Finance, Utilities and much more... Hundreds of useful programs you can rent and copy yourself. 80 VOLUME LIBRARY FOR THE SANYO 550/555 VOL. 1-80 . \$40. SAMPLE DISK . WOO VOLUMES FOR IBM OR SANYO W/VIDEO BOARD \$300. DIRECTORY DISK VOL. 1-51, 51-100, 100-150, ETC. \$50 PER SECTION tental is for 7 days, add \$7.50 for shipping, handling and maurance. NO DISK DEPOSIT REQUIRED if VISA or MC. Send \$5 for sample disk or S.A.S.E. for

more information or call our 24hr INFO/ORDER LINE: (619) 941-3244 FUTURESYSTEMS, Box 3040, Vista, CA 92083 the correct information. My friends tell me that any good handicapper can do as well. That's great if you are a good handicapper. Most people are not.

I have been told that Thoroughbred is more suited to East Coast tracks than to Midwest tracks. For example, the program suggests that you not bet on shippers. Churchill Downs runs a lot of shippers. It is not built to house enough horses for a whole season. Be that as it may, Thoroughbred works well at Churchill Downs. It certainly works better than any of the tips I have been given on my few visits to the track.

If you have any interest in horse racing at all, I suggest you purchase a copy of Thoroughbred. There are also programs in the same series for dog racing and harness racing. There is some harness racing in Louisville, but no dog racing. If either of these is your passion, I suggest you look into the programs from Federal Hill. I assume they are as good as Thoroughbred. but I have not looked into them myself.

Thoroughbred runs on everything. It runs on the MBC-555 with or without the video board. It runs on the MBC-775, the IBM PC, Compag, Zenith, Columbia and others. It does not run on the Corona due to a difference in the way the Corona handles color commands. A Corona with a color card presents no problem.

Don't forget to wear your white suit to the track. If you should come to Kentucky during the spring meet, whatever you do, don't drink a mint julep. Those things are for tourists only. Do bring Thoroughbred and a portable computer to run it on. Above all, stay cool.

(Federal Hill Software, 825 William Street, Baltimore, MD 21230, 301-547-1447, \$49.95)

- Jim Pile

COMMUNICATE

GET YOUR SANYO ON-LINE FOR LESS

EVERYTHING YOU NEED IN ONE PACKAGE! 300/1200 BAUD HAYES COMPATIBLE MODEM 2. COMTEL C400 RS232 SERIAL PORT



3. VERSACOM MODEM INTERFACE CABLE

ALL FOR ONLY \$359.95

WITHOUT MODEM ONLY \$99.95 ALSO AVAILABLE FROM COMTEL:

RGB SWITCH CABLE (FOR SANYO VIDEO BOARD) .	\$56.00
CUSTOM CABLES	CALL
RS232 SERIAL PORT	
GENDER CHANGERS	\$8.00
KEYBOARD & MONITOR EXTENSIONS	CALL
VERSACOM COMMUNICATIONS SOFTWARE	\$50.00
INTELLICOM COMMUNICATIONS SOFTWARE	
VERSION 2.1	\$65.00
VERSION 3.28	\$85.00
RACAL VADIC 300-1200 BAUD MODEM	
(HAYES COMPATIBLE)	.\$275.00
HAYES AND OTHER MODEMS	CALL
MEMORY UPGRADE KIT	CALL
FOR THE IBM COMPATIBLE 775-885:	and the same of th

PC-TRACS (IBM 3780 BISYNC EMULATOR PACKAGE)\$950.00 MEMORY UPGRADE KIT PUBLIC DOMAIN SOFTWARE ADD ON EXPANSION BOARDS..... PUBLIC DOMAIN SOFTWARE (EACH DISK)\$7.00

COMTEL CORPORATION 2103 E. CEDAR STREET #3 **TEMPE, AZ 85281** (602) 829-9471

PRICES ARE FOR PREPAID WITH CERTIFIED FUNDS. PERSONAL CHECKS ALLOW TWO WEEKS FOR CLEARANG

Astrology -A Valuable Tool for Professional Astrologers

Very few of us ever pass by the horoscope column in our daily newspapers without a quick scan to see if there's some pertinent information we can use. Most horoscopes are exceedingly bland and generalized and appear vaguely worded. Occasionally, there's a concrete statement such as "expect good news from a distance," and in your afternoon mail there's a postcard from your old college roommate vacationing on the French Riviera wishing you were there to share the wonderful time. While gritting your teeth in pretended nonchalance, you remember that horoscope and chuckle ruefully.

The fact is most horoscopes, particularly those in newspapers, deal only with the sun sign because that is the one piece of information everyone knows about. But astrology is perhaps the oldest body of knowledge on this planet and deals with the configuration of all the planets. In this way, like astronomy, astrology seeks to determine the position of heavenly bodies at any given time. One is a science and the other is an art.

There is a great deal of math involved in both pursuits and this can prove daunting to anyone, particularly the selfteaching neophyte. To the rescue comes Astrology by Prickly-

SANYO FOR LESS

*Convert IBM BASICA to Sanyo BASIC	\$29.95
*Unprotect IBM/Sanyo BASIC	\$24.95
*Supplement For Basic — 70 Pages	
*Key Plus Program	
Tool Box - Includes ALL the Above 4 Produ	icts. \$53.95
Sanyo Tutorial - Beginner to Expert	
Sanyo Video Board — New Version	
*TRADE IN Old Video Board For NEW	David Color
Video Board With Upgraded Memory	CALL
Irish Diskettes DSDD — 10 per box	
Scotch/3M Diskettes - DSDD	
SSDD	
Run Lotus 1-2-3 Without The Video Board.	\$36.95
Dustcovers To Fit Your Sanyo - Many Styles	CALL
128K Memory Upgrade	
COPYLINK™ - COPYLINK PLUS™	SALE
CPeMULATOR™ — Limited Time Only	
RS232 Serial Card	
All Reference Manuals	
Disk Drive Cleaners	
FREE — All New Expanded Catalo Call Now For Big Savings	og

* Add \$2.50 for postage and handling. *

* COD orders extra *

* Dealers inquiries invited *

* Check, Visa, Mastercard and Money Order *

BLOCK MARKETING, INC.

6009 Wayzata Blvd., suite 114

Minneapolis, MN 55416

(612) 546-3776

(Block Marketing is a recognized Sanyo Dealer.)
"MN residents must add 6% Sales Tax."

Pear Software, a program that uses your Sanyo to compute and display the planets' positions and relationships in a natal

Astrology will run with 128K and the disk comes with a fourpage pamphlet explaining the operation procedures. The documentation's last page is a list of books on astrology to help students further their understanding and interpretational skills. Astrology itself does not offer any interpretation, rather it handles only the mechanics of charts.

I am hestitant to classify myself as an amateur astrologer because I haven't devoted enough time to this study to qualify as even an amateur. I prefer to think of myself as a gifted dilettante. I am very familiar with my own natal chart, my family's and my friends'. Astrology displayed in two minutes, a chart I remember taking eight hours to compile.

Astrology accepts the birth information in the usual formati date of birth, year, time of day, time zone (calculated in hours away from Greenwich Mean Time, i.e., EST=5) and longitude and latitude (you must be prepared to supply this data

Next appears a list of the planets with the degree, sign abbreviation of three letters and minutes (i.e., Sun=06SCO27) for sun in Scorpio six degrees, 27 minutes. Astrology also designates a retrograde planet (traveling backward through the wheel of the zodiac because of the elliptical nature of orbits), the moon's north node and the mid-heaven.

Astrology allows the choice between Tropical and Sidercal charts using geocentric or heliocentric coordinate systems. I specified and ran charts under Tropical/Geocentric. This is the most popular configuration as well as the border of my knowledge. Astrology then lists the houses according to any of five systems: Regiomontanus, Placidus, Koch, Equal and Campanus.

Astrology displays aspects specified within a range of one to nine degrees, and I was delighted to see even the minor aspects displayed. For instance, my chart displayed the aspect between Mars and Uranus that earmarks the astrologer but alas, it's only a sextile, which could be interpreted as the reason I'm still a dilettante after seven years of study.

As stated before, all interpretation of a chart must come from the user, and thus the suggested reading list in the documentation. Astrology would prove most useful to well-read professionals inasmuch as it quickly and efficiently displays the results of some complicated and complex (speaking for myself, of course) mathematical relationships. The fact that retrogrades and moon nodes are designated also points to its value to the professional astrologer. Even if you are only a student of astrology as I am, Astrology can provide a great tool for handling the details while you concentrate on the art of interpretation.

(Prickly-Pear Software, 2640 N. Conestoga Avenue, Tucson, AZ 85749, \$34.95, S/H \$1.50)

- Monica Dorth

MUSIC

[3][3/]

CoForth 83

equipped synthesizers (Musical Instrument Digital Interface) includes full Offorth K3 language customized for MIDI with equencer applications and text-oriented composition package Misk, manual, board, cables and shipping.......\$195.00 EXTENDED CONCLINENT FORTH-83 FOR THE SANNO 550 SERIES FORTH-83 Standard programming language, up to 30 times faster than Basic. Ideal for graphics, games, robotics. Built-in eatensions to support Sanyo's unique features:

*IBM-PC/Sanyo Video Sourd competible *Full featured editor *MS-008 function support disk, manual and shipping ...

≋ BLUEWATER

*Screen print



2537 Colfax Avenue South Winneapolis, Minnesota Model (612)377-7369

Software review

Query -Portfolio Management for 1-2-3 or Symphony

Query is a package of Lotus 1-2-3 or Symphony templates that can be run on the MBC-550/555 series with at least one MOK drive, the Video RAM Board, at least 256K of memory, MS-DOS 2.11, and Lotus 1-2-3 Release 1A. The documentation provided clear and concise information concerning the running of the program options. Each option has a dedicated

The "Stock Record" portion of the program provides a database for the analysis and charting of stock performance. In addition, the program provides a basis for comparison, screening, sorting and formatting in the Query program.

All programs are menu intensive and each menu clearly leads one from one activity to the next. For this review, most of my activity centered around the supplied stock database. This database provides the user with a basis on which to experiment with all options of the program and provides an example of the type of data input required. Using a backup copy of the files allowed me to modify the database as required.

This part of the program also has outstanding graphics presentation capabilities. These range from individual stock charting to comparison charting of up to four stock issues. Those users with a color monitor will particularly enjoy this feature as each stock record is tracked with a different color.

Chapter Two covers the Query portion of the program. Query compares, screens, sorts and formats data from Stock Record work files. Again, my use of Ouery was limited to the database provided. I found that all options in this portion of the program worked exactly as described in the manual. It is important to follow the text closely when learning to move in and around the program. The strong part of Query is the very Hexible formatting of the data.

The third part of the program is entitled "Portfolio Manager." In using this program, one is able to record market transactions in the portfolio database. The user is required to supply values concerning commission base charges, brackets and the corresponding rates, and minimum and maximum commission per share that is specific to that particular account.

Once in the database, one is allowed to add, modify or delete any and all records from the database. After modifying the database, one can invoke the "Summary of Activity" menu. This part of the program uses the Lotus database statistical functions to present the performance of a particular investment. Another important feature is the calculation of capital name and losses for a particular investment. In addition, the Huy/Sell" analysis option can be used to model the investment performance of a given transaction.

In summary, this is a very unique and interesting program. The program is thorough and covers all details associated with a stock transaction or other investment opportunity. I found that study of the manual and working with the supplied demonstration files provided an opportunity to learn more about details of stock transactions. For those dealing daily with investments and stock transactions, and for those who use forms regularly, this program is ideal. The program does run on Lotus 1-2-3 Release IA and Symphony as advertised. I ran the program with Lotus 1-2-3 Release 2 and found no problems with this program functioning as advertised.

(Micro Realities, P.O. Box 60123, Grand Junction, CO #1506, 303-245-8358; \$125)

- Edward Champion

Software review

Respond -A Package for the Serious Communicator

Seasoned Sanyo MBC-555 users know by now that programs labeled for "true compatibles" usually do not run on their trusty machine. Also, on the forbidden list are (to my knowledge) all terminal/communication programs written for other MS-DOS machines. This is, of course, due to the hardware idiosyncrasies of our Sanyo. Respond is no exception; it promptly crashes on the 555 but works flawlessly (almost) on an XT clone. I assume Respond will work equally well on the later Sanyo series (675, 775, 875).

Respond is by far the most unusual and sophisticated communications package I have come across. It is not intended for, but could be used by, the average home user. It is designed for the "corporate" communicator needing efficient or automatic data and file transfers. It may prove valuable for those needing specific terminal emulators. Respond emulates the following: a TTY (modern day slang for what used to be done only by Teletype machines), an IBM 3101, IBM 3270 SDLC remote, IBM 3270 local, IBM 3270 BSC, IBM 5251 Model 12 (sync), a DEC VT-100/52 and the HP 2661B (async). A synchronous communications card is, of course, required for synchronous modes.

Respond requires DOS 2.0 or later, at least 256K of RAM and at least two disk drives. The size of the main program is a whopping 241K, and by careful setup of a system disk and a data disk, I was able to have about 306K free on the data disk. Hard disk users will not be hampered in any way using Respond. In other words, all of the required programs will not fit on a single system disk.

What does Respond do besides emulate expensive terminals? Through a very elaborate, but well-designed, system of profiles, dialogues and libraries you can use any of the above terminal types, in up to 26 configurations, to perform up to 625 different communications chores. This is for one system disk; multiply by the number of disks you can afford, to come up with the total capability of Respond! Even those statistics aren't quite correct. Each of the 26 "profiles" can use any of the 625 dialogues! Confused?

The profiles are used to specify the terminal type, its communication parameters (Baud rate, parity, etc.), the setup of the TAB stops, the set up of 10 user-defined function keys, the ASCII text transfer parameters, the file transfer protocol, and setup of an answerback message. Up to this point we have an ordinary terminal program. Fancy, but ordinary.

A dialogue is a specific "conversation" between your computer running Respond and another system. Each one consists of up to 13 lines containing the following components: Prompt, Wait, JOT, CMD, Data and Next. The dialogue is executed line by line with the combination of parameters in the Prompt, Wait and JOT determining the sequence of operations. The dialogue will wait indefinitely for characters put in the Prompt columns, or if a time is entered in the Wait column, it will wait for the prompt or for the time to elapse - whichever comes first. Put a dialogue line number in the JOT (jump-on-time-out) column and the execution will jump to that line number if the desired prompt is not received within the specified time in the wait column. Adding to the capability, we can put one of about 30 commands in the CMD column. Here's a partial list of the commands: Send, Accept, Dcon, Dcoff, Uptext, Rxmodem, Sxmodem, Snap, Call, Chain,

Display, Return, Stop, System, Time, Clear, Cursor, Beep, Break, Discon, Sethigh, Setlow, Onhigh, Onlow, Dialdir, Dial, Aa, Aaoff, Data, Voice.

Describing some of the more powerful commands, the Sethigh/low commands can set the DTR and RTS lines high or low. The Onhigh/low commands check the DSR, CD (carrier detect) and CTS lines and cause the dialogue to execute specific lines based upon these conditions. The Time command will wait for a specific time to arrive before progressing. This allows Respond to do unattended operations, an extremely useful feature. Snap stores the current 24 screen lines in a named disk file. The Calling, Chain, Return, etc., commands allow you to actually build up a "smart computer program" with subroutines to perform even the most complicated communication task. You can get a hint of what some of the other commands do from their cryptic names.

What won't it do? Other than being limited to only Xmodem file transfer protocol and ASCII text capture mode, I couldn't find any weaknesses in Respond. The only "bug" I found was the blinking cursor that failed to keep up with me! It would be off on one part of the screen while I was typing (without a cursor) somewhere else. I tried Respond with and without ANSI.5YS installed, in both the TTY and VT100 modes and had the same problem. I'm sure there is a simple cure for this

As for ease of operation and the quality of the documentation; I was at first convinced one had to be a computer whiz to set up *Respond*. But after about 30 minutes of hands-on, I'm convinced anyone could conquer *Respond*, assuming they know what carrier detect means, and have the courage to punch the cursor arrows, PG UP/PG DN keys and the minus/plus keys. It's almost that simple to set up a profile and dialogue. *Respond* is smart enough to actually put your selection cursor on the next logical step to be performed.

Experimenting with the example CompuServe demo dialogue, modifying it to access via our local Tymnet number, I found Respond fairly easy to use. Unfortunately, I found out that the CompuServe Demo does not work through Tymnet, so I had to dial it long distance to try it out. Definitely needed to accomplish anything with Respond, is a template showing the key functions. I was miserable until I had scanned through the Respond text and made up a concise list of key commands. The documentation I had was Version 3.0, with errata pages to bring it up to version 3.2. I found jumping between the added pages a little frustrating. The biggest feature, and a definite plus, was the removal of copy protection from Respond. The documentation has information on the various terminal emulation modes, contains several example dialogues, which are also on the disks, and overall is well prepared. The schematic on Page 2-2 has an error, showing the ground wire Pin 7 of the RS-232 interface drawn incorrectly. It goes from Pin 7 to Pin 7 of course.

In summary, I think Respond is well worth the price. It contains unique features that will serve your business needs.

(Software Synergy, Inc., 466 Main Street, New Rochelle, NY 10801; 914-633-0400, \$195.)

- Ambrose "Bo" Barry

Software review

Macro-Toolkit and ASCII Toolkit — Unique and Useful

Macro-Toolkit and ASCII Toolkit are two separate programs that provide the Lotus 1-2-3 or Symphony user with a straightforward method of creating and implementing macros and custom characters and displays to use within the Lotus environment.

System requirements for the Macro-Toolkit are the MBC-550/555 series, MS-DOS 2.11, the Video RAM Board, one 360K drive, at least 256K RAM and either Lotus 1-2-3 Release 1A (or 2) or Symphony.

Macro-Toolkit contains four toolkits which together present to both the novice user and the seasoned Lotus user a set of useful, well-designed macros for repetitive and/or complicated command sequences. The Macro I file contains all 17 macros with help menus and requires 16K of memory. The remainder of the files require from 6K to 10K of memory. In working with a spreadsheet on a 256K machine, judicious use of memory may require using the smaller macros or importing individual macros into the spreadsheet.

I found the manual instructions to be somewhat unclear, however that may be due to my limited familiarity and use of the normal Lotus macro capabilities. With a concentrated effort, study of the supplied manual and the Lotus manual, I was able to learn much and to actively use the macros. This program provided great help with even the simplest of spreadsheets.

During the course of review, I found Macro-Toolkit to be almost indispensable for the capability and price, and this program is definitely recommended for the Lotus user.

The ASCII Toolkit is similar in set-up and use to the Macro-Toolkit. As the name implies, it puts the entire ASCII code in a Lotus workfile.

A user has at his/her command graphics characters and symbols in order to build and enhance the appearance of Lotus models. As with the Macro-Toolkit, standard features are included that allow the building of boxes (both single and double-lined) for highlighting sections of your Lotus model.

But again, I found the on-disk manual to be somewhat hard to understand. With study and experimentation the use and capabilities of this program became more apparent. The program is unique and useful and it did find its way into my use of Lotus 1-2-3.

These programs are both recommended for Lotus users who wish to add something extra, different and useful to their models.

(MicroRealities, P.O. Box 60123, Grand Junction, CO 81506; 303-245-8358. ASCII Toolkit \$35/Macro-Toolkit \$45.)

- Edward Champion

Magazine Collection With . . . DISTINCTIVE AND DURABLE SOFT SECTOR BINDERS_


Do yourself a favor! Protect and showcase a valuable resource — each and every issue of soft sector — with high-quality, blue vinyl binders with the magazine's name embossed in gold.

Spend more time with your Sanyo and less on frustrating searches for misplaced issues. Organize your SOFT SECTOR library!

These handsome royal blue binders cost just \$7.50 (please add \$2.50 for shipping and handling per binder).

SAVE! Buy four or more back issues of SOFT SECTOR with this order and save \$1 per issue. Use the Back Issue Order Form on Page 59.

Mail to: Soft Sector Binders The Falsoft Building P.O. Box 385 Prospect, KY 40059



The cheaper, faster companion method to Soft Sector programs!

Account Number

Signature

Each and every month of the year, SOFT SECTOR offers an assortment of programs for the home and office — utilities, business applications, games and more — all for the price of typing in the listings. But for the person on the move, that's a high price to pay. Our method for sure savings:

SOFT SECTOR ON DISK

......

Charge to: ☐ VISA ☐ MasterCard ☐ American Express



Exp. Date

BACK ISSUES AVAILABLE

Several of the first issues of SOFT SECTOR are now out of stock, but the programs from those issues are available as back orders of SOFT SECTOR ON DISK, along with the accompanying text files of the articles ready to be routed to your screen or printer with a simple TYPE command. This may be your only chance to get the programs that you've missed.

Volume I contains programs from August, September and October 1984. Volume II contains programs from November and December 1984 and January 1985. All other copies of SOFT SECTOR ON DISK Include programs from individual issues of SOFT SECTOR.

Now is your chance to make your Sanyo a full-time computer instead of a typewriter. Subscribe to SOFT SECTOR ON DISK today and give those weary fingers a break! Look for the subscription card between pages 16 and 17.

SOFT SECTOR ON DISK subscription rate is within the U.S., \$99, Canadian rate, U.S. \$115; all other countries, U.S. \$130. SOFT SECTOR ON DISK single volume rate is: within the U.S. \$12; Canadian rate, U.S. \$14; all other countries, U.S. \$16. Subscription orders begin with the current issue, allowing 5 to 6 weeks for first delivery. U.S. currency only, please.

The IBM PC has a way of defining graphics figures in terms of direction vectors. These vectors include Up, Down, Left, Right, and four intermediate vectors, 'E', 'F', 'G', 'H', as shown in Figure 1. These vectors along with other graphics commands are stored in a string and executed with the DRAW command.

Sadly, Sanyo BASIC lacks the DRAW command, and translation of PC BASIC programs that use it, including most games, is next to impossible. With this in mind, DRAWS was born, not only to assist in program translation, but as a tool that Sanyo BASIC programmers can use in the creation of graphics for their own programs.

The REMark statements, within the DRAWS subroutine, describe the function of each part of the program. Line 9999 was added after about the 9,999th time I forgot to put an END statement at the end of the calling program and suffered through the error messages that were generated.

Type in the program listing and save it under the name DRAWS. You can then use it to try the examples in the article. To use it with your own programs, simply use the BASIC command MERGE "DRAWS" to merge it in with your own program listing.

Calling The Subroutine

If L\$ contains the draw instructions to be executed, PC-BASIC would execute the instruction as:

50 DRAW LS

The same instruction would be executed with DRAWS as:

50 DRAWS=LS:GDSUB 10000

The BASIC Motion Commands

The L-shaped figure in Figure 2 can be defined as the string L5="D16;R14;". Note that each draw element of the string is terminated with a ';'. The ';' is optional in most cases with PC BASIC but is absolutely required with DRAW\$ in BASIC.

If one of the direction vectors is preceded by a 'B' the move will occur without plotting. For example, the cross shape in Figure 3A could be defined as the string C\$="D24;BH12;R24;".

If a direction vector is preceded by an 'N' the move will occur with no position update. For example, the string C\$="NU12;NR12;ND12;NL12;" in Figure 3B will plot the four arms of the cross, each time returning to the origin.


The M command is used to move to a screen starting position. It must be preceded by a B to avoid drawing unwanted

Ray Robinson is an electronics technician with the FAA, holds a bachelor's degree in business administration, and has been interested in home and personal computers since 1980. He may be contacted at Rt. 8, Box 725, Lake Charles, LA 70605; (318) 474-5301.


DRAW\$ -

By Ray C. Robinson

A 'DRAW' Emulator for Sanyo BASIC



A new graphics
command
for
Sanyo BASIC



The following program lines will plot

the 'L' of Figure 2 in the center of the

30 DRAWS=MS+LS:GOSUB 10000

The "An;" command in DRAWS,

where n is a digit from zero to seven, will

cause the figures to be rotated around

screen, four times normal size:

10 Ls="S16:D16:R14;"

20 MS="BM300,100;

Rotating Figures

lines. Its format is "BMX, Y; " where X and Y are screen coordinates. For example, the string MS="BM300,100;" will cause the starting location of the first direction vector to occur at Location 300,100 on the screen.

The following program statements will cause the cross shown in Figure 3B to be drawn at screen starting Location 300,100:

- 10 C5="NU12;NR12;ND12;NL12;"
- 20 MS="BM300.100:"
- 30 DRAWS=MS+CS:GDSUB 10000

Relative Moves

If you precede the X location in the M command with a plus or minus sign, the move will occur relative to the present screen position. For example, "BM+ 20,10: " will cause a move 20 units to the right and 10 units down from the present screen location. A command of "BM-20,-5; " would cause a move 20 units left and five units up from the present screen location. If you add the following statement to the program above:

40 DRAWS="BM-50.0:"+CS: GOSUB 10000

A second cross would be drawn 50 units to the left of the ending position of the first Cross.

Scaling Shapes

If the statement "Sn;" is included in the string, all future direction vectors will be scaled according to the scale factors in Table 1. The default for n is four or full scale.

Table 1

n	Scale Factor = n/4

- 1 1/4 scale
- $\frac{2}{4} = \frac{1}{2}$ scale
- 4/4 = full scale
- 8/4 = 2 = double scale
- $12/_4 = 3 =$ triple scale
- 16/4 = 4 = quadruple scale

their origin in increments of 45 degrees according to Table 2. When the "An; command is executed, DRAWS will automatically rescale the lines of the figure so that its shape and size remain approximately the same. The default for n is zero.


Table 2


n	Angle of rotation
1	0 degrees
2	45 degrees counter-clockwise
3	90 degrees counter-clockwise
4	180 degrees counter-clockwise
5	225 degrees counter-clockwise
6	270 degrees counter-clockwise
. 7	315 degrees counter-clockwise

The following program lines will cause the 'L' in Figure 2 to be drawn four times full scale and rotated 45 degrees counterclockwise:

- 10 L5="D16:R14:"
- 20 DRAWS="BM300,100;520;A1; +L\$:GOSUB 10000

In PC BASIC the rotation command is "An" where n is a digit from zero to three for rotations of zero, 90, 180 or 270 degrees. It also has the T variation "TAn" which causes the whole screen to rotate but this option was not incorporated in DRAWS.





A-OK Computers

The A-OK Board "-The Ultimate Upgrade" "10 MHz + 960K"

The A-OK Board lets you triple (!) your processor speed and nearly quadruple your RAM. The A-OK Board plugs inside your Sanyo with no soldering or race cutting (either would void your Sanyo motherboard's 1 year warranty). The A-OK Board's 8088-1 does all your processing at 10 MHz, almost three times the speed. Three banks of 256K chips on The A-OK Board combined with 192K on your motherboard gives you 960K of contiguous RAM. The A-OK Board has a socket to accept a highly compatible ROM BIOS. See our TurboDrive550 ad about 800K ramdisks. Options include a real-time clock/ calendar. The crystal and 8088-1 are socketed for easy upgrade to faster processors as they become available. The A-OK Board is The Ultimate

A-OK Board with no memory	-	 N	ā				16	01		à	ì	\$185	
8088-1 10 MHz processor chip	4											\$ 69	
A-OK Board with "The Works"	2	 7							1	Ŷ		\$395	

TP*Linker "The Linker for Turbo Pascal"

TP+Linker accelerates the compilation of your Turbo Pascal 2.0 and 3.0 programs. TP+Linker provides a program that turns your debugged and compiled Turbo Pascal procedures into compact, linkable external procedures. Because they are already compiled, these procedures link instantly into the code you are debugging. TP+Linker's linkable procedures use much less memory than the Turbo Pascal source code they come from. Thus you can bring them in off disk faster and store more of them on RAM disk. TP*Linker is easy to use, self-documenting, and works from the Turbo Pascal Program Development Environment. An extra bonus—now you can sell procedures written in Turbo Pascal as linkable procedures without having to disclose your source code. A-OK is looking for high-quality Turbo Pascal libraries to market. Why waste time recompiling code that you know works? TP*Linker is the ideal upgrade.

for Turbo Pascal.	
TP*Linker for Turbo Pascal 2.0 and 3.0	\$69

SANYGRAF "Professional Business Graphics"

A-OK searched the world to bring you the best business graphics for your Sanyo. We are delighted by what we found—SANYGRAF. SANYGRAF's well thought-out menus and superb documentation, make this extremely versatile software very easy to master. SANYGRAF is very fast and even faster with an 8087. SANYGRAF supports popular plotters. SANYGRAF is so good that Sanyo Australia supplies it with every color graphics system it sells. 2.11, 256K, one DSDD or DSQD drive required.

SANYGRAF \$99

Janus/Ada "The Ada for Micros"

Now you can use the language of the future on your Sanyo, IBM, Zenith, etc. For just \$99, you get the Janus/Ada Compiler, Linker, Libraries, Example Programs, User Manual, and User Group Membership! Great for learning Ada and for serious programming.

A OK is pleased to announce its selection as the only distributor of Janus Ada on the exclusive Federal Government's GSA Schedule. Our contract number is GS00K85AGS6083.

Janus/Ada Extended Tutorial

This extraordinary package makes learning Janus/Ada easy and fun. Each of the handbook's 10 chapters guides you to an understanding of a different aspect of Janus/Ada. The 150+ page handbook is complemented by examples and quizzes on disk. This is an excellent tool for learning Janus/Ada.

TurboDrive550™ "A Quality Ram Disk for Sanyo"

lurboDrive550 turns your unused RAM into a disk drive. TurboDrive550 is very fast.

- · Speeds up all disk intensive software.
- Makes WordStar and FORMSORT run more quickly.

- · Accesses disk 75,000 times faster than hard disk.
- Makes 800K ramdisks on the A-OK Board.
- . Using the new A-OK DOS-3 with your single or double-sided drives.
- . Using the new A-OK DOS-4 with your quad drives.

TurboDrive550 is a low-cost alternative to a second disk drive. Compare TurboDrive550's features to the competition.

- TurboDrive550 works even if you only have 128K.
- TurboDrive550 protects you from allocating more space than is available.
- A-OK provides a COM file in MS-DOS 1.25 which lets you gracefully free TurboDrive550's space.
- TurboDrive550 lets you use its menu or parameters

TurboDrive 550 is The Phantom Buster.

TurboDrive550 comes FREE with every new A-OK DOS 1-4" and is available as a \$7 upgrade to current A-OK DOS owners.

TurboDrive550 for other Sanyo DOSs (The best deal is to buy A-OK DOS-1" for \$35 and get TurboDrive550

Contact! "Mailing Lists and More"

Contact! makes it incredibly easy for you to create and maintain business and personal mailing lists. Contact! prints mailing labels in the order you want and creates files ready for MailMerge. Contact! even prints out your address book complete with phone numbers. Requires 2.11 or Video Board.

N-Code™

"If You are Serious about Data Security"

N-Code for the Sanyo MBC-550 Series or IBM PC \$79

"AMBIZ-PAK""

\$100

UPGRADE TO 800K PER DRIVE

Increase your disk capacity to 800K per drive using A-OK's DSQD Kit " which includes: 2 first quality new TEAC 55F double-sided quad-density (DSQD) drives which replace the TEACs in your Sanyo, A-OK DOS-4, complete easy instructions, and all parts needed.

DSDD Kit"

Upgrade to 400K per drive—same as DSQD Kit but with 2 TEAC 54B drives and A-OK DOS-2. DSDD Kit \$295

VidSwitch550™

Just push a button on the left front side of your Sanyo and you've switched from the Sanyo graphics port to the Video Board port. Another push of the button on this small box switches it back. The monochrome version requires only the mono cable you already have. The color version requires no extra cables. Everything just plugs in.

VidSwitch550-Monochrome

XCord550™

Extension cord for your Sanyo PC Keyboard RS232C Serial Boards\$72

THE A-OK TEAM

Join the team that created the A-OK DOS Family-the choice of OEMs. PrintScreen550, TurboDrive550, The A-OK Board and other top-quality software and hardware. We sell only the best. Fewer titles, better promotion. Give us a call. Join the A-OK Team.

SEE OUR OTHER FULL-PAGE AD FOR ORDERING INSTRUCTIONS.

DEALER, DISTRIBUTOR, AND OEM INQUIRIES INVITED

A-OK Computers 816 Easley St., Suite 615 • Silver Spring, MD 20910 301-585-5105, 301-585-5106

Copyright 1984 Apollo Optics & Kinematics, Inc.

The Color Commands

The string elements "Cn;" and "Pn1.n2: " are color commands where n, nl and n2 are color numbers from zero


The COLOR command "Cn; " will cause all future lines to be drawn the selected color n. If the command is not used in your program, the lines will be drawn default color 2 (green).

The PAINT command "Pn1,n2;" will paint the inside of a shape with a specific color n1, within a color boundary n2,

The following program lines will draw the T shape in Figure 4, five times full scale. The cross of the T will be drawn with line and area color 3 (light blue), the base of the T will be drawn with line and area color 5 (purple).

- 10 T5="C3:L20:D4:R40:U4:L20: BD2:P3.3:BG2:C5:D30:R4:U30; L4:BF2:P5.5:
- 20 MS=BM300.100:520:"
- 30 DRAWS=MS+TS:GDSUB 10000

Note that the direction vector immediately before the PAINT command is preceded by a 'B'. If the 'B' was omitted



preceded by an 'N' will cause a move with no position update.

and the color of the line was the same as the boundary color, the PAINT command would not execute.


The Circle Command

The string element "On;" is a circle command where n is the radius of the circle. This command is not available with PC BASIC. The following program lines will draw the little car in Figure 5, five times full scale, color the body light blue, then draw the wheels and color them white:

- 10 Cs="C3:R12:E4:R14:D4:R12; DB;L42;UB;BF4;P3,3;C7;BF4; 03;P7,7;BR26;03;P7,7;
- 20 MS="BM150.100:520;"
- 30 DRAWS=MS+CS:GDSUB 10000

Some Programming Techniques

PC BASIC uses the X command to allow a string to be included within another string. This can easily be emulated with



DRAWS by simply concatenating the strings. For example, the PC BASIC program line:

60 DRAW "M100.100:XA\$:" can be emulated with DRAWS as: 60 DRAWS="M100,100;"+A5: GOSUB 10000

PC BASIC also allows the use of =n. where n is a numeric variable to be used within a string variable in the DRAW extent by setting the variables used in with PC BASIC as the string B\$="URDL" example, X51 and Y51 are the variables in would be B\$="U1;R1;D1;L1;". DRAWS that represent the current screen In Conclusion position, the PC BASIC program lines:


- 50 X=50.Y=75
- 60 DRAW "BM=X: .=Y: XAS:" could be emulated with DRAWS as:
- 50 XS1=50, YS1=75
- 60 DRAWS=AS:GDSUB 10000

Following is a list of the variables in DRAWS that can be changed in your program:

Variable	Function
X51	X-Position
Y51	Y-Position
SX5	Scale
CS	Line color
AR5	Rotation factor

If the length of a direction vector is I, then the I may be omitted with PC BASIC but is required with DRAWS. For examstatement. This can be emulated to a great ple, a box of unit length could be defined DRAWS directly from your program. For The equivalent string with DRAWS

I hope you have as much fun using DRAWS as I did writing and experimenting with it. Find a fairly easy PC BASIC program that uses the DRAW command and translate it for DRAWS. Get out some graph paper and try your hand at designing your own graphics. I think the more you use it the more you will find how easy DRAW\$ing can be.



A-OK Computers

The Center of Creation and Dissemination of Sanyo PC Software and Hardware

The A-OK™ DOS Family

"Upgrade your MS-DOS 1.25 or 2.11 and Video Board"

All members of the A-OK DOS family add these features to your MS-DOS . All the features of A-OK DOS-2

. A-OK DOS supports RAM expansion to 960K.

With the Video Board, A-OK DOS uses 24K less memory than the "competition" With extended memory, A-OK DOS uses 55K less memory than the

- · A-OK DOS now includes free high-quality ramdisk software-Turbo-
- Still the only text dump for 2.11 automatically transferred via FORMAT /S.
- Prints a screenful of text to any Sanyo-compatible printer.
- · Interactive mode
- . It works with one keystroke in DOS, BASIC and all other software packages that run on the Sanvo.
- . Does not interfere with program execution or affect the data.
- Batch mode
- Can be activated in BASIC by a one-line command.
- · Interrupt-driven and can be called from programming languages.
- Supports the only graphics screen dump software built into DOS-PrintScreen550
- Includes a special "Sorted Directory" utility.
- . Has a utility to strip the high-order bit off WordStar document files.
- . User-controlled scrolling in all subsystems, not just DOS.
- . A-OK DOS system messages are easier to understand.
- · Supports up to 4 disk drives

A-OK DOS versions for MS-DOS 1.25 correct flaws in MS-DOS 1.25 without

- . All A-OK DOS/1.25 are much faster and use far less memory than any version of MS-DOS 2.11.
- Runs all software that comes with the Sanyo.

A-OK DOS versions for MS-DOS 2.11

- . Run all software which runs on the Sanyo under MS-DOS 2.11 and Video
- . PLUS special support for Sidekick" and Flight Simulator."
- · Support installable drivers for hard disks, etc.

Comparing A-OK DOS-3 and DS DOS+, the Sanyo PC Hackers Newsletter states "In a nutshell, you get more for your money in A-OK's package" A-OK has tailored different versions of its DOS for varying disk drive configurations. This makes our ad more complex, but our DOS more efficient and easier for you to use.

A-OK DOS-1"

Not just another Double-Sided DOS

- . Any combination of up to four single and double-sided drives
- Double-sided drives support single and double-sided diskettes.
- 8 and 9 sector formats—360K, 320K, 180K, and 160K.
- A-OK DOS-1/1.25 or A-OK DOS-1/2.11 and Video Board

A-OK DOS-2"

"Increase the Capacity of your Current Drives"

- All the features and formats of A-OK DOS-1
- PLUS it reads, writes, and formats 10-sector formats
- . 400K per double-sided diskette on DSDD drives
- . 200K per single-sided diskette on SSDD and DSDD drives
- · uses ordinary diskettes
- · pays for itself in saved diskettes.

A-OK DOS-2/1 25 or A-OK DOS-2/2 11 and Video Board

800K PER DISK DRIVE A-OK DOS-3™

"A-OK DOS for Double and Quad-Density Drive Systems"

- All the features of A-OK DOS-2
- PLUS up to 4 double-density and quad-density drives on double-density drives:
 - reads and writes all formats read by 1.25 and 2.11 · reads, writes, and formats 200K SSDD diskettes
 - · reads, writes and formats 400K DSDD diskettes
- on quad-density drives:
- . reads, writes, and formats 730K and 800K on ordinary diskettes.

A-OK DOS-3/1.25 or A-OK DOS-3/2.11 and Video Board . \$55

A-OK DOS-4"

"The Standard Quad-Density DOS"

- PLUS up to 4 quad drives—3.2 Megabytes of removable medium!
- quad drives read all diskettes written by MS-DOS 1.25 and 2.11
- quad drives read, write and format 160K, 180K, 200K, 320K, 360K. 400K, 730K, 800K formats on ordinary diskettes.
- · will not run Prolok " disks.

We at A-OK Computers thank you for making A-OK DOS-4" the standard DOS for guad-density drives on the Sanyo. Thousands of copies of DOS-4" are now in use in the most demanding applications-yours. Potential bugs have been identified and corrected, making DOS-4 a mature, well seasoned tool. Your constant feedback has resulted in the successive refinement of our documentation. After thorough testing and comparison to would-be competitors, Scottsdale Systems, America's No. 1 seller of Sanyos, selected DOS-4 as the standard DOS supplied with their Silver Fox ". (HAGEN-DOS" is A-OK DOS-4). And of course, MidWest Micro Peripherals-one of America's largest sellers of computer equipment has selected A-OK DOS-4 for their quadbased Sanyo. Because DOS-4 is now the standard, our 720K and 800K formats. are also regarded as the standard. Of the quad-density operating systems. only A-OK DOS-4 supports the very popular PrintScreen550. Soft Sector sums it up well in their September 1984 review entitled "A-OK DOS and PrintScreen550-An Unbeatable Combination"

A-OK DOS-4 is the choice of OEMs. Don't trust your work to an experimental DOS, be sure your operating system is A-OK

Look for these features in a quad-density drive DOS

- Unique support for Lotus 1-2-3" and Picasso" on guad drives.
- Still the only DOS which you can install with quad drives.
- 3. The system automatically recognizes 8/9/10 sector, 40 and 80 track formats without reconfiguration or using alternate drive symbols (e.g. E:
- 4. Free ramdisk-TurboDrive550"
- 5. Uses low-cost ordinary double-density diskettes
- 6. FORMATS, READS, WRITES, and DISKCOPYS all MS-DOS standard formats employed by the Sanyo 550 Series.
- Uses the standard DOS-4 730K and 800K formats
- 8. Built-in text screen to printer dump.
- 9. Supports the only graphics screen dump software built into the DOS-

A-OK DOS-4/1,25 or A-OK DOS/2.11 and Video Board

PrintScreen550™

"Fast, High-Resolution Graphics and Text from Screen to Printer with One Keystroke

- PrintScreen550 now also supports the Video Graphics Board.
- PrintScreen550 is designed for the everyday needs of most users.
- PrintScreen550 capabilities
- · Prints a screenful of graphics to most popular printers.
- . This prints everything on the screen whether it's graphics or text. . User has the option to rotate the image on the paper. This permits Okidata 92s and other printers with less than 640 horizontal dot posi-
- tions to print out the full screen. . Turns your Sanyo into a high-resolution graphics machine
- . Multiscreen facility permits a printed image to be 640 dots by an almost unlimited number of dots in the perpendicular direction.
- PrintScreen550 is flexible and easy to use.
- Interactive mode
- . Works like the "Print Screen" button on the IBM-PC.
- . One keystroke does it all. No need to embed commands in BASIC. No extra programs to execute. Same single keystroke works in DOS, BASIC and all other software packages that run on the Sanyo.
- · Batch mode can be activated in BASIC by a one-line command.
- · PrintScreen550 is very fast and a lot of fun!

A-OK's PrintScreen550 software pulls the Print Screen button off the IBM-PC and puts it on your Sanyo MBC-550 Series computer.

PrintScreen550 is an option to any A-OK DOS for a meager.

Orders may be placed immediately.

Please send money order or cashiers check. Personal or company checks require 2-3. weeks to clear. Prices reflect a 3% cash discount. MasterCard/VISA/CHOICE accepted. MD residents add 5% sales tax. Out-of-state order, no tax. Prices subject to change. All brands are registered trademarks. 20% restocking fee for all returned merchandise. No returns accepted without a Return Authorization Number

A-OK Computers 816 Easley St., Suite 615 • Silver Spring, MD 20910 301-585-5105, 301-585-5106

Copyright 1984, 1985 Apollo Optics & Kinematics, Inc.

The listing: DRAWS . BAS 19999 REM 'DRAWS' A SUBPROGRAM TO SIMULATE THE IBM PC DRAW COMMAND 19919 REM IN SANYO BASIC 19929 REM BY RAY C. ROBINSON, RTS BOX 725, LAKE CHARLES, LA 79695 19939 REM 19949 REM ***TEST IF FIRST CALL AND SET VARIABLES ACCORDINGLY*** 19959 IF BIT\$(1)="" THEN DIM BIT\$(199):SXS=4:CS=2:ARS=9 19989 REM ***PUT MOVE & DRAW COMMANDS INTO BITS() ARRAY*** 19999 LS-LEN(DRAW\$):LS1-INSTR(DRAW\$,";"):BIT\$(KS)-LEFT\$(DRAW\$,LS1-1) 19199 IF LS1=LS THEN 19139 10110 DRAWS=RIGHTS(DRAWS, LS-LS1): KS=KS+1: GOTO 10090 19129 REM ***START TRANSLATION OF BITS() INTO MOVE & DRAW COMMANDS*** 19139 FOR IS-1 TO KS 19149 LS=LEN(BIT\$(IS)) 10150 AS15=LEFTS(BITS(IS),1):AS25=MIDS(BITS(IS),2,1) 19169 REM ***TEST FOR "A" AND IF TRUE GET ROTATION FACTOR*** 19179 IF AS1\$="A" THEN ARS=VAL(AS2\$):GOTO 19559 19189 REM ***TEST FOR "S" AND IF TRUE SET SCALE*** 19199 IF AS1\$="S" THEN SXS=VAL(RIGHT\$(BIT\$(IS), LS-1)):GOTO 19559 19299 REM ***TEST FOR "C" AND IF TRUE SET LINE COLOR*** 19219 IF AS1\$="C" THEN CS=VAL(AS2\$): GOTO 19559 19214 REM ***TEST FOR "O" AND IF TRUE DRAW CIRCLE*** 19215 IF AS1\$="0" THEN RS=VAL(AS2\$):CIRCLE(XS1,YS1).RS*SXS/4,.,,CS:GOTO 19559 19229 REM ***TEST FOR "M" OR "P" AND IF TRUE MOVE OR PAINT ELSE DRAW*** 19239 IF AS1\$ "M" AND AS2\$ "M" AND AS1\$ "P" THEN 19349 19249 CCS=INSTR(BIT\$(IS),",") 19259 IF AS1\$="B"THEN XS\$=MID\$(BIT\$(IS),3,CGS-3) ELSE XS\$=MID\$(BIT\$(IS),2,CGS-2) 19269 YS\$=RIGHT\$(BIT\$(IS), LS-CCS) 19265 IF AS1\$="P" THEN PAINT(XS1, YS1), VAL(XS\$), VAL(YS\$):GOTO 19559 19279 REM ***TEST FOR RELATIVE MOVE & DO IF TRUE ELSE DO NORMAL MOVE***

"MAKE YOUR SANYO 550 CP/M DATA COMPATIBLE FOR ONLY \$39.95!"

Intersecting Concepts Has The Solution To Your Computer Incompatibility

"But will it work on my Sanyo?



Yes! Now there's a new version of MEDIA MASTER available for Sanyo! Finally, there's an easy (and inexpensive) way to exchange information, transfer files, and read, write and format over 150 different CP/M and MS-DOS disks.

Already an accepted industry standard, Media Master is our direct disk-to-disk format conversion program. This \$39.95 product uses simple screen prompts that let you read, write and format up to 150 different 5 1/4" disks from CP/M, MS-DOS and PC-DOS operating systems.

So if you work on Sanyo 550 series computers at the office, but use a CP/M computer at home, now you can easily transfer files that would otherwise be "foreign" to your computer's operating system without buying expensive modems and communications software!

We also offer an entire family of solutions that solve computer incompatibility, like the problem of running CP/M software on MS-DOS machines.

To order Media Master for your Sanyo, call 800-628-2828, ext. 629. For additional product information on Media Master Plus and Acceler-8/16 for the Sanvo 775 contact:



L CONCEPTS 4573 Heatherglen Court Moorpark, CA 93021

or call 805-529-5073.



19289 XTS\$=LEFT\$(XS\$,1):IF XTS\$<"+" AND XTS\$<"-" THEN 19399 19299 XS1=XS1+VAL(XS\$):YS1=YS1+VAL(YS\$):GOTO 19319 19399 XS1=VAL(XS\$):YS1=VAL(YS\$) 19319 IF AS1\$0"B" THEN LINE-(XS1, YS1) 19329 GOTO 19559 10330 REM ***DETERMINE DRAW DIRECTION*** 19349 IF AS1\$="B" OR AS1\$="N"THEN DS\$=AS2\$:SS=VAL(RIGHT\$(BIT\$(IS),LS-2))*(SXS/4) 19359 DS\$=AS1\$:SS=VAL(RIGHT\$(BIT\$(IS),LS-1))*(SXS/4) 10360 REM ***CONVERT DRAW DIRECTION TO NUMERIC*** 10370 IF DSS="U" THEN TS=1 ELSE IF DSS="H" THEN TS=2 ELSE IF DSS="L" THEN TS=3 E LSE IF DSS="G" THEN TS=4 ELSE IF DSS="D" THEN TS=5 ELSE IF DSS="F" THEN TS=6 ELS E IF DS\$="R" THEN TS=7 ELSE IF DS\$="E" THEN TS=8 19389 REM ***CORRECT DRAW DIRECTION WITH ROTATION FACTOR*** 19399 IF ARS=9 THEN 19429 19499 TS=TS+ARS: IF TS>8 THEN TS=TS-8 19494 IF ARS MOD 2=9 THEN 19429 19495 IF TS MOD 2=9 THEN SS=.79717*SS ELSE SS=1.41421*SS 19419 REM ***GET DRAW PARAMETERS*** 19429 ON TS GOTO 19439,19449,19459,19469,19479,19489,19499,19599 19439 XS2=XS1:YS2=YS1-.46*SS:GOTO 19529 19449 XS2=XS1-SS:YS2=YS1-.46*SS:GOTO 19529 19459 XS2=XS1-SS:YS2=YS1:GOTO 19529 19469 XS2=XS1-SS:YS2=YS1+.46*SS:GOTO 19529 19479 XS2=XS1:YS2=YS1+.46*SS:GOTO 19529 19489 XS2=XS1+SS:YS2=YS1+.46*SS:GOTO 19529 19499 XS2=XS1+SS:YS2=YS1:GOTO 19529 19599 XS2=XS1+SS:YS2=YS1-.46*SS 19519 REM ***DETERMINE CORRECT DRAW INSTRUCTION AND EXECUTE*** 19529 IF AS1\$="B" THEN XS1=XS2:YS1=YS2:GOTO 19559 19539 IF AS1\$="N" THEN LINE(XS1, YS1) - (XS2, YS2), CS:GOTO 19559 19549 LINE(XS1, YS1) - (XS2, YS2), CS: XS1=XS2: YS1=YS2 19559 NEXT IS 10560 RETURN

HARD DRIVE SYSTEMS

FOR SANYO 550 **EXTERNAL DRIVE SYSTEMS** Which Do Not Put A Drain On Internal Power Supply.

Includes: Software, Drive, Controller, Interface & Power Supply.

INTRODUCTORY PRICE

5 meg \$545. 10 meg \$745. 20 meg \$895.

INTERFACE & SOFTWARE only... \$119.

DISK DRIVES NOW EPSON, TEAC and

Low Power Requirements!!! Mitsubishi DS, QD.....\$89. Epson DS.DD (400K)......\$99. TEAC DS,DD (400K)..... \$105. TEAC DSQD (800K)..... \$105. Second Drive \$5. Less

(EXCEPT MITSUBISHI)

1 Year Warranty on ALL Drives. =External Drive Kits ===

\$115. (\$85. with Drive Order) Includes all Cables & Instructions. Holds up to 2 Drives. Up to 3.2 MEG!

- MT BASIC \$49.95 -MULTI-TASKING & WINDOWING **BASIC COMPILER Yields Fast** Machine Code for the SANYO. SANYO BASIC REF. MANUAL \$29.

NOTE: Add \$35. for AOK DOS which gives 8.9 or 10 sectors per disk and up to 0.8 meg per drive!!!

800 245-6228


M.C. & VISA Accepted OWL-Services P.O. Box 116-D Mertztown, PA. 19539

PA Res Include 6 % Tax PA (215) 682-6855

SOFT SECTOR April 1986

Doctor Up Your Medical Records

By Bill Nieberding



This program helps alleviate some of the complicated paper work involved with keeping track of medical records

medical records for your family or hospitals, doctors, prescriptions, tests, doctor send the form to the insurance ompany? Did the insurance company ever respond to the claim? How much of | Edit a Person: When you select this the deductible has been satisfied? What part did you pay out of pocket for tax deduction purposes?

This program, which I have called MCD. BAS, allows you to manage all these secords in an orderly fashion, and also print out a summary sheet at any time you wish - such as at tax time.

The program, as listed, is set up for four people and up to 30 medical events per person, but can be adapted to any number within the limitations of memory. Put in your own limits and names in lines 40 through 80. I did this with no memory problems on a 256K machine and no ideo board. The program is menu driven and thus should not need any further explanation. All of the the printer dependent code is for an Epson RX-80.

setting a listing of the program in a

full Nieberding is the assistant chief of the Instrumentation Research Office at NASA's Lewis Research Center. He has master's degree in physics and has been applying computers to instrumentation or over 20 years. He may be contacted at 1517 Nottingham Dr., Fairview Park, OH 44126, (216) 779-5144.

GRAPH screen characters which print on any group, you know just how the Epson as something else, which is hard omplicated the paper work has gotten in to recognize. As a result, I have modified secent years. You have to keep track of the listing to allow you to know which characters should be typed with the ttc., for each member. What were the GRAPH key enabled. All characters bedates of service? When did you send the tween "and" should be typed with the forms to the insurance company? Did the GRAPH key enabled. Don't type the "or."

The Menu

option, you are asked for the person. Type in the name of the person. You are then presented with a screen for the next available blank item for that person. This is where you would normally add a new item. Follow the screen prompts to go to the previous or next item for editing previously entered items. Step from entry to entry within an item by pressing ENTER.

Successive carriage returns will keep looping you around on the same screen (item). Type over to change. Backspace to delete the previous character. The cursor positioning keys are not operative. Always terminate each entry within a screen (item) by pressing ENTER. At any position within a screen (after you have hit ENTER) you may step to the next or previous item with the '+' or '*'. When finished editing The one problem that I did run into was this person, type a '\' to return to main

> Read Data: This selection reads the file MED.DB5 from your disk. This is the file which contains your data. The "85" part is the data for 1985. This automatically changes to MED. DB6 when you change the year in Line 20. The program does this read automatically on being run, thus you would normally not have to use this

Pyou are trying to keep track of the | readable form. It makes liberal use of the | Write Data: This option writes the data (including your modifications) back to the MED. DB5 data set on disk. Always do this before you quit or your editing will be for nothing.

Total the Data: This just does the total calculations necessary for selections 5 and 7. If you are not going to use menu Selection 5 or 7, this one is unnecessary.

Total to Screen: This gives you a screen with all the desired totals for all persons. If you have more than four persons, you have to modify this and the corresponding print string lines.

Screen Person: This selection asks for the person and then shows a screen with prompts for the chart that has all the dates (D) or the chart that has all the dollars (S). If there are too many items for one screen, use the (R) to get the rest of them. (By the way, all dates are in the MM-DD-YY format but leading zeros need not be entered. The program takes care of shaping them up to fit the standard format.) Printer Output: This outputs the sum-

mary as in Option 5 and the list of all the detailed items by person to the printer. Again, the codes are for the RX-80; you will have to modify these codes for your printer. Note: The only menu selections affected by your number of people (if different from four) will be 5 and 7. You will have to modify to fit your case.

Editor's Note: William Nieberding informs us that a change should be made in the program the first time you run it. Simply add an apostrophe at the beginning of Line 420, then run the program and select Option 3 to save a "null" file. After you create the file in this way, you'll be able to run the program as shown.

The listing: MED. BAS

- IN YEARS="85": 'CHANGE THIS LINE FOR EACH YEAR
- 10 ITEMS -39: GUESS AT HAXIMUM NUMBER OF ITEMS OR ENTRIES FOR THE PERSON WITH TH
- MOST FOR THIS YEAR
- *# PEOPLE =4: 'NUMBER OF PEOPLE FOR WHOM YOU ARE KEEPING RECORDS
- NAMS(#) = "BILL": 'PUT NAMES OF YOUR PEOPLE IN HERE
- ## NAMS(1)="MARY"
- ## HAM\$ (2)="TIM"
- ## MAMS(3)="TERRI"
- MAMS(4)="TOTAL": 'FICTITIOUS PERSON FOR TOTALS

```
199 DIM ITEM$(PEOPLE-1, ITEMS, 9), DATNUM(PEOPLE-1, ITEMS), TOT(PEOPLE, 8)
 110 GOSUB 2190
 129 FOR INAM-9 TO PEOPLE-1
 130 FOR J=0 TO ITEMS
 149 DATNUM(INAM, J)=1E+96: MAKE DATNUMS LARGE SO THAT UNUSED ONES WILL BUBBLE TO
 150 NEXT J
 160 NEXT INAM
179 COLOR 2,9
 180 AS="": CLS
 190 FRINT "(K)"; STRING$(78,"(=)");"(X)";
 299 PRINT "(B)"; TAB(89); "(B)";
 219 PRINT "(2)"; STRING$(78,"(=)");"(')";
 229 FOR I=4 TO 22:PRINT "(B)";TAB(89);"(B)";:NEXT I
 239 PRINT "(,)"; STRING$(78,"(=)");"(D)";
 249 LABELS="MENU FOR "+YEARS+" MEDICAL RECORDS": L=LEN(LABELS): LOCATE 2,49-L/2,9:
 PRINT LABELS
 250 LABELS(1)="EDIT A PERSON"
 260 LABELS(2)="READ DATA"
 279 LABELS(3)="WRITE DATA"
 280 LABELS (4) - "TOTAL THE DATA"
 290 LABELS(5)="TOTAL TO SCREEN"
 300 LABELS(6)="SCREEN PERSON"
319 LABELS(7)="PRINTER OUTPUT"
 320 LOCATE 8,1
339 PRINT TAB(29); "(K)"; STRING$(18,"(=)"); "(X)"
349 FOR I=1 TO 7
350 PRINT TAB(29);"(B)"; LABELS(I); TAB(45); I; "(B)"
379 PRINT TAB(29);"(,)";STRING$(18,"(=)");"(D)"
389 LOCATE 29,1
39@ PRINT TAB(29);"(K)";STRING$(18,"(=)");"(X)"
 499 PRINT TAB(29);"(B)":"SELECT ?":"
 419 PRINT TAB(29);"(,)";STRING$(18,"(=)");"(D)"
 429 IF Q=9 THEN GOSUB 1179:Q=19:GOTO 499
 439 A$=INKEY$: IF A$="" GOTO 439
 449 LOCATE 21,43: PRINT AS
459 Q=VAL(A$):ON Q GOSUB 499,1179,1349,2329,2539,1649,2829
469 IF Q<1 OR Q>8 GOTO 439
479 IF Q=2 OR Q=3 OR Q=4 OR Q=7 THEN GOTO 499
489 GOTO 189
599 LOCATE 21,39
510 INPUT: "PERSON
                    ":NAMS
520 GOSUB 2270
539 IF INAM=>4 GOTO 599
540 FOR K-0 TO ITEMS
550 IF ITEM$ (INAM, K, Ø) O"" THEN NEXT K
560 FOR J-K TO ITEMS
579 ROW=5
580 CLS
590 COLOR 0.2
699 PRINT NAMS; TAB (18); "ITEM #"; J; TAB(39); "CR/ITEM +=NEXT ITEM *=PREV. ITEM @
-DELETE \-QUIT"
610 COLOR 2,0
620 GOSUB 1010
639 LOCATE ROW, 45,1
649 AS="":BS=""
659 A$=INKEY$:IF A$="" OR A$=CHR$(19) OR A$=CHR$(28) OR A$=CHR$(31) OR A$=CHR$(2
9) OR A$=CHR$(12) OR A$=CHR$(3g) GOTO 65g
669 IF A$=CHR$(13) AND ROW<22 AND B$="" THEN ROW=ROW+2:A$="":GOTO 639
679 IF A$=CHR$(13) AND ROW>22 AND B$="" THEN ROW=5:A$="":GOTO 639
689 IF A$=CHR$(13) AND B$◇"" THEN GOTO 779
699 IF AS="@" THEN GOTO 899
700 IF AS="+" THEN GOTO 830
719 IF A$="*" THEN J=J-2:GOTO 839
729 IF A$="\" THEN GOSUB 1599:GOTO 859
739 IF ASC(A$)=8 AND B$="" GOTO 659
749 IF ASC(A$)=8 THEN B$=LEFT$(B$,LEN(B$)-1):PRINT A$;:PRINT " ";:PRINT A$;:A$="
":GOTO 650
759 B$=B$+A$:PRINT A$;:A$="":GOTO 659
769 GOTO 659
779 ITEM$(INAM, J, (ROW-5)/2)=B$:B$=""
789 IF ROW-5 THEN DDS-ITEMS(INAM, J, 9): GOSUB 3539: DATNUM(INAM, J)=DD
```

```
#99 FOR K=9 TO 9: ITEM$(INAM, J, K)="": NEXT K
#19 DATNUM(INAM, J)=2E+96
#20 GOTO 570
#39 IF J<9 THEN J=-1
840 NEXT J
#50 FOR J=0 TO ITEMS: 'FIX DATE STRING LENGTHS
869 FOR K-9 TO 9
879 IF ITEM$ (INAM, J, Ø)="" GOTO 1999
889 IF KO AND K<7 GOTO 989
899 IF ITEM$ (INAM, J, K)="" THEN 989
### P1-INSTR(1, ITEM$(INAM, J, K), "-"): P2-INSTR(P1+1, ITEM$(INAM, J, K), "-")
#19 IF RIGHT$(ITEM$(INAM,J,K),1)="?" THEN DDD$="?" ELSE DDD$=""
929 MONTHS-MIDS(ITEMS(INAM, J, K), 1, P1-1)
939 DAYS-HIDS(ITEMS(INAM, J, K), P1+1, P2-P1-1)
949 YEARS-MIDS(ITEMS(INAM, J, K), P2+1,2)
959 IF LEN(DAY$)=1 THEN DAY$=" "+DAY$
969 IF LEN(MONTHS)-1 THEN MONTHS-" "+MONTHS
970 ITEMS (INAM, J, K) = MONTHS+"-"+DAYS+"-"+YEARS+DDDS
999 NEXT J
1000 RETURN
1939 LOCATE 7,1
1949 PRINT TAB(76):"(Y)"
1050 LOCATE 5.1
1969 PRINT TAB(5); "SERVICE DATE (M-D-YY)"; STRINGS(44-POS. "-"); " ";: COLOR 9,2: PRI
NT ITEMS(INAM, J, Ø): COLOR 2, Ø: PRINT
1979 PRINT TAB(5); "SERVICE/RX"; STRING$(44-POS."-"); " ";: COLOR 9,2: PRINT ITEM$(IN
AM, J. 1) : COLOR 2, 9: PRINT
1989 PRINT TAB(5); "CHARGE"; STRING$(44-POS, "-"); " "; : COLOR 9,2: PRINT ITEM$(INAM, J
2):COLOR 2, 9:PRINT
1999 PRINT TAB(5); "WE PAID PROVIDER"; STRING$(44-POS, "-"); " "; COLOR 9,2:PRINT IT
EMS(INAM, J. 3): COLOR 2.9: PRINT
1199 PRINT TAB(5); "INSURANCE PAID PROVIDER"; STRING$(44-POS. "-"); " "; :COLOR 9,2:P
MINT ITEMS(INAM, J, 4): COLOR 2, 9: PRINT
1119 PRINT TAB(5); "INSURANCE PAID US"; STRINGS(44-POS, "-"); " "; : COLOR 9, 2: PRINT I
TEMS(INAM, J, 5): COLOR 2,9: PRINT
1129 PRINT TAB(5): "TO DEDUCTIBLE": STRINGS(44-POS. "-"): " ": COLOR 9.2: PRINT ITEMS
(INAM. J. 6) : COLOR 2.9: PRINT
1139 PRINT TAB(5); "DATE WE PAID (M-D-YY)"; STRING$(44-POS, "-"); " "; :COLOR 9,2:PRI
NT ITEMS(INAM, J. 7): COLOR 2,9: PRINT
1149 PRINT TAB(5); "DATE FORM SENT (M-D-YY)"; STRING$(44-POS, "-"); " ":: COLOR $,2:P
RINT ITEM$(INAM, J, 8): COLOR 2, 9: PRINT
1159 PRINT TAB(5); "DATE FORM RECEIVED (M-D-YY)"; STRING$(44-POS, "-"); " "; :COLOR 9
2 PRINT ITEMS(INAM, J, 9): COLOR 2, 9: PRINT
1180 DSNAMES-"MED.D"+YEARS
1199 IF Q=9 THEN GOTO 1219
1299 LOCATE 21,39:PRINT STRING$(18," ");:LOCATE 21,31:COLOR 6,2:PRINT " SURE (Y/
*) "::INFUT Q$:COLOR 2,9:IF Q$ "Y" GOTO 1339
1719 LOCATE 21,39:PRINT STRING$(17." ")::LOCATE 21,34:COLOR 6,2:PRINT " READING
" | COLOR 2.9
1220 OPEN "I", 1, DSNAMES
1230 FOR INAM-G TO PEOPLE-1
1240 FOR J=0 TO ITEMS
1250 FOR K-0 TO 9
1269 INPUT #1, ITEM$(INAM, J, K)
1270 NEXT K
1289 INPUT #1, DATNUM(INAM, J)
1199 IF ITEMS(INAM, J. 9)="" GOTO 1319
1300 NEXT J
1319 NEXT INAM
1320 CLOSE
1110 RETURN
1340 'WRITE MED. D+YEARS TO DISK *************************
1350 DSNAMES="MED.D"+YEARS
1169 LOCATE 21,39:PRINT STRINGS(18," ");:LOCATE 21,31:COLOR 6,2:PRINT " SURE (Y/
#) "::INPUT QS:COLOR 2.9:IF QS>"Y" GOTO 1499
1379 LOCATE 21.39:PRINT STRINGS(17." ")::LOCATE 21.34:COLOR 6.2:PRINT " WRITING
COLOR 2.0
LIBU OPEN "O" .1 . DSNAMES
```

```
1390 FOR INAM=0 TO PEOPLE-1
1499 FOR J-9 TO ITEMS
1419 FOR K-9 TO 9
1420 WRITE #1, ITEM$(INAM, J, K)
1430 NEXT K
1449 WRITE #1, DATNUM(INAM, J)
1459 IF ITEM$(INAM, J, 9)="" GOTO 1479
1460 NEXT J
1470 NEXT INAM
1480 CLOSE
1490 RETURN
1500 'NOW ORDER THE LIST IN L BY DATNUM(INAM, L)*************************
1510 BUBBLE-0
1529 FOR L-9 TO ITEMS-1
1539 IF DATNUM(INAM, L+1)>1E+96 THEN 1559
1549 IF ITEMS(INAM, L+1,9)="" GOTO 1629
1559 IF DATNUM(INAM, L) <= DATNUM(INAM, L+1) GOTO 1619
1570 FOR H-0 TO 9
1580 SWAP ITEMS(INAM, L, H), ITEMS(INAM, L+1, H)
1699 SWAP DATNUM(INAM, L), DATNUM(INAM, L+1)
1619 NEXT L
1629 IF BUBBLE OF THEN 1519
1630 RETURN
1649 'PRINT TO SCREEN *************************
1659 LOCATE 21,39
1669 INPUT: "PERSON
                      ": NAMS
1679 GOSUB 2279
1689 IF INAM->4 GOTO 1659
1699 CLS
1799 GOSUB 1729
1710 RETURN
1729 PRINT THE SCREEN *****************************
1739 CLS
1749 LOCATE 24,1
1750 COLOR 0,3
1769 PRINT NAMS; TAB(25); "\-QUIT $-DOLLAR CHART D-DATE CHART R-REST"
1779 COLOR 2.9
1789 ADD=9
1799 A$-INKEYS: IF A$-"" GOTO 1799
1899 IF AS="\" GOTO 1869
1819 IF AS="$" THEN BS="\":ADD=9:GOSUB 1879:AS=""
1829 IF AS-"D" THEN BS-"D": ADD-9: GOSUB 2939: AS-""
1839 IF A$="R" AND B$="\" THEN ADD=29:A$="":B$="":GOSUB 1879
1849 IF AS="R" AND BS="D" THEN ADD=29:AS="":BS="":GOSUB 2939
1850 GOTO 1790
1879 'WRITE THE DOLLAR CHART ******************************
1880 CTS
1899 LOCATE 24.1
1999 COLOR 9.3
1919 PRINT NAMS; TAB(25); "\=QUIT $-DOLLAR CHART D-DATE CHART R-REST"
1929 COLOR 2,9
1939 LOCATE 1,1
1949 COLOR 9.2
1959 PRINT FORMIS:
1969 COLOR 2.9
1979 IF ADD=9 THEN LIMIT=29 ELSE LIMIT=ITEMS
1989 FOR J-ADD TO LIMIT
1999 IF ITEM$(INAM,J,9)="" GOTO 2929
2999 PRINT USING FORM25; ITEM$(INAM, J. 9); ITEM$(INAM, J. 1); VAL(ITEM$(INAM, J. 2)); VAL
(ITEMS(INAM, J, 3)); VAL(ITEMS(INAM, J, 4)); VAL(ITEMS(INAM, J, 5)); VAL(ITEMS(INAM, J, 6))
2010 NEXT J
2020 RETURN
2939 'WRITE THE DATE CHART ************************
2949 CLS
2959 LOCATE 24,1
2969 COLOR 9,3
2979 PRINT NAMS: TAB(25): "\=QUIT S=DOLLAR CHART D=DATE CHART R=REST"
2989 COLOR 2.9
2999 LOCATE 1,1
2199 COLOR #.2
2119 PRINT FORM3S
```

```
2120 COLOR 2.0
2139 IF ADD-9 THEN LIMIT-29 ELSE LIMIT-ITEMS
1149 FOR J=ADD TO LIMIT
1159 IF ITEM$(INAM, J, 9)="" GOTO 2189
#169 PRINT USING FORM4$: ITEMS(INAM, J, 9); ITEMS(INAM, J, 1); VAL(ITEMS(INAM, J, 2)); ITE
MB(INAM, J, 7); ITEM$(INAM, J, 8); ITEM$(INAM, J, 9)
2179 NEXT J
1180 RETURN
1200 FORMIS="SRVC DATE (Y) SERVICE
                                      (Y) CHARGE (Y) WE PAID (Y) INS PD TH
(Y) INS PD US(Y) DEDUCTIBLE"
                                     &(Y)$####, .##(Y)$####, .##(Y)$####, .##
2210 FORM2S-"&
[Y]S####, .##(Y)S####, .##"
                                                 (Y) CHARGE (Y)DT WE PD(Y
2220 FORM3$="SRV DATE(Y)SERVICE
IDT FM SNT(Y)DT FM RD"
2230 FORM45="&
                 &(Y)&
                                                &(Y)$####,.##(Y)&
       &(Y)&
                 &"
                                    (Y)&
                                              &(Y)&
                                                         &(Y)&
                                                                    &(Y)
2240 FORM5$="
      &(Y)&
2259 FORM6$="## &
                                   &(Y) S####, .##(Y)S####, .##(Y)$####, .##(Y)
5#### . . ## (Y) $#### . . ##"
2260 RETURN
1279 'SET NAME INDEX ******************************
2289 FOR INAM-9 TO PEOPLE-1
2299 IF NAMS-NAMS(INAM) GOTO 2319
2399 NEXT INAM
2319 RETURN
133g LOCATE 21,3g:PRINT STRING$(17," ");:LOCATE 21,33:COLOR 6,2:PRINT " TOTALING
 ":: COLOR 2.9
2349 FOR I=1 TO PEOPLE
2350 FOR T-1 TO 8
2369 TOT(I,T)-9
2379 NEXT T: NEXT I
1389 FOR INAM-9 TO PEOPLE-1
2399 FOR J=9 TO ITEMS
```

Try it, you'll like it!!!

See why informed buyers at Abbott Labs, Hughes Aircraft, Lawrence Livermore Labs, Stanford University, and the University of Arizona have purchased multiple VersaCom licenses.

Here are just a few reasons VersaCom has been selected over such competition as Crosstalk XVI, Intellicom, and Smarterm.

- (1) better, faster terminal emulation of DEC VT52, VT100, VT102
- (2) more complete implementation of the Kermit file transfer protocol
- (3) powerful macro programming language
- (1) conscientious, rapid response to problem reports

Order now and receive CommSpeak update for free.

 VersaCom v.2 (Sanyo MBC-550 or IBM PC)
 \$55

 VersaCom v.2 with Comtel serial port
 \$95

 300/1200/2400 baud modems
 call

plus \$5 shipping handling - Visa/MasterCard accepted

Solution Software, 3421 N 1st Ave. #120 Tucson, AZ 85719 ** (602) 323-0841


If not satisfied with VersaCom, return undamaged software and documentation within 30 days for a complete refund.

Crosstalk XVI is a registered trademark of MicroStuf; Smarterm is a trademark of Persoft; Intellicom is a trademark of Computer Toolbox; VT52, VT100, VT102 are trademarks of Digital Equipment Corporation



```
2499 IF ITEMS(INAM, J, 9) = " GOTO 2489
2410 FOR T-1 TO 5
2429 TOT(INAM, T)=TOT(INAM, T)+VAL(ITEM$(INAM, J, T+1))
2430 NEXT T
2449 IF RIGHTS(ITEMS(INAM, J.1), 3)="/RX" THEN TOT(INAM, 8)=TOT(INAM, 8)+VAL(ITEMS(I
NAM, J, 2))
2459 TOT(INAM, 6)=TOT(INAM, 6)+VAL(ITEM$(INAM, J, 2))-VAL(ITEM$(INAM, J, 3))-VAL(ITEM$
(INAM, J, 4))
2469 TOT(INAM, 7)=TOT(INAM, 7)+VAL(ITEM$(INAM, J, 3))-VAL(ITEM$(INAM, J, 5))
2479 NEXT J
2480 FOR T-1 TO 8
2499 TOT(4,T)-TOT(4,T)+TOT(INAM,T)
2500 NEXT T
2510 NEXT INAM
2520 RETURN
2549 CLS
2550 LOCATE 24.1
2569 COLOR 9,3
2579 PRINT TAB(39);" \=QUIT "
2580 LOCATE 1,1
2598 PRINT "TOTALS UPDATED ON "; DATES
2699 PRINT STRINGS(78,"(\)")
2619 PRINT USING FORM5$; NAM$($); NAM$(1); NAM$(2); NAM$(3); NAM$(4)
2629 COLOR 2.9
12111111111111"
2649 L$(1)="TOTAL CHARGES"
2659 LS(2)-"TOTAL WE PAID THEM"
2669 LS(3)="TOTAL INS. PAID THEM"
2579 L$(4)="TOTAL INS. PAID US"
2689 L$(5)="TOTAL TO DEDUCTIBLE"
2699 L$(6)="WE STILL OWE"
2799 L$(7)="TOTAL FOR TAXES"
2719 LS(8)="TOTAL RX (INC. IN 7)"
2729 FOR I=1 TO 8
2730 COLOR 3.0
2749 PRINT USING FORM65; I; L$(I); TOT(9, I); TOT(1, I); TOT(2, I); TOT(3, I); TOT(4, I)
2759 COLOR 2.9
2769 PRINT "(]]]]]]]]]]]]]]]]]]]]]]]]]]
1Y1111111111"
2779 NEXT I
2789 A$=INKEY$:IF A$="" GOTO 2789
2799 IF A$="\" GOTO 2819
2800 GOTO 2780
2819 RETURN
2829 'OUTPUT ALL TO PRINTER *******************************
2839 LOCATE 21.39:PRINT STRINGS(17," ")::LOCATE 21.35:COLOR 6.2:PRINT " PRINTING
":: COLOR 2.8
2849 'FORMATS AND STRING DEFINITIONS ***************
2859 ESC$-CHR$(27)
2860 WIDTH 90
2879 FORMPIS-"SVC DAT | SERVICE
                                                  | CHARGE | WE PAID
PD TH | INS PD US | DEDUCTIBLE | DT WE PD | DT FM SNT | DT FM RCD | "
2880 FORMP2S="&
                  6/6
                                                &|$####, .## |$####, .## |$##
& | &
                                                       & |"
2899 FORMP3$-"
                                               6/6
                                                       & | &
                                                                 616
        6 "
616
2900 FORMP45-"## &
                                    & S####, .## | S####, .## | S####, .## | S####.
## | $#### . ## |"
2910 FORMP55="
2920 FORMP65-"
2939 LS(1)-"TOTAL CHARGES"
2949 LS(2)="TOTAL WE PAID THEM"
2959 LS(3)="TOTAL INS. PAID THEM"
2969 L$(4)="TOTAL INS. PAID US"
2979 L$(5)="TOTAL TO DEDUCTIBLE"
2989 L$(6)="WE STILL OWE"
2999 L$(7)="TOTAL FOR TAXES"
3999 LS(8)="TOTAL RX (INC. IN 7)"
3919 'PRINT IT OUT **********
3929 LPRINT ESCS"@";
```

```
1939 LPRINT ESCS; "N"; CHR$(6);: 'FORM FEED SKIP 6 LINES
1949 LPRINT ESCS"m"CHR$(4): 'GRAPHICS CHARACTERS ON
1959 LPRINT ESCS"E"ESCS"-1";
1969 LPRINT"UPDATED ON "DATES
1979 LPRINT ESCS"A"CHR$(6): 'LINE FEED TO 1/12 INCH
1989 LPRINT USING FORMP3$; NAM$(9); NAM$(1); NAM$(2); NAM$(3); NAM$(4)
1999 LPRINT ESCS"F";
3199 LPRINT ESCS"-9"; FORMP5$; ESCS"-1"
3119 FOR I-1 TO 8
$129 LPRINT USING FORMP4$:1;L$(1):TOT(9,1):TOT(1,1):TOT(2,1):TOT(3,1):TOT(4,1)
3139 IF I-8 GOTO 3169
3149 LPRINT ESC$"-9": FORMP5$: ESC$"-1"
3150 NEXT I
3160 LPRINT ESCS"-Q"
3179 'PRINT DETAILED RECORDS ***********
3189 LPRINT ESCS"E"ESCS"-1": 'EMPHASIZED AND UNDERLINED
3199 LPRINT: LPRINT
3200 LPRINT "DETAILED RECORDS"
1219 FOR INAM-9 TO PEOPLE-1
3229 WIDTH 89
1230 LPRINT CHR$(18): 'COMPRESSED OFF
1249 LPRINT ESCS"E"ESCS"-1": 'EMPHASIZED AND UNDERLINED
1250 LPRINT NAMS (INAM)
1260 LPRINT
3270 WIDTH 150
1289 LPRINT CHR$(15):: COMPRESSED ON
1290 LPRINT ESCS"F": 'EMPHASIZED OFF
3300 LPRINT FORMPLS
3319 LPRINT ESCS"-9"; FORMP6S; ESCS"-1"
3329 FOR J-9 TO ITEMS
3339 IF ITEM$(INAM, J, 9)="" GOTO 3379
3349 LPRINT USING FORMP2$; ITEM$(INAM, J, Ø); ITEM$(INAM, J, 1); VAL(ITEM$(INAM, J, 2)); V
AL(ITEMS(INAM, J.3)); VAL(ITEMS(INAM, J.4)); VAL(ITEMS(INAM, J.5)); VAL(ITEMS(INAM, J.6)
)); ITEM$(INAM, J, 7); ITEM$(INAM, J, 8); ITEM$(INAM, J, 9)
3350 LPRINT ESCS"-G": FORMP65: ESCS"-1"
3360 NEXT J
3379 LPRINT: LPRINT STRING$ (139, "")
1380 LPRINT
3399 NEXT INAM
1499 LPRINT CHR$(12); ESC$"@";
1410 RETURN
1420 'FIX THE DATE STRING LENGTHS *******************
3439 FOR INAM-9 TO PEOPLE-1
3440 FOR J-0 TO ITEMS
3459 FOR K-9 TO 9
3469 IF ITEM$(INAM, J, 9)="" GOTO 3519
1470 IF KOW AND K<7 GOTO 3490
1489 IF RIGHTS (ITEMS (INAM, J, K), 1)="?" THEN ITEMS (INAM, J, K)=" "+ITEMS (INAM, J, K)
1490 NEXT K
3500 NEXT J
3510 NEXT INAM
3529 RETURN
1539 'S/R TO CALCULATE DD - NO. OF DAYS SINCE 1-1-84
3549 'ENTER WITH DDS (M-D-YY). LEAVE WITH DD.
3559 'COMPUTE THE DAY OF THIS YEAR
3569 P1=INSTR(1,DD$,"-"):P2=INSTR(P1+1,DD$,"-")
3579 MONTH-VAL(MIDS(DDS.1.P1-1))
3589 DAY=VAL(MID$(DD$,P1+1,P2-P1-1))
1599 YEAR-VAL(MIDS(DDS, P2+1,2))
3600 JJ-YEAR
3610 GOSUB 3680
1629 DD=INT(275*MONTH/9)-LY*INT((MONTH+9)/12)+DAY-39: GOT THIS EXPRESSION FROM A
M ASTRONOMER. IT GIVES THE DAY NUMBER OF ANY DAY IN THE YEAR. LY-1 FOR LEAP YEAR
/LY=2 FOR NON LEAP YEAR.
3630 FOR JJ=84 TO YEAR-1
3649 DD-365+DD
3450 GOSUB 3680: IF LY=1 THEN DD=DD+1
3660 NEXT JJ
3679 RETURN
3689 'S/R TO ACCOUNT FOR LEAP YEAR. LY=1 IS LEAP YEAR. LY=2 IS NOT.
1699 IF JJ MOD 4=9 THEN LY=1 ELSE LY=2
1799 IF JJ MOD 199-9 THEN LY-2
1719 IF JJ MOD 499-9 THEN LY-1
 1729 RETURN
```



first wrote Galactic Empire for my TRS-80 Color Computer, based on a similar game 1 had for the TRS-80 Model III. Although I was satisfied with the Color Computer version's ability to mimic the original, memory limitations kept me from making desired improvements. Luckily, I found this was not the case with the Sanvo MBC-550. Here you have the finished, highly modified Sanyo

I suggest you read the article, then type in the listing and save it. With the program in and running, go over the article once more. It is easier to understand something if you can see it work or "play with it" and get the hang of using it.

The opening screen does a nice job of demonstrating the Sanyo's excellent graphics capabilites. It even looks very nice on my amber monitor. Press any key to start the game.

When asked if you would like background information, press 'Y' or 'N'. If you choose 'Y', it will display a screen of text explaining why you are fighting and what you are fighting for. Basically, you are in charge of a huge armada. With this force you must take control of the 19 other ruling planets in the galaxy. After you are finished reading the text screen, press any


If you chose not to read the text or just left the text screen, there is a brief pause (while the program sets up variables, etc.), then the game screen forms.

This screen will be the one you see through the whole game (with one difference explained later). With the exception of the small box which contains the "Galactic Empire" logo, the screen is divided into three boxes. I will refer to these as the top, middle and bottom screens. You will understand this the first time you run the program.

The upper part of the top screen reads Command." This line will always display the current mode (Command, Computer, Orders, Embark, Attack, etc.). Inside the box is a listing of all of your resources. These will always initialize as you see them displayed, but will change during the same. Money used in this game is Galactic Credits (Cr).

On the middle screen you see the command menu. When you enter another mode, this menu will disappear and the new menu will appear on the bottom screen. As you can see, your choices are "O' for orders, 'C' for computer, 'A' to attack, 'E' to embark, 'S' to save and 'L' to load a game. This screen also displays wout craft information.

Jon McGuire is a junior at Orange Park High School. He has been writing complete programs for a wide range of computers since 1978, when his father first hought a TRS-80 Model I. He may be contacted at 2234 George Wythe Rd., thange Park, FL 32073; (904) 272-5596.



The bottom screen is initially blank. It is used to display all non-command (mode) menus and other data. On the bottom line of this screen you may occasionally see "Happy New Year!!!" This simply means that another year has passed. This will happen once every 15 minutes or so.

I will list all of the possible commands and describe their effects, but first there are a few things you should know. You may abort any command or menu by the name of a planet will require you to press any key from 'A' to 'T'. These keys correspond to the names of the planets which begin with those letters.

The "orders" menu can be reached from the command mode by pressing 'O'. To leave the orders menu, press 'X'. Your choices on the orders menu are 'C', 'N', 'T'

and 'S' (Cryonics, Navigation, Taxation, Recruiting and Ships).

Cryonics comes from "cryogenics" which has to do with placing living material in extreme cold and having it emerge later in perfect shape with very little aging. With this, you can select the number of years you wish to spend in suspended animation. With each year that passes, the year counter on the top screen advances and the large "Galactic Empire" changes color. This is how you'll wait for the return of your scout ships.

To use the embark command, you must first use navigation to give the armada navigators their orders. You will be shown the current destination and be asked for a new one. You may either press the corresponding key for the planet's name, or 'X' to use the current destination and return to the orders menu.

When you press 'T' from the orders menu, a secondary menu appears. This menu allows you to tax the planet or recruit men from the surface. You can only recruit and tax once per visit or after you see a "Happy New Year!!!" display. After that one time, you must leave and return later, or wait for another year to pass. Passing time with cryonics will not allow you to use this function again. The time must have passed as a result of the routine that produces the "Happy New Year!!!" display.

If you choose to tax the people, you will see how many credits were collected and the numbers on the top screen will increase accordingly. You will then be returned to the tax/recruit menu.

If you should wish to recruit men (to fill empty transports), press 'R' from the tax/ recruit menu. You will be asked to type in how many transports to fill. Of the six possible population sizes, each can fill only a certain number of transports. If you go over this, you will be notified and asked to reenter the number. I will give you this hint: The maximum number of transports Galactica-sized populations can fill is 79.

The next orders menu selection is 'S' for ships. This will take you to a sub-menu where you can either press 'B' to build ships, or 'S' to send scout ships.

When you choose to build ships, the bottom screen will clear. It will then display the cost of the various types of ships (transports, fighters and scouts). You may build a certain number of ships per year (see tax/recruit menu for details on what "per year" means). This number is dependent on planet population and technological level. You will be prompted pressing the 'X' key. A prompt asking for for each type of ship. If you try to build more ships than the planet can handle, the computer will not accept the number. Note: If you have an upper limit of, for example, 11, and you only build nine ships, you can go back later in the same year and build the other two.

> If you wish to find information on any of the other planets in the galaxy, use the

send scout option. With this, you will be asked for the name of the destination planet and which planet you want it to return to with the data. After selecting these, it will ask if the information is correct. If you answer no, you may reenter it. If you answer yes, you will be shown the year in which the scout will return. In order to receive the information, you must either be on the correct planet when the scout returns, or go to the correct planet after it returns.

The next menu is the computer menu. From here you can select 'M', 'P', 'D' or 'S' (Map, Planetary data, Distance calculator and Status report).

The map function is the only one that does not use any of the three screens. Instead, the entire screen will clear and 20 letters will appear; black letters with green backgrounds for independent planets, and green on black for members of the empire. Initially, only Galactica will be an empire world. You can press any key from A to T to see the planet position.

Pressing the space bar while a planet is blinking will stop the blinking. Pressing the space bar while no planets are blinking causes the computer to list each planet name and flash its position. Pressing the space bar will stop the listing. You can press 'X' to return to the computer menu.

The next function, 'P', displays all known data on each planet. You will be asked for the planet name. If you have traveled to the planet before, or sent and received a scout from there, it will list the planet name, population, technological level and empire status (Empire or Independent). Initially, you only have data on Galactica.

With 'D' (Distance) you can tell how far automatically be called off.

it is between two planets. The computer will ask for each planet name. It will then display names, X,Y positions, and how many units there are between them. This is useful for planning scout missions.

status report. This will list the scout number, scout destination, which planet it will return to, what year it will return one of the two battles and still lose from in and how many years left before it the loss of the other battle. Also, note that returns. If the number of years left is zero some planets do not have the technology or negative, then you must travel to the to carry on an aerial battle. designated planet to retrieve the data.

this command, the middle screen will clear and the bottom screen will fill with data.

This data displays the destination, what have to go. As the distance decreases, the year counter on the top screen increases.

When distance reaches zero, there will be a slight pause as the computer checks to see if any scouts have returned during your travel. It also must modify some working variables.

Remember, if you have given the navigators no orders, you cannot embark. Also, watch the distances you travel. With each unit taking one year for travel, you can use your time up quickly. That is why the number of years allotted (350) is so

With the attack command you can lay this, the screen will clear and come back make sure you have fighter ships, troops, and will check the planet conditions. If you have no fighters or troops, or attempt to assault an empire, the attack will

Assuming you had no problems with the preliminaries, the lower screen will give you data on the battle. On the left half of the bottom screen the land battle is shown. On the right, the air battle. For Finally, you can choose to view the each, the chance (percentage) of the Empire winning is displayed, as well as the enemy's chance. Note that you can win

If, at any time, you do not like the way From the command menu, the next the fight is going, press 'X'. This will result choice is 'E', for embark. When you select in a manual abort (retreat). Make sure you do not follow only the percentages! The number of fighters and transports remaining changes during a battle year you will arrive in and how far you, sometimes drastically - depending upon who you are fighting.

The save game feature will allow you to place your resources, the galaxy, and everything else necessary for game play in a disk file for retrieval. A standard eightcharacter filename is used, with the extension of .EMP in Drive A.

With the load game feature you can get a previously saved game back up and running. You must start all loaded games from the command menu.


That, very basically, is Galactic Empire. You may notice that the hints and information in this article are not highly detailed. Part of the fun of this game is in siege upon a planet. When you choose trying to figure out the best order in which to do things and in finding the little in red. Then the computer will check to eccentricities of the game. It is not hard to play, but it will take a lot of practice to reach the point where you will win as many campaigns as you lose. After several weeks of trying, I finally won a game and I wrote it!

```
The listing: EMPIRE.BAS
Galactic Empire 6.8
30 '*****
               By Jon McGuire
                                    ****
40 ******
               Copyright 1985
                                    *****
50 ·**************
69 1
79 1
89 FOR T=1 TO VAL(RIGHT$(TIME$,2)):ZZ=RND:NEXT T
99 COLOR 4,9:CLS:LOCATE 1,39,9:PRINT "By Jon McGuire";:WINDOW (9,9)-(639,199)
199 SYMBOL (29,39), "Galactic Empire", 5,3,4
11g FOR T=1 TO 25:X=INT(RND*62g)+1g:Y=INT(RND*12g)+6g:CIRCLE(X,Y),INT(RND*2)+1,
,,6:PAINT (X,Y),7,6:NEXT T:X=INT(RND*259)+1:Y=INT(RND*25)+1
129 X=175-X:CLR1=7:CLR2=1:Y=Y-29
139 CIRCLE (259+X, 169+Y), 59, ... 2: PAINT (259+X, 169+Y), 1, 2
149 CIRCLE(259+X,169+Y),19,.5,.75,,2
15g CIRCLE(25g+X,16g+Y),2g,.25,.5,.5,2
169 LINE (249+X, 169+Y) - (239+X, 169+Y), 2
17g CIRCLE(26g+X,17g+Y),15,.25,.5,1.5,2
189 CIRCLE (279+X,179+Y),35,.65,.85,.85,2
199 CIRCLE (259+X,155+Y),5,.5,.75,,2
299 LINE (247+X,155+Y)-(249+X,151+Y),2
219 CIRCLE (399+X,169+Y),9,.25,.75,,2
229 CIRCLE (279+X,164+Y),5,.8,.6,.6,2
239 CIRCLE (268+X,169+Y),6,.35,.1,.3,2
```

```
249 PAINT (259+X,169+Y),2,2
259 CIRCLE (259+X,136+Y),16,,.5,.25,2
269 PAINT (259+X,136+Y),7,2
270 CIRCLE (250+X, 136+Y), 16, ... 5, .25, 3
289 CIRCLE (249+X,189+Y),3,,,.4,2
299 PAINT (249+X, 189+Y), 2, 2
399 CIRCLE (239+X,175+Y),2,,,1.2,2
319 PAINT (239+X,175+Y),2,2
320 CIRCLE (210+X,150+Y),10,.8,1,1.3,2
330 CIRCLE (239+X,145+Y),3,...3,2
349 PAINT (239+X,145+Y),2,2
350 CIRCLE (233+X,145+Y),3...1.8,2
369 PAINT (234+X,145+Y),2,2
379 CIRCLE (219+X, 159+Y), 15, 9, .25, 1.7, 2
389 CIRCLE (219+X,145+Y),29,.25,.3,1.3,2
399 PAINT (219+X,159+Y),2,2
499 CIRCLE (299+X,149+Y),29,.57,.32,,2
419 PAINT (299+X,149+Y),5,2
429 CIRCLE (259+X,169+Y).59...9
439 CIRCLE (299+X,136+Y),2,.15,.77,.7
449 CIRCLE (298+X,144+Y),2,.15,.77,.7
459 CIRCLE (392+X,139+Y),2,.15,.77,.7
469 IF INKEYS-"" THEN 469 ELSE COLOR 2.9
470 CLS
489 LOCATE 19.15
499 PRINT "Would you like background information?":
500 IS-INKEYS: IF IS-"" THEN 500
519 IF I$="Y" OR I$="y" THEN GOSUB 3999:GOTO 3769 ELSE 3769
$29 COLOR 2,9:CLS:LOCATE 1,1,9:FOR T=1 TO 24:LOCATE T,1:PRINT CHR$(179)::LOCATE
T,89: PRINT CHR$(179);: NEXT T: CLR1=7: CLR2=1
539 LOCATE 1,2:PRINT STRING$(78,196);:LOCATE 7,2:PRINT STRING$(78,196);:LOCATE 2
4,2:PRINT STRING$(78,196);:LOCATE 12,2:PRINT STRING$(78,196);:LOCATE 14,2:PRINT
STRINGS (78, 196)
549 I$=CHR$(195):LOCATE 7,1:PRINT I$::LOCATE 12,1:PRINT I$::LOCATE 14,1:PRINT I$
559 IS=CHR$(189):LOCATE 7,89:PRINT IS;:LOCATE 12,89:PRINT IS;:LOCATE 14,89:PRINT
569 LOCATE 1,1:PRINT CHR$(218)::LOCATE 1,89:PRINT CHR$(191):
579 LOCATE 24,1:PRINT CHR$(192);:LOCATE 24,89:PRINT CHR$(217);
589 LOCATE 2,3:PRINT "Year:";YR;:LOCATE 2,39:PRINT "Credits:";CR::LOCATE 4,3:PRI
NT "Scouts:"; SSH;
590 LOCATE 4.54: PRINT "Fighters:"; FTR; :LOCATE 2.54: PRINT NAMS (CP)::GOSUB 3970
693 LOCATE 6,11:PRINT "Loaded Transports:";LTR::LOCATE 6,42:PRINT "Empty Transpo
rts:";ETR;
610 SYMBOL (70,95), "G A L A C T I C E M P I R E".2.1, CLR1
629 SYMBOL (71,96), "G A L A C T I C E M P I R E", 2, 1, CLR1
639 SYMBOL (72,97), "G A L A C T I C E M P I R E",2,1,CLR1
649 SYMBOL (73,98), "G A L A C T I C E M P I R E", 2, 1, CLR1
659 SYMBOL (74,99), "G A L A C T I C E M P I R E", 2, 1, CLR2
669 RETURN
679 GOSUB 529
689 GOSUB 3739:GOSUB 3759
699 LOCATE 1,39: PRINT "COMMAND";
JUD LOCATE 9.5: PRINT ">O< Orders"; TAB(50); ">E< Embark";
719 LOCATE 19.5:PRINT ">C< Computer"; TAB(59); ">A< Attack";
719 LOCATE 11,5: PRINT ">S< Save"; TAB(59); ">L< Load";
139 LOCATE 8,39,9:PRINT "Command? ";
140 IS-INKEYS:GOSUB 3500:LOCATE 8.38:IF IS-" THEN 740 ELSE IS-CHRS(ASC(IS)AND 9
5) IF IS-"O" OR IS-"C" OR IS-"A" OR IS-"S" OR IS-"L" OR IS-"E" THEN GOSUB 374g
150 IF IS-"0" THEN 760 ELSE IF IS-"C" THEN 1550 ELSE IF IS-"E" THEN 2190 ELSE IF
 15-"A" THEN 2360 ELSE IF IS-"S" THEN 3200 ELSE IF IS-"L" THEN 3350 ELSE 740
Jay LOCATE 1,2:PRINT STRINGS(78,196)::LOCATE 1,3g:PRINT "ORDERS":
779 GOSUB 3739
789 LOCATE 16,19:PRINT "=C= Cryonics"; TAB(69); "=N= Navigator"::LOCATE 18.19:PRIN
T "=T= Tax/Recruit"; TAB(60); "=S= Ships";
799 LOCATE 21,39,9: PRINT "Command? ";
### I$=INKEY$:GOSUB 3599:LOCATE 21,38:IF I$="" THEN 899 ELSE I$=CHR$(ASC(IS) AND
 95): IF IS="X" THEN 689
#19 IF I$="C" THEN 829 ELSE IF I$="N" THEN 959 ELSE IF I$="T" THEN 1929 ELSE IF
10-"S" THEN 1290 ELSE 800
```

```
820 GOSUB 3730
839 LOCATE 16,29: PRINT "Cryonics"; : Z=9: ZZ=9
84% LOCATE 19.15.1: PRINT "How many years (RETURN to abort)":: INPUT (3):"":Z
859 LOCATE 19,89:PRINT CHR$(179);:GOSUB 3979
860 IF 2-0 THEN 770
870 C-2
880 C=C+1:ZZ=ZZ+1:IF C=8 THEN C=1
890 SYMBOL (74,99), "G A L A C T I C E M P I R E", 2,1,C
999 YR=YR+1:LOCATE 2.8:PRINT YR;
919 FOR T=1 TO 199:NEXT T:GOSUB 3699
929 IF ZZ<Z THEN 889
939 SYMBOL (74,99), "G A L A C T I C E M P I R E", 2, 1, CLR2
949 GOSUB 3699:GOTO 779
959 GOSUB 3739:LOCATE 16,29:PRINT "Navigation";
969 LOCATE 18,3:PRINT "Current destinantion : "; NAMS(NAV);
979 LOCATE 29,3:PRINT "Enter new destination :";
98@ GOSUB 35@@:LOCATE 2@.27:IS=INKEYS:IF IS="" THEN 98@ ELSE V=(ASC(IS) AND 95)-
54
990 IF IS="X" THEN 770
1999 IF V<1 OR V>29 THEN 989
1010 PRINT NAMS(V)::NAV-V:GOTO 770
1929 GOSUB 3739
1939 LOCATE 16,5:PRINT "-T- Taxation": TAB(69): "-R- Recruit";
1949 LOCATE 19.39.9: PRINT "Command? ":
1959 GOSUB 3599:LOCATE 19.38:IS-INKEYS:IF IS-" THEN 1959 ELSE IS-CHRS(ASC(IS) A
ND 95):IF IS-"X" THEN 770 ELSE IF IS-"T" OR IS-"R" THEN 1060 ELSE 1050
1969 IF IS-"T" THEN 1199
1979 IF RECR-1 THEN 1959
1080 GOSUB 3730
1999 LOCATE 16,29: PRINT "Recruit Troops";: N=9
1199 IF EI(CP)-1 THEN 1129
1119 LOCATE 18.15: PRINT "You cannot recruit from Independent planets, sir.": FOR
 T-1 TO 1999: NEXT T: GOTO 1929
```





VISIT OUR RETAIL STORE MON & SAT 10:00 to 5:00 TUES, thru FRI, 10:00 to 7:00 Orders and Information (313) 348-4477

MICHIGAN SOFTWARE DISTRIBUTORS INC. 43345 GRAND RIVER . NOVI, MICHIGAN 48050

"OK!," you have waited and waited for a board to speed up your Sanyo 555, now the wait is over... INTRODUCING THE 555S SPEED UP BOARD

- . Plugs into 8088 slot, no soldering
- . Compatible with video board
- · Eliminates hash on video board display
- . Compatible with all Sanyo software
- . Switchable from 3.6 to 7.2 MHZ without rebooting the computer
- . In stock! Same day shipping!

ORDER TODAY!\$95.00 + 3.00 ship. + hand.

CUSTOM SANYO DUST COVERS

(Grey Leather "Like" - Two Year Warranty) Keyboard/555 SERIES - Separate unit ... 12.00 • CRT/only Keyboard/775 SERIES - Separate unit ... 14.00 . Made to order . Call \$

SANYO 555 "PLUG N' STORE" HARD DISK ADAPTER by DKB SOFTWARE

- · HARD DISK ADAPTER & SOFTWARE ONLY/Ready to plug into your hard disk with a XEBEC controller NO# \$1410 or 1410A . COMPLETE 10 MEG - EXTERNAL/XEBEC Drive with Adapter ... \$999.95
 - . VISA MASTERCARD, AMERICAN EXPRESS, C.O.D. CHECK .

Prices subject to change - Dealer inquires invited - Add \$3.00 shipping and handling

768K ** THE MISSING LINK ** 768K EXPANSION . MEMORY . CLOCK . SOFT VIDEO

First True Multi-Function Board

Free RAM Disk, SPOOLER and SOFTVIDEO SOFTWARE Runs most IBM SOFTWARE-LOTUS-SYMPHONY-MULTIMATE-SIDEKICK

UPGRADE 256K TO 768K - COMPLETLY PLUGIN - USES 256K RAMS MAINTAINS EXPANSION BUS WITH TWO 62 PIN EXPANSION PORTS

BUILT-IN REAL TIME CLOCK/CALENDAR (BATTERY BACKUP) EXPANDED INTERRUPT STRUCTURE TO ACCOMODATE ADDITIONAL DEV

SOFT VIDEO - UNIQUE COMBINATION OF SOFTWARE AND HARDWARE ALLOWS ADDED IBM COMPATIBILITY — SIMILIAR TO SANYO VIDEO BD. AT NO EXTRA COST

COMPLETE WITH INSTALLATION SOFTWARE

COMPATIBLE WITH THE ORIGINAL SANYO VIDEO BOARD ALL STANDARD FEATURES ON THE "MISSING LINK"

HARD DISK HOST ADAPTOR AND CONTROLLER

SUGGESTED SALE PRICE RETAIL 256K-768K MISSING LINK (NO MEM) \$199.95 \$239.95 256K-768K MISSING LINK (W/512K) \$259 95 \$334.95 NEW!!!SANYO 550/555 SPEED BOARD \$ 95.00 "DOUBLES SANYO PROCESSOR SPEED" IBM BOARD ADAPTOR (USE IBM VIDEO BOARDS) \$ 49.95



TAMPA-BAY DIGITAL (813) 443-7049

\$249.95

1807 Gulf to Bay Blvd Clearwater, Fl. 33516

VISA/MASTERCARD ACCEPTED-PRICES REFLECT 3% CASH DISCOUNT SHIPPING AND HANDLING \$4.00



1-800-437-4757 EXT. 241 Put CAD in your SANYO

Professional CAD is now available with SANYCAD. 256 K recommended. Specify 1.25 or 2.11 DOS.

> SANYCAD 2.0 \$109.95

PLOTTER UTILITY \$39.95

PRINTER UNTLITY \$39.95

Dealer inquiries invited. Send \$10.00 (Refundable) for demo disk and tutorial.

NEW

Send large SASE for expanded list of IBM software that runs on the Sanyo 550 series.

Computer Associates, Inc. Box 683 701-281-0549 West Fargo, ND 58078

n Europe, Canada or Austraila order from Europe-Zero S.C. Nikkelstraat 39 2984 AM. Ridderkerk, Netherlands Canada-CP & A Ltd. 918 Pape Ave Toronto, Canada M4K 3V2 Austraila-Paris Radio 161 Bunnerong Road Kingsford 2032

N.S.W. Austraila

Send for our catalog-Sanvo **Applications**



Our Fax system is more than the only complete 16-bit. 8088 computer for less than \$1,000. The Fax includes more storage, more extras, and more software than systems costing twice as much.

1.6 Megabytes! Dual Drives with 800K starage on each, yet the Fox is

nimble enough to read and write to standard 160K 320K and 360K

All the Extras that cost extra on other machines are included in our price. You get a full 12", 25x80, display monitor in amber or green, plus RGB color output, a printer port, a better keyboard, and a full 256K of RAM.

Free Software All the software mast people will ever need including MS-DOS 2.11. HAGEN-DOS DOS Tutor, WordStar 3.3. EasyWriter, Spell, Mail Tradi. FILEBASE, Colictor, games, graphics, utilities, and a graphics BASIC.

Strictly speaking the Fax an't IBM compatible, but will run hundreds of the some programs including dBASE II. Multiplan, and Turbo Pascal. Because the Fax is barn on a totally automated assembly line in Japan we can back it with a full one year limited warranty. For a free booklet explaining why the Fax is your best buy call 1-800-FORAFOX and leave your name and address after the

The Fox\$995

Scottsdale Systems 17 N. Scottsdale Road, Suite B. Scottsdale, Arizona 8525

(602) 941-5856

April 1986 SOFT SECTOR

```
1379 LOCATE 19,29: PRINT "Send to: ";
1380 GOSUB 3500:LOCATE 19,29:IS=INKEYS:IF IS="" THEN 1380 ELSE IS=CHRS(ASC(IS) A
ND 95): IF IS="X" THEN 1299
1390 V-ASC(I$)-64:IF V<1 OR V>20 THEN 1380
1499 PRINT NAMS(V);:DEST(T)=V
1419 LOCATE 29.29: PRINT "Return to: ";
1429 GOSUB 3599:LOCATE 29.31:IS=INKEYS:IF IS="" THEN 1429 ELSE IS=CHR$(ASC(IS) A
ND 95): IF IS-"X" THEN 1290
1430 V=ASC(I$)-64:IF V<1 OR V>20 THEN 1420
1440 PRINT NAMS(V);:RTRN(T)=V
145@ LOCATE 22,2@:PRINT "Correct (Y/N/X)? ";
1469 GOSUB 3599:LOCATE 22,37:I$-INKEY$:IF I$-"" THEN 1469 ELSE IF I$-"X" THEN 12
1479 IF IS="N" OR IS="n" THEN 1339
1489 PRINT "Yes"; : SENT(T)=1
1499 RTYR(T)=ABS(PX(CP)-PX(DEST(T)))+ABS(PY(CP)-PY(DEST(T)))+YR
1599 LOCATE 21,29,9:PRINT "Return year:";RTYR(T);
1519 FOR T=1 TO 1999:NEXT T:GOSUB 3599:GOSUB 3979:GOTO 1299
1529 NEXT T:LOCATE 19,29
1530 PRINT "We have no scouts availiable, sir.";
154g FOR T=1 TO 1999:NEXT T:GOSUB 3739:GOTO 1399
1559 LOCATE 1,2:PRINT STRING$(78,196);:LOCATE 1,39,9:PRINT "COMPUTER";
1560 GOSUB 3730
1579 LOCATE 16.19:PRINT "=M= Map"; TAB(45); "=S= Status Report":: LOCATE 18.19:PRIN
T "=D= Distance Calculator"; TAB(45); "=P= Planetary Data";
1589 LOCATE 21,39,9:PRINT "Command? "
159g I$=INKEY$:GOSUB 35gg:LOCATE 21,38:IF I$="" THEN 159g ELSE I$=CHR$(ASC(I$) A
ND 95): IF IS-"X" THEN 680
1600 IF IS-"M" THEN 1610 ELSE IF IS-"S" THEN 1780 ELSE IF IS-"D" THEN 1900 ELSE
IF IS-"P" THEN 2060 ELSE 1590
1619 COLOR 2.9:CLS:FOR T=1 TO 29
1629 IF EI(T)=1 THEN 1649
1639 LOCATE PY(T), PX(T), 9: COLOR 9,2: PRINT MID$ (NAM$(T),1,1); : GOTO 1659
1649 LOCATE PY(T), PX(T), 9: COLOR 2, 9: PRINT MID$(NAM$(T), 1, 1);
1650 NEXT T: COLOR 2.0
1660 GOSUB 3500:LOCATE 1,1,0:IS=INKEYS:IF IS="" THEN 1660 ELSE IS=CHRS(ASC(IS) A
1670 IF IS="X" THEN GOSUB 520:GOTO 1560
1689 IF IS-" " THEN 1779 ELSE GOSUB 1699:GOTO 1619
1690 V=ASC(I$)-64: IF V<1 OR V>20 THEN RETURN
1799 LOCATE 1,1,9:PRINT NAM$(V); TAB(69); "(";
1719 IF EI(V)=1 THEN PRINT "Empire"; ELSE PRINT "Independent";
1729 PRINT ")"::FOR T-1 TO 199
1739 IF INKEYS=" " THEN RETURN 1619
1749 IF EI(V)=1 THEN C2=9:C1=INT(RND*6)+1 ELSE C1=2:C2=INT(RND*6)+1
175@ COLOR C1,C2:LOCATE PY(V),PX(V),@:PRINT MIDS(NAMS(V),1,1)::NEXT T
1760 RETURN
1779 FOR T=1 TO 29: V=T: GOSUB 1799: NEXT T: GOTO 1669
1789 GOSUB 3739
1799 LOCATE 16,29: PRINT "Scout Status Report";
1899 LOCATE 18,2:PRINT "#";TAB(5); "Destination"; TAB(25); "Returns at"; TAB(45); "Re
turn year"; TAB(65); "Years to go";
1819 LOCATE 19,2: PRINT STRINGS (74,196);
1820 FOR T=1 TO 9
1839 IF SENT(T)-1 THEN GOSUB 1859
1849 NEXT T:GOTO 1569
1859 LOCATE 29,2,9:PRINT MID$(STR$(T),2,1);TAB(5);NAM$(DEST(T));TAB(25);NAM$(RTR
N(T)); TAB(47); RTYR(T); TAB(67); RTYR(T)-YR;
1869 LOCATE 23,29: PRINT "Press any key to continue.";
1879 GOSUB 3599:LOCATE 1,1,9:IF INKEYS="" THEN 1879 ELSE LOCATE 23,29
1889 PRINT SPACES(39);:LOCATE 29.2:PRINT SPACES(78);
1890 RETURN
1900 GOSUB 3730
1919 LOCATE 16,29: PRINT "Distance Calculator";
1929 LOCATE 18,15: PRINT "Planet"; TAB(49); "x"; TAB(59); "y";
1930 LOCATE 19,2:PRINT ">>>":
1940 GOSUB 3500:LOCATE 19,5:IS=INKEYS:IF IS="" THEN 1940 ELSE IS=CHRS(ASC(IS) AN
D 95): IF IS="X" THEN 1560
1950 V=ASC(IS)-64: IF V<1 OR V>20 THEN 1990
1960 N1=V:LOCATE 19.2
```

```
1970 PRINT "#1"; TAB(15); NAM$(V); TAB(39); PX(V); TAB(49); PY(V);
1980 LOCATE 20,2:PRINT ">>>";
1999 GOSUB 3599:LOCATE 29,5:I$=INKEY$:IF I$="" THEN 1999 ELSE I$=CHR$(ASC(I$) AN
0 95): IF IS-"X" THEN 1569
1999 V-ASC(IS)-64: IF V<1 OR V>29 THEN 1999
2010 N2-V:LOCATE 20.2
1929 PRINT "#2"; TAB(15); NAMS(V); TAB(39); PX(V); TAB(49); PY(V);
1939 D=ABS(PX(N1)-PX(N2))+ABS(PY(N1)-PY(N2))
1949 LOCATE 23,5,9:PRINT "They are";D; "units apart (any key).";
1959 IF INKEYS="" THEN 2959 ELSE 1569
2060 GOSUB 3730
1979 LOCATE 16,29: PRINT "Planetary Data System";
2989 LOCATE 18,5: PRINT "Data on: ";
2000 GOSUB 3500:LOCATE 18.14:IS-INKEYS:IF IS-" THEN 2000 ELSE IS-CHRS(ASC(IS) A
2199 V-ASC(IS)-64:IF V<1 OR V>29 THEN 2999 ELSE PRINT NAMS(V)::GOTO 2179
2110 LOCATE 19,5:PRINT "Population: ": POPLTNS(V);
1120 LOCATE 20.5: PRINT "Tech Level: "; TLVL(V); "("; TECH$(V); ")";
2130 LOCATE 21.5: PRINT "Status : ":
2149 IF EI(V)-1 THEN PRINT "Empire world"; ELSE PRINT "Independent";
2150 LOCATE 23,5,0:PRINT "Press any key to continue.";
2160 GOSUB 3500:LOCATE 1.1.0:IS-INKEYS:IF IS-" THEN 2160 ELSE 1560
2179 IF SCO(V)=1 THEN 2119
2189 LOCATE 21,5:PRINT NAMS(V);": Unexplored, sir.";:GOTO 2159
2190 LOCATE 1.2.0:PRINT STRINGS(78.196)::LOCATE 1.30:PRINT "EMBARK":
2200 GOSUB 3730:GOSUB 3750
2210 IF NAV-CP THEN 2340
2220 LOCATE 2,54: PRINT STRING$ (LEN(NAM$ (CP)),196);
2230 LOCATE 16,15:PRINT "Destination: "; NAMS(NAV);
2249 LOCATE 18,15:PRINT "Arrival year: ";
2250 D=ABS(PX(CP)-PX(NAV))+ABS(PY(CP)-PY(NAV))
2260 ARYR-D+YR: PRINT ARYR:
2270 IF ARYR-YR THEN 2310
2289 LOCATE 29,15:PRINT "Distance: ";D;
2299 YR-YR+1:LOCATE 2,8,9:PRINT YR;:D-D-1
2399 FOR T=1 TO 499:NEXT T:GOTO 2279
2319 GOSUB 3739:LOCATE 19,19:PRINT "Planetfall : ":NAMS(NAV);
2329 CP-NAV:RECR-9:TAXED-9:SCO(CP)=1:SHBL-9:FOR T=1 TO 799:NEXT T
2330 GOSUB 3600:GOTO 670
2349 LOCATE 19,19: PRINT "The navigators have no orders, sir!";
2350 FOR T-1 TO 1500: NEXT T:GOTO 670
#360 COLOR 4,0:CLS:LOCATE 1,1,0:FOR T=1 TO 24:LOCATE T,1:PRINT CHR$(179);:LOCATE
T.89: PRINT CHR$(179); : NEXT T: CLR1=6: CLR2=5: GOSUB 539
2379 LOCATE 9,39: PRINT "A T T A C K";
2389 LOCATE 16,29
1399 IF FTR>9 THEN PRINT "Fighter squadrons ready, sir!"; ELSE PRINT "We have no
 fighters, sir!";:FOR T=1 TO 1599:NEXT T:GOTO 679
2400 LOCATE 18.20
[419 IF LTR>9 THEN PRINT "Transports landed, sir!"; ELSE PRINT "We have no troop
. sir!"::FOR T=1 TO 1500:NEXT T:GOTO 670
1420 LOCATE 20.20
1439 IF EI(CP)=1 THEN PRINT "This is an Empire world, sir!";:FOR T=1 TO 1599:NEX
T T:GOTO 679 ELSE PRINT "All attack systems operational, sir!"::FOR T=1 TO 3999:
MEXT T
2449 GOSUB 3739
2459 FOR T=15 TO 23:LOCATE T,49:PRINT CHR$(179);:NEXT T:LOCATE 24,49:PRINT CHR$(
193);:LOCATE 14,49:PRINT CHR$(194);
1469 LOCATE 15,16:PRINT "L A N D";:LOCATE 15,57:PRINT "A I R";
2470 LOCATE 18,2:PRINT "Enemy"; TAB(34); "Empire";
1489 LOCATE 18,41: PRINT "Enemy"; TAB(74); "Empire";
2490 LOCATE 19.1: PRINT STRINGS (80,196); :LOCATE 19.1: PRINT CHR$ (195)
2500 LOCATE 19.80:PRINT CHR$(180)::LOCATE 19.40:PRINT CHR$(197):
2519 IF TLVL(CP)<3 THEN AP=199:GOTO 2549
2529 AP-35+(INT(FTR/49)*19)
2530 AP=AP+((5-TLVL(CP))*8)
1549 LP=49+INT((INT(LTR/35)-POP(CP))*19)
#559 LP=LP+((5-TLVL(CP))*8)
2560 IF AP>99 AND LP>99 THEN 2820
1379 IF LP<1 AND AP<1 THEN 2769
 1589 IF LP<9 THEN LP=9 ELSE IF LP>99 THEN LP=199
```

```
2599 IF AP<9 THEN AP=9 ELSE IF AP>99 THEN AP=199
2699 COLOR 5:LOCATE 21,3:PRINT 199-LP; TAB(35); LP;
2619 LOCATE 21,43: PRINT 199-AP; TAB(75); AP;
2629 FOR TIME-1 TO 899: NEXT TIME: COLOR 2
2639 IF LP>99 THEN LOCATE 16,5:PRINT "Land Secured":
2649 IF AP>99 THEN LOCATE 16,45:PRINT "Air Secured";
2659 RA-INT(RND*99)+1:RL-INT(RND*99)+1:N-9:COLOR 4:GOSUB 3599
2660 IF RISLP THEN LP-LP-INT((LP-RL)/2.5):N-1
2679 IF RADAP THEN AP-AP-INT((AP-RA)/2.5):N=1
2689 IF N=9 THEN 2729
2690 IF LP<190 THEN LTR=LTR-(INT(RND*2)+1):LOCATE 6,29:PRINT LTR;:IF LTR<1 THEN
2700 IF AP<100 THEN FTR-FTR-(INT(RND*2)+1):LOCATE 4,63:PRINT FTR;:IF FTR<1 THEN
2760
2719 GOTO 2739
2729 LP=LP+INT((LP-RL)/2.5):AP=AP+INT((AP-RA)/2.5)
2739 FOR T-1 TO 159:NEXT T:I$-INKEY$:IF I$-"X" OR I$-"x" THEN 2799
2749 LOCATE 21,2:PRINT SPACES(38)::LOCATE 21,41:PRINT SPACES(38):
2759 GOTO 2569
2760 GOSUB 3730
2779 LOCATE 29,39:PRINT "The battle has been lost, sir!";
2789 FOR T-1 TO 2999: NEXT T:GOTO 679
2790 GOSUB 3730
2899 LOCATE 29,39: PRINT "Attack manually aborted, sir.":
2819 GOTO 2789
2820 GOSUB 3730
2839 LOCATE 29,39: PRINT NAMS(CP); garrisoned, sir!";: FOR T-1 TO 2999: NEXT T
2849 EI(CP)-1:FOR T-1 TO 29:IF EI(T)-9 THEN 679 ELSE NEXT T:GOTO 3849
2869 LOCATE 16,19: PRINT "Build Ships"; : LOCATE 16,35: PRINT "You can build": (7+TLV
L(CP))-SHBL; "more ships."; :GOTO 3169
2879 LOCATE 18,29: PRINT "Transports cost:";
2889 TC=(INT(RND*29)+5)+(2*(6-TLVL(CP))):PRINT TC:"Cr.":
```

A Computer Grove, Inc.

THE COMPUTER GROVE IS THE PLACE TO GO: FOR MBC-550 UPGRADES:

> -memory upgrade to 256% (\$35 installed) -dClock (\$65 installed)

-Serial port (990 installed)

-CopyLink(tm) and USR modem (\$375)

-Centronics per. printer cable (530) -NEW UBS12 (\$350 loaded and installed) (mer. compatibility & adds 256K RAM)

-Users group meets 3rd Thurs Month 8-9pm in store (new users welcome)

FOR TRULY COMPATIBLE SYSTEMS:

Portable systems:

MBC-775--9"color monitor, Z56K, Dos. BASIC, witch (4/8 MHz) 51995

MBC-675 7 green numitor, 256K Des. BASIC, Vor-IStar, CalcStar IM Y 51495!

Desk-top sustems:

MBC-885 - dual floopy, 256K, Dos. BASIC, WordStar, CalcStar - \$1495


MBC 888-20 MB hard drive, 1 floppy + above 51995

MBC-885/20-20 MB hard drive, dual floppy drives + above UNLY 52195

The Computer Grove, Inc. 5023 Main Street Downers Grove, IL 80515

(312) 968-0330






Temp · Plates ™ Pre-printed for:

CALC STAR ® SANYO BASIC PC-WRITE ® GW-BASIC ®

PLUS 2" FILL IN YOUR OWN" PLATES

711 CLINTON ST. GRAND HAVEN, MI. 49417

TERMS: CASH CHECK OR STAMPS, NO VISA/MC OR COD MICHIGAN RESIDENTS ADD 4% SALES TAX




DBASE II® LOTUS 1-2-3 ® WORDSTAR ® EASY WRITER I® PC-FILE III ® MS-DOS® 2.11 VELCRO MOUNTS AND FUNCTION KEY INFO INCLUDED

ALL 12 FOR \$9.95 INCLUDES SHIPPING

SHORELAND COMPUTING

DEALER, DISTRIBUTOR, USER, GROUP INQUIRIES INVITED





FastStar

FastStar makes WordStar go fast on Sanyo MBC-55X computers.

Are you disappointed with how slow WordStar is on your Sanyo? FastStar triples the speed of WordStar's screen output on Sanyo MBC-550/555 computers (monochrome mode). FastStar now works in color too, and still speeds up WordStar's screen output by a factor of 21. No kidding! FastStar should not be confused with patches that only speed up scrolling (such as WizStar), since FastStar speeds up all of WordStar's screen output. FastStar does this by substituting highly optimized screen output routines for the slow operating system routines that WordStar normally uses.

FastStar works with all DOS's and with WizStar. Fast-Star automatically recognizes if you are using the IBM compatible video board, and adjusts to speed up Word-Star even more dramatically. FastStar is easy to install and use. FastStar also provides help to conveniently use a ramdisk to even further increase WordStar's performance. Ramdisk software for MS-DOS 2.11 is included, or you can use another ramdisk with either MS-DOS 1.25 or 2.11.

If you use WordStar on the Sanyo MBC-550/555, then FastStar can make a big difference for you.

FastStar costs only \$20.00, including postage. To order send check or money order to:

> PT Software 149-C Overmount Ave West Paterson, NJ 07424

```
3179 MAX=7+TLVL(CP)
3189 IF SHBL->MAX THEN LOCATE 18,19: PRINT "You have built all you can this year,
sir!"::FOR T=1 TO 1000:NEXT T:GOTO 1290
3190 GOSUB 2870:GOTO 1290
3299 GOSUB 3739
3219 LOCATE 16,29: PRINT "Save Game Option";
3220 LOCATE 18,20: PRINT "Press RETURN to abort save.";
3239 LOCATE 29,29:PRINT "Filename > ";
3249 LINE INPUT (8);"";F$
3259 IF F$="" THEN 689
3260 LOCATE 21.20: PRINT "Extension: .EMP";
3270 LOCATE 22,20: PRINT "Drive is A:":
3289 LOCATE 23,19:PRINT "Insert disk in drive A: and press RETURN";
3299 IF INKEY$ CHR$ (13) THEN 3299
3300 OPEN "O",#1,"A:"+F$+".EMP"
3319 FOR T=1 TO 29:WRITE #1, NAMS(T), POP(T), TLVL(T), PX(T), PY(T), EI(T), SCO(T), POPL
TNS(T), TECHS(T): NEXT T
3320 FOR T=1 TO 9:WRITE #1.SENT(T).DEST(T).RTRN(T).RTYR(T):NEXT T
3339 WRITE #1, TIMES, CP, SHBL, TAXED, RECR, YR, CR, SSH, FTR, LTR, ETR, NAV
3349 CLOSE #1:GOTO 689
3350 GOSUB 3730
3360 LOCATE 16.20: PRINT "Load Game Option":
3379 LOCATE 18,29: PRINT "Press RETURN to abort load.":
3389 LOCATE 29,29: PRINT "Filename > ";
3399 LINE INPUT (8);"";F$
3499 IF FS="" THEN 689
3419 LOCATE 21,29: PRINT "Extension: .EMP";
3429 LOCATE 22,29: PRINT "Drive is A:";
3439 LOCATE 23,19:PRINT "Insert disk in drive A: and press RETURN";
3449 IF INKEYS CHRS (13) THEN 3449
3459 OPEN "I",#1, "A: "+F$+" . EMP"
3469 FOR T-1 TO 29: INPUT #1, NAMS(T), FOP(T), TLVL(T), PX(T), PY(T), EI(T), SCO(T), POPL
TNS(T), TECHS(T): NEXT T
3470 FOR T=1 TO 9: INPUT #1, SENT(T), DEST(T), RTRN(T), RTYR(T): NEXT T
3489 INPUT #1, TM$, CP, SHBL, TAXED, RECR, YR, CR, SSH, FTR, LTR, ETR, NAV: TIMES=TMS
3499 CLOSE #1:GOSUB 529:GOTO 689
3500 CONT N:QQQT=VAL(MIDS(TIMES, 4,2)):IF YR>350 THEN 3880
3519 IF QQQT/19=INT(QQQT/19) THEN 3539
3529 CONT: RETURN
3539 QQQT=VAL(MID$(TIME$,7,2))
3549 IF QQQT<59 THEN CONT: RETURN
3559 LOCATE 24,2:PRINT SPACES(78)::FOR QQQT=1 TO 29:IF EI(QQQT)=9 THEN 3569 ELSE
 NEXT QQQT:CONT:GOTO 3849
3569 LOCATE 24,31:PRINT "HAPPY NEW YEAR!!!"::FOR QQT=1 TO 79:OUT 56,3:OUT 56,2:F
OR QQQT=1 TO 19:OUT 56,4:NEXT QQQT,QQT
3579 YR-YR+1:SHBL-9:GOSUB 3699:IF YR>359 THEN 3889
3580 IF VAL(MID$(TIME$,7,2))>50 THEN 3580 ELSE LOCATE 2,3:PRINT "Year:":YR;
3590 LOCATE 24,2:PRINT STRINGS(78,196);:CONT:RETURN
3699 FOR T-1 TO SSH
3610 IF SENT(T)=0 THEN 3720
3629 IF RTYR(T)>YR THEN 3729
3639 LOCATE 9.15: PRINT "Scout from ": NAMS(DEST(T));
3649 LOCATE 19.15:PRINT "Returned at ":NAMS(RTRN(T))::LOCATE 11.15.9
3650 IF CP RTRN(T) THEN PRINT "Go there for data.";:GOTO 3689
3669 PRINT "Data availiable":
3679 SENT(T)=9:SCO(DEST(T))=1
3680 FOR T-1 TO 2500: NEXT T
3690 LOCATE 9,15:PRINT SPACES(30);
3700 LOCATE 10,15:PRINT SPACES(30);
3719 LOCATE 11,15: PRINT SPACES (39);
3720 NEXT T:GOSUB 3970:RETURN
3739 LINE (5,199)-(633,187), 9, BF: RETURN
3749 LINE (5,53)-(633,91),9.BF:LOCATE 1,2,9:PRINT STRING$(78,196)::LOCATE 8,29,9
:PRINT "-X- Exit Unless Specified";:RETURN
375g LINE (5,53)-(633,91), Ø, BF: LOCATE 1,2, Ø: PRINT STRINGS (78,196); : RETURN
3769 CLS:DIM POP(29), PX(29), PY(29), TLVL(29), TECH$(29), NAM$(29), POPLTN$(29), EI(29)
),SCO(29)
3770 FOR T-1 TO 6: READ XS(T) . XXS(T) : NEXT T
3780 DATA Primitive, 250 mil, Industrial, 750 mil, Fre-Atomic, 1 bil, Atomic, 1.25 bil,
Advanced, 1.5 bil, Superior, 2 bil
```

```
1799 FOR T=1 TO 29:READ NAMS(T):POP(T)=INT(RND*5)+1:PX(T)=INT(RND*79)+1:PY(T)=IN
 T(RND*22)+2:TLVL(T)=INT(RND*5)+1:TECH$(T)=X$(TLVL(T)):POPLTN$(T)=XX$(POP(T)):SCO
 (T)-g:EI(T)-g:NEXT T
 1899 DATA Archangel, Balthazar, Cerberus, Darkside, Eris, Frambesia, Galactica, Hecate,
 Ica, Juneau, Kai, Lethe, Mensa, Necropolis, Omphale, Palladium, Qwerty, Ritus, Shizuoka, Ty
 BEIG CP=7:SCO(CP)=1:EI(CP)=1:POP(CP)=4:TLVL(CP)=4:POPLTNS(CP)="1.25 BIL":TECHS="
 Advanced": TAXED=9:RECR=9:SHIPS=9:NAV=CP:LTR=9:ETR=199:FTR=49:SSH=4:CR=2999:YR=1:
 TIMES="99:91:99"
 1829 FOR T=1 TO 9:SENT(T)=9:DEST(T)=9:RTRN(T)=9:RTYR(T)=9:NEXT T
 3830 GOTO 670
 1849 CLS: FOR T=25 TO 39: SYMBOL (T.T+39), "You've WON!", 7,5,3: NEXT T: SYMBOL (31,61
 ), "You've WON!", 7, 5, 1: LOCATE 1, 29, 9
 1859 PRINT "C O N G R A T U L A T I O N S ! ! ! ! ! ! !";
3869 LOCATE 29,1: PRINT "You have taken the Galaxy and placed it safely back in t
he hands of the humans in"; YR; "years. Do you wish to play again (P), return to
MASIC (B), ": PRINT "or the operating system (0)?";
3879 IS-INKEYS: IF IS-"" THEN 3879 ELSE IS-CHR$ (ASC(IS) AND 95): IF IS-"B" THEN EN
B ELSE IF I$="O" THEN SYSTEM ELSE IF I$="P" THEN RUN ELSE 3879
1889 CLS:LOCATE 1,1,9:PRINT "You have run out of time. You have not been able to
 regain control of the Galaxyin 389 years. Your longevity operations have ceased
 to operate, and a new ruler will take over.";
 3890 GOTO 3890
3999 CLS:LOCATE 1,15,9:PRINT "G A L A C T I C E M P I R E":
1919 PRINT : PRINT " You have been chosen as the new ruler of the Human Empire.
As the new ruler, it is up to you to regain control of the governing worlds of
each of the nine- teen systems formerly controlled by the human race. It will b
* up to you"
1929 PRINT "to decide if you will lay low and build your strength or if you will
 bravely at-tack the enemy world. In some cases, winning the battle will be easy
 In others, one foolish move could become a devastating loss of time and resource
BELT.
3930 PRINT : PRINT
1940 PRINT " Please note that you have only 350 years in which to accomplish th
is feat. If you do not do it, your Life-o-matic (copyright 2875) will cease to f
1950 PRINT "a new ruler will take over. Note that except in travel and cryonics
one year is about ten minutes long in 'real time'.": PRINT : PRINT : PRINT T
AB(3g): "GOOD LUCK";
1969 IF INKEYS="" THEN 3969 ELSE RETURN
 3970 N=0:FOR T=1 TO SSH
 1980 IF SENT(T)=1 THEN N=N+1
3999 NEXT T
4999 LOCATE 4,39,9:PRINT "(";RIGHT$(STR$(N),1);" Scouts Sent)";
#929 FOR QQY=17 TO 22:LOCATE QQY, 2:PRINT SPC(17);:NEXT QQY:RETURN
4030 TRNSPT=-1: RESTORE 4110: GOTO 4060
4949 TRNSPT-9: RESTORE 4179: GOTO 4969
4959 TRNSPT=9:RESTORE 4229
4969 READ KOLORCODE: IF KOLORCODE=999 THEN 4999
4979 READ X1, Y1, X2, Y2: Y1=Y1+128: Y2=Y2+128: X1=X1+19: X2=X2+19
4989 LINE (X1, Y1) - (X2, Y2), KOLORCODE: GOTO 4969
4999 IF TRNSFT THEN FOR X-47 TO 83 STEP 4:FOR Y-159 TO 156 STEP 2:PSET (X,Y),6:N
EXT Y.X
4100 RETURN
4119 DATA 3,19,29,39,29,3,19,29,4,25,3,4,25,19,39,3,19,39,39,39,39,39,32,28
#129 DATA 3,39,29,32,22,1,32,22,35,29,1,32,28,35,39,1,35,39,75,39,1,35,29,75,29
4139 DATA 3,31,22,31,28,1,32,22,32,28,1,75,29,75,39,4,76,29,89,29,4,76,39,89,39
#149 DATA 4,76,29,76,39,4,89,29,99,23,4,89,39,99,27,4,99,23,99,27,7,91,23,93,29
#159 DATA 7,91,27,93,39,7,91,23,91,27,7,93,29,95,25,7,93,39,95,25,6,6,24,19,24
4160 DATA 999
#179 DATA 4,19,29,45,29,4,19,29,15,25,4,15,25,45,25,4,45,25,45,29,7,46,25,53,39
#189 DATA 7,46,25,46,29,7,46,29,53,17,7,53,17,69,17,7,53,39,65,39,7,69,17,67,29
$199 DATA 7,65,39,67,28,7,67,28,67,29,7,46,25,48,29,7,48,29,52,29,1,47,25,66,25
A299 DATA 1,47,29,66,29,6,53,17,49,17,6,49,17,33,19
4110 DATA 999
 MIRG DATA 7,39,29,65,29,7,39,39,65,39,7,39,29,29,27,7,20,27,30,30,7,65,20,70,27
 #239 DATA 7,65,39,79,27,1,21,27,69,27,6,25,24,33,24,6,26,23,34,23,6,38,23,62,23
#149 DATA 6,38,24,62,24
 4250 DATA 999
```

BUSINESS SECTOR

CHARLOTTE & BRIAN STONE Soft Sector Contributing Editors

Q. I would like to send printer set-up codes from DOS to my printer, but some of them will not work and others will. I would also like to print graphics within text from EasyWriter 1. I can print the graphics from BASIC but not from Easy Writer.

Bob Bostrom Santa Monica, CA

A. I have found that some of the control code sequences cannot be sent to a printer from MS-DOS. I do not know why. If the code sequence cannot be sent from DOS, you will have to do it from Easy Writer or WordStar. If I were you I would change over to WordStar, as it is much more flexible and powerful than Easy Writer I.

Regarding graphics characters from a word processor: I think you will find that any word processing software will not pass characters higher than 127. The reason is that they are intended to generate text, not graphics. Normally, the graphics mode of a dot matrix printer must be switched in and out and your word processing software is not doing this. I have looked at the pages of the Gemini-10X manual you sent and the only code I see that may help is "ESC #" on Page 243. You could try sending this code to the printer before you send the code for the desired graphics character. This code is intended to switch the printer to graphics mode.

Q. I have a Qume Letterpro (22 CPS) and a Gemini-15 (100 to 120 CPS). The Qume seems to print faster with WordStar than the Gemini. Why? I have tried all sorts of different configurations with no success. Can you help?

> Steven C. Allen Des Moines, IA

A. From your description of the way your Qume Letterpro and Gemini-15 are printing, it would seem that the Qume has a larger buffer than the Gemini, This would account for the slowdown that you have with the Gemini. WordStar only sends data to the printer in small sections and it goes to disk for each of these. As a result, a small buffer in the printer will cause slower disk access and thus produce slower printing.

To change this situation you have two options; one is to invest in an external printer buffer or to invest in spooler software which should feed the printer more consistently.

 I just purchased a Panasonic KX-P3151 daisy wheel printer. It works with CalcStar and BASIC but will not print with WordStar. If I print with WordStar it tells me that it is printing but nothing prints on the paper. Can you help?

Anthony T. DuBusky Wilmington, NC

A. It would seem from your description that your version of WordStar needs to be reinstalled. The distribution copy of WordStar is installed for the IBM dot matrix printer and for your printer it should be installed as a standard printer. This should get you up and running. The next thing to do would be to try installing a separate copy of WordStar with all of the different daisy wheel types until you find the one that works best with the Panasonic KX-P3151 printer.

O. CalcStar rounds off numbers differently than SuperCalc. Is there any way to correct this? I have an Olympia Electronic Compact NP printer. How can I use condensed print without having to flip DIP switches all the time? I would like to merge this feature with CalcStar. Does it creates the file to be sent to the printer to hurt the printer to change the DIP switches constantly?

> George Pilling Visalia, CA

A. You will not be able to merge the following information into CalcStar but you could use it to create an AUTOEXEC-.BAT file to set up your printer and then load CalcStar. The information provided is for an Okidata printer. You will have to substitute the correct control code information for your Olympia Compact NP printer. This information will relieve you of having to change the DIP switches everytime you want to change type sizes. DIP switches are not intended to be changed all the time. After repeated changes they could fail, and this is why most are in concealed places. I was not able to furnish the control code information for your printer because you did not send a copy of your printer manual.

From the MS-DOS A> prompt you can change to condensed print. This can be done by typing the following in capital letters only:

COPY CON PRN

press RETURN press RETURN

All of the above must be done with the printer turned on and online, ready to print. The above sequence should work with your Okidata printer as well as substituting other codes for expanded print, etc. Experiment: Remember, you can't hurt your computer from the keyboard. The ^] is equivalent to LPRINT CHR\$ (29) from BASIC. The ^Z is the end of file marker for DOS and will be the same no matter what function or codes you try to use. This must be done everytime you want compressed print.

After spending a couple of hours "playing" I have come up with another solution which you may like better. It will be executed automatically everytime you boot the disk. Type the following just as shown using all capital letters. This is done from the A> prompt.

COPY CON: AUTOEXEC. BAT press RETURN COPY NARROW.SU PRN: ^Z press RETURN COPY CON: NARROW.5U press RETURN ^1 CALCSTAR.COM^Z press RETURN

The first line creates an AUTOEXEC. BAT file, which the computer will run automatically on every re-boot of the system, bypassing the time and date. The second line tells the computer to send the file NARROW. SU to the printer. The third line turn on compressed print. Line four sends the equivalent of LPRINT CHR\$(29) to the printer as well as executes the program CalcStar. CALCSTAR . COM can be the name of any program, so you could do the same thing to your ReportStar disk for compressed print.

Regarding CalcStar and SuperCalc not rounding numbers the same, if you will be specific we will try to find an answer to your question.

U. I would like to know if there is a modem that can tell the difference between a human and a computer answering the phone? Also, do you know of any books of programs for the MBC 550 series of computers?

Steven Magnite Port Richer, FL

A. Regarding a modem being able to will the difference between a human and a computer on the line: Each modem must receive a signal from the other modem. This allows them to communicate with each other. If this signal (carrier) is not present, communication is not possible. This is the only way a modem can determine what or whom has answered the phone.

The following is a list of all of the books that I have been able to find of Sanyo programs. This list is not being endorsed in any way. Persons thinking of purchasing these books must determine their usefulness.

Sanyo MBC-550/555 Beginner & Intermediate Guide, by Fred Blechman, \$17.45, ISBN # 0-03-000-187-0

Sanyo MBC User's Handbook, by Weber systems, Inc., \$17.95, ISBN # 0-938862-

Sanyo BASIC User's Handbook, by Weber Systems, Inc., \$17.95, ISBN # 0-

Nanyo MBC Business Software in BASIC, by Weber Systems, Inc., \$17.95, ISBN # 0-938862-37-5

Q. In preparing manuscripts, I use a renerally accepted format for page numbering and identification. Page 1 is and numbered. In the upper right-hand torner of Page 2, and all subsequent pages, in Line 1 and beginning at about Column 41, I type in my name, manuscript identification and page number per the following example:

Fleshman | A Story | 2

I want to automate this, but I am having nime trouble getting the page numbers to work correctly.

Ronald R. Fleshman Snohomish, WA

A. In the sample from your letter, if you substitute the symbol '#', you will get equentially numbered pages just as you want them. The '#' is to be typed (not a number). Try the following:

At the top of Page 1 use .OP (omits page mbers); .HE Fleshman/A Story (for list page).

At the top of Page 2 only, .PN (turns on page numbers); .HE Fleshman/A Story # (for all other pages).

The examples will print as you requested in your letter. You will be able to position the header text anywhere on the line by inserting or deleting spaces.

Q. I have a Sanyo MBC-555-2 and am considering upgrading to 768K. I use CalcStar and would like to know how large a spreadsheet I can get. If I get this upgrade, will I also have to increase the size of my disk drives? Can I store one file on more than one diskette? Is this what volume labels are for?

Roslyn S. Zelenka Washington, DC

A. There would be no advantage in increasing your computer memory to 768K for CalcStar. The program in its existing form (Sanyo version) will not look at more than 512K of memory. It will not be necessary to change to larger disk drives because of the compression that is used for the data that CalcStar outputs.

The volume label is used primarily for hard disk drives and would be of little use for floppies other than as a "title."

Q. I am having problems with my Radio Shack Line Printer VII which is being used with mv MBC-555-2 computer. The printer always double-spaces text and will occasionally print extra characters which are not part of the text.

Lawrence W. Gill Berlin Heights, OH

A. The only solution possible for using the Radio Shack LP VII is if it has a switch internally that will allow carriage returns without line feeds. If it has such a switch, you can print normally, as this is what most software packages expect and require.

There was quite a bit written in the summer about printers adding extra characters in text. There is a chance that the problem is in the computer, not the printer. Some people had a problem with the filtering that is at the output of the printer port. I would suggest you have a competent repair company, or Sanyo in New Jersey, check the unit for a problem.

Q. I have a problem getting my Qume Sprint 12/25 to print 12-pitch text. I have done the installation correctly for WordStar, but I can't get 12 pitch. I would also like to be able to skip fields occasionally, with MailMerge inputting information from a data file. How do I do this? Also, I would like to speed up WordStar as well as some of the other programs. Can these be loaded into RAM rather than requiring disk access all of the time? I followed the patches in Joseph Kattan's article, "On Customizing WordStar" (SOFT SECTOR, August '85. Page 45), to omit the function key prompt line and now I cannot exit WordStar using the 'X' from the main menu. Why? Also, when I did exit, I lost data from my data disk. Now what do I do?

Peter Langlykke Yonkers, NY

A. Mail Merge will skip a field anytime you want it to without inserting a blank line or space. When you create your variable, if you put /D as follows, you will get the desired results.

&VARIABLE-NAME/D&

If there is no input, it will be skipped just as if it did not exist.

When you wish to use 12-pitch printing. rather than WordStar's default of 10 pitch, you should put the dot command .CW10 at the top of your file. This will change the horizontal motion index being sent to a daisy wheel printer from 12/ 120th to 10/120th of an inch.

The easiest way to increase the speed of larger software packages that use overlays (i.e., WordStar and InfoStar), is to purchase a RAM disk software package. This will allow you to load the complete application into RAM as if it were an extra disk drive. Check back issues of SOFT SECTOR for reviews. RAM disk software is available from many advertis-

It seems that Mr. Kattan's fix, to delete the prompt line at the bottom of the screen, does not work. I tried it with the same results. If you have not at this time recreated your data or been able to recover it, send me the disk and I will try.

Charlotte Stone, office manager for the Detroit office of the Shaw/ Walker Co., has been using a Sanyo computer in her daily work routine since October 1983. Brian Stone has been using a variety of Sanyo computers since May 1983. Both have been involved with computers since their first purchase in July 1978.

SOFTTALK

The following products recently have been received by SOFT SECTOR, examined by our magazine staff and approved for the Soft Sector Seal of Certification, your assurance that we have seen the product and have ascertained that it is what it purports to be.



TURBO LIGHTNING is a new spelling checker program that works with almost any word processor, including WordStar and MultiMate, as well as spreadsheets and other applications and utilities. Turbo Lightning includes the Random House Spelling Dictionary and Thesaurus and makes them useful in most text applications.

Turbo Lightning runs on the Sanyo 670, 770 and 880 series computers and sells for \$99.95. Borland International, 4565 Scotts Valley Drive, Scotts Valley,

FORTUNE TELLER is a prognostication program that uses the principles of Hindu astrology to make its predictions, based on an individual's time, date and place of birth. The program runs on all the Sanyo MS-DOS computers and sells for \$39.95. Brown-Wagh Publishing, 800 THE COMPUTER UNDERGROUND Charcot Avenue #110, San Jose, CA

...

OUICKCODE AND PROGRAM DE VELOPMENT is a reference book for Ouick Code users, and provides documentation and explanation of the dBase II programs generated by QuickCode. The book provides an example of the potential of QuickCode-generated programs through the development of numerous enhancements and improvements. Quick-Code and Program Development sells for \$18.95. Software Blueprints, P.O. Box 2969, Seal Beach, CA 90740-1969.

DPATH+PLUS is a disk file redirection -utility that allows programs to read and write to any file, in any directory, on any disk drive. This utility expands the usefulness of nearly all application programs. and runs on almost all MS-DOS systems. DPATH+Plus sells for \$45. Personal Business Solutions, P.O. Box 757, Frederick, MD 21701, (301) 865-3376.

...

a book by M. Harry on computer hack ing, crashing, pirating and phone phreak-

measures for protecting computer systems -lishing, 800 Charcot Avenue #110, San and data. The book sells for \$14.95. Jose, CA 95131. Loompanics Unlimited, P.O. Box 1197, Port Townsend, WA 98368.

COMPUTER-ASSISTED INVEST-MENT HANDBOOK, a book of 50 ready-to-run BASIC programs dealing with decision-making and statistics. The book includes programs for standard deviation. high-coupon bond yield tables, foreign exchange forecasting and arbitrageoption conversion. The Computer-Assisted Investment Handbook sells for \$100. Programmed Press, 2301 Baylis they advertise in SOFT SECTOR.

Avenue, Elmont, NY 11003.

CUBIC TIC-TAC-TOE, a 3-dimensional tic-tac-toe game with three versions and three levels of difficulty. Cubic Tic-Tac- SOFT SECTOR reviewers for evaluation.

ing. Discusses terminology and security Toe sells for \$29.95. Brown-Wagh Pub-

MY A-B-C's, six educational games for children aged 3 to 7. The games teach voungsters how to recognize letters. identify letter combinations in words, develop concentration skills and hand-eye coordination. My A-B-C's runs on the Sanyo 670, 770 and 880 series computers and sells for \$19.95, plus \$3 S/H. Paperback Software International, 2612 Eighth Street, Berkeley, CA 94710.

The Seal of Certification program is \$19.95; a diskette containing all 50 pro- open to all manufacturers of products grams is available for Sanyo BASIC and for Sanyo MBC-550/555, 675, 775 and GW-BASIC as well as for other systems for 885 computers, regardless of whether

> By awarding a Seal, the magazine certifies the product does exist - that we have examined it and have a sample copy - but this does not constitute any guarantee of satisfaction. As soon as possible, these hardware or software items will be forwarded to



Submitting Material

Contributions to SOFT SECTOR are welcome from everyone. We like to run a variety of programs which will be useful/helpful/fun for other Sanyo owners.

- FORMAT: Unless the program accompanying your submission is less than 10 lines, we must have the program itself on disk. We will print out the listing to our specifications. We simply cannot take the time to key in (and debug our typing errors) material which is longer than that. Editorial copy can also be included on disk, using any of the word processors currently available for the Sanyo 550, 555 or 775. However, please also include a double-spaced hard copy of your editorial material and hard copy of your program listing. Please do not send text in all capitals. Use upper- and lowercase. While it is a big help to us in typesetting for you to send your article saved on disk using the ASCII option, it is not mandatory. But we must have, at the very least, a double-spaced hard copy of the article.
- . WHAT TO WRITE: Anything with a practical application. If it interests you, it will probably interest a lot of others. However, we vastly prefer articles with accompanying programs which can be entered and run. We can prepare finished tables, diagrams and schematics from your rough draft if you provide legible copy and full directions. We have a continuing need for short articles with short listings.

We do pay for submissions, based on a number of criteria. Those wishing remuneration should so state when making submissions.

For the benefit of those who wish more detailed information on making submissions, please send an SASE to: Submissions Editor, SOFT SECTOR, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. We will send you comprehensive guidelines.

Please do not submit programs or articles currently submitted to another publication.

DISCOVER WHAT 9 SOFTWARE INSIDERS ALREADY KNOW!

- "...a little company that has succeeded over the last five years in giving its customers a lot of value for their money..." - Richard O'Reilly, syndicated computer columnist
- "All the firm's programs are graced with features that the entire industry should be required to provide. Their manuals are the most honest in the industry." - T. R. Reid, synicated computer columnist
- "...the two most important attributes of Software Toolworks' program: they're priced low, and they work well."
- The Washington Post
- "Unlike the software of many publishers these days, none of The Software Toolworks programs are hobbled by copy protection, nor does the company try to tie up its customers with mumbo-jumbo licensing agreements..."
 - The Los Angeles Times "Computer File"
- "I don't know how The Software Toolworks stays in business charging such low prices for such nifty products..." - David Gerrold computer columnist and science fiction author
- "It would be the best of all possible worlds if some magic diskette could be made that would transform any hardware in such a way as to receive The Software Toolworks' numinous software." - Wm. F. Buckley, Jr.
- "The Software Toolworks has a whole raft of programs that work, and (the company) sells them for reasonable prices. I strongly recommend that you get their catalog." - Dr. Jerry Pournelle computer columnist "Byte" and science fiction author
- "One of the original pioneers in low cost, high quality software. The Software Toolworks publishes over 50 solid products in MS-DOS and CP/M for under \$60." - Walt Bilofsky, chairman of The Software Toolworks
- "All products are shipped within 24 hours, come with a money back guarantee, and free technical support 9. "All products are shipped within 24 hours, come with a money back guarantee, and in is available (though you'll hardly need it)." - Joesph Abrams, president of The Software Toolworks

READING PROFESSOR* - Boost your reading speed while increasing comprehension and retention. Self-paced lessons show quick improvement with immediate feedback. Includes 48 practice reading passages and other exercises. Developed by skilled educators, this program tracks your progress at reading rates up to 2,500 wpm. Additional libraries available for Junior High. College Adult. and Professional Jevels at \$25.95 each. For IBM PC most CP-M-80 computers. - \$59.95

COMPUTER CHEF - Original computerized cookbook and recipe tile. Data base of over-70 recipes with space to add your own. Scale ingredient quantities, search recipes by keyword, then display or print your selection. CP M and MS-DOS. - \$29.95 WOK TALK (DD Chinese recipes) - \$29.95 CHOCOLATE BYTES* (DD checolate recipes) - \$29.95 THE ORIGINAL ADVENTURE" - Explore the dangerous Colossal Cave for invasure endorsed by its creators, Crowther and Woods, CP-M and MS-DO5 - \$19.95

MYCHESS* - Award-winning world class these program, teaturing nine skill levels and wer 850 opening moves. Prints moves and saves games in progress. Outstanding graphic display board on IBM PC and most popular CP M computers - \$34.95

ELIZA - The pioneering artificial intelligence program. Eliza is a "psychiatrist" that carrie on a conversation in plain English. Use authentic script, expand it or develop your (m) CP-M and M5-DOS = \$24.95

The Software Toolworks 14478 Glorietta Drive Sherman Oaks, CA 91423



TO ORDER CALL: 1-800-223-8665; in CA 1-800-228-8665

U.S. and Catada add 52 HI per order s.h. Characar orders add 55 HI per order. CA residents add 6.3% sales ton. Dealer insures outsted.

it with your payment to:

Soft Sector

P.O. Box 385

soft sector

Back Issue

Availability

available.

tional issue.

Back copies of many issues of SOFT SECTOR are still

All back issues sell for the

single issue cover price. In addition, there is a \$2 charge

for the first issue plus 50 cents

for each additional issue

mailed in the U.S. When pos-

sible, issues are mailed UPS.

The postage cost in Canada

and Mexico is \$3 for the first

issue and \$1 for each addi-

ican Express accepted. Ken-

tucky residents please add five

percent state sales tax. In

order to hold down costs, we

do not bill and no C.O.D.

We suggest you order back

To order, just fill out the

The Falsoft Building

Prospect, KY 40059

form on the next page and mail

issues you want now while

orders are accepted.

supplies last.

VISA, MasterCard and Amer-

SUMMER

SESSION



BACK ISSUE ORDER FORM

Please send me the following back

(Payment must accompany back issue orders.) VOLUME 1

NO.	MON.	YR.	PRICE	ELLE
- 1	AUG.	84	PREMIER ISSUE \$3.00	D
6	JAN.	185	\$3.00	-
7.	FEB	'85	\$3.00	0
8	MAR.	'85	\$3.00	0
9	APR	85	\$3.00	- 0
10	MAY	85	\$3.00	D
-11	JUNE	'85	\$3.00	D
12	JULY	85	\$3.00	D
			VOLUME 2	

SEP

DEC

	VOLU	ME 2	
3.	85	\$3.00	
T	85	\$3.00 D	
	85	\$3.00	
V.	'85	\$3.00	
	85	\$3.00	
i.	'86	\$3.00	
1	'86	\$3.00	

JAN FEB \$3.00 D APR.

diZ	IGE TO:	AE	
STATE	NYMENT ENCLOSED OR CHARGE TO:	UVISA DMC DAE	PHONE #

Tere we are again with more winners of The Great SOFT SECTOR One-Liner Contest. The authors of these winning entries will receive a copy of the February edition of SOFT SECTOR ON DISK.

To briefly restate the rules of the contest, begin the program with the number one and end it in a single line. Anything else goes. Entries will be accepted in either Sanyo BASIC or GW-BASIC. Include a printed listing, a title for the program and a short explanation of what it does. Send it to The Great SOFT SECTOR One-Liner Contest, P.O. Box 385, Prospect, KY 40059.

One Liner

ARTIFACT

This program uses SIN with the seven colors available with artifacting to produce a design that appears to use many different shades and tones not normally available.

1 WHILE I=0:CLS:LOCATE 1,1,0:S=((INT(RND *2)+1)*2)+1:E=(INT(RND*18)+3)*5:FOR N=1 TO 7:Z=25-(N*2):FOR X=Ø TO 639 STEP S:Y= 100+SIN(X/E)*((8-N)*5):LINE (X,Y)-(X,199 -Y), N:LINE (X+Z, 199-Y) - (X+Z, Y), N:NEXT X, N:FOR T=1 TO 1600:NEXT T:WEND

> Jon McGuire Orange Park, FL

One Liner

3-D WITH COS AND SIN

This One-Liner creates a three-dimensional picture using the COSine and SINe functions. After you have finished viewing the program, press any key to end it.

1 LOCATE 1,1,0:COLOR 2,0:CLS:LINE(40,40) -(610,160),7,B:SYMBOL(55,0),"3-D With CO By Kevin Pike", 2, 2, 6: X1=50: X2= 590: FOR Y=4.99 TO 17.43 STEP .04:X1=X1+1 :X2=X2-1:LINE(X1,COS(Y)*1Ø1.6/4+1ØØ)-(X2 .SIN(Y)*101.6/4+100), Y MOD 7+1: NEXT: I\$=I " NPUTS(1)

> Kevin Pike Storrs, CT

SUBSCRIPTION INFORMATION

Your copy of SOFT SECTOR is sent second class mail. If you do not receive your copy by the 15th' of the month of the cover date, send us a card and we will mail another. 'Canadian subscribers and foreign air mail allow two additional weeks.

You must notify us of a new address when you move. Notification should reach us no later than the 10th of the month prior to the month in which you change your address. Sorry, we cannot be responsible for sending another copy when you fall to notify us.

Your mailing label also shows an "account number" and the subscription expiration date. Please indicate this account number when renewing or corresponding with us. It will help us help you better and faster

For Canadian and other non-U.S. subscribers, there may be a mailing address shown that is different from our editorial office address. Do not send any correspondence to that mailing address. Send it to our editorial offices at The Falsoft Building, P.O. Box 385, Prospect, KY 40059.

minghan Mantgamen

ARIZONA

The Computer Store Madison Books Trade-N-Books

Datasystems. Gemini Computers Books, Etc. Computer Library

Hammer Industries

Desert Computing

West Custom Studios

Softwaire Centre International

Byte & Roppy Computers

Paradise Computer Systems

Information Systems Unlimited

Video Communications & Computers.

Levity Distributors

Famis Computers

Fi Corrol Bookstore

Sawver's News, Inc.

riendly Computers

Whole Life Distributors

Computer Training Institute

Nor-Mar - The Smake Shop

Software, Software, Inc.

Total Information Centers

AA Computer Exchange

City News Stand

Computerized Applications

Florida Computer Resources

Flectronic Specialty Products

ECX Computer Co.

Computer Haven

Affordable Computers

D Jolia Concaster N. Hollywood verside

CALIFORNIA

ion Diego

anta Rosa minnd

Walnut Creel COLORADO reglewood wouthy

CONNECTICUT

Manchester DELAWARE Alimington

HORIDA loca Raton annidonville

Mami Ottando

Bost Dickey

leminole halimer

BACKGU

Attonta

Colombia

kinibel Island

B & B Office Equipment Computers, Computers, Computers Computer Image Book Mania PC Distributors Rainbow Computer Center Computer Trends Family Computers Lacey Computer Co. Discount Discs

The 64 Store Gulld News Agency Alboes Computers

IDAHO Moscow Nampa ILLINOIS

Retiredia Chicago Downers Grove Rockford Salem

KANSAS

Louisville Prospect

LOUISIANA

Rocheste MISSOURI

H & S Computer Supplies Canyon Computers & Communications

Software Or Systems Hyde Park Computers Computer Grove Learn-A-Bit Computers Salem Computer Systems

Wichita Computer & Supply

The Computer Supply Store

The Software Store

Comp-U-Type A-OK Computers

University Cellar

Family Computers Computer Options

Alpha-K Computer Co.

Programs Unlimited

Computers Plus, Inc.

C/C Computer Systems

Rochester Book Center

New Logic Computers

Southland Electronics

Franklin Computers

Softwaire Centre

Computer Magic

Gerry's Book Co.

Popular Computer Centers, Inc.

Ye Olde Computer Shoppe

Rambyte Computer Institute

Computers & Components

The Computer & Software Store

New Horizons Computer Systems

Page One Newsstand

Zia Computers

Zia Computer

8-Bit Corner

MI Software

Michileon

Datalink

Computer Control Systems

Bursma Electronic Dist. Co.

Waldorf Computer

Micro Computer Co.

Great Southern Computer Systems

KENTUCKY Cynthiana Accounting Data Corp Software Source Computer Stall Owensboro

Thibodaux MARYLAND Bethesda

Millersville Silver Springs Waldorf Wheaton MICHIGAN Ann Arbor Berkley Charlotte Dearborn Fenton Grand Rapids

> Mt. Clemens Muskegon Novi Owosso Pontiac Rocheste Royal Oal Southgate Wyoming

Yoslignti MINNESOTA

Autora Republic St. Louis MONTANA Whitehai

NEBRASKA Omaha NEVADA Las Vegas NEW JERSEY

Dexport Computer Systems Elizabeth Jefferson Computer Center Ocean City

NEW MEXICO Alamogordo Albuquerque

Los Cruces

Rochester

Computer Directions Wappingers Falls Software City NORTH CAROLINA 2 M Systems

Mountain Computer

Gemstone Computing

The Book Rack

Innerlogic Computer Center

Jacksonville Mt. Airy

NEW YORK

Hicksville

NORTH DAKOTA Systematics. Buston Computer Associates Riverside

OHIO Ashland Canal Fulton Columbus Euclid Kettering Movifield Heights Mation

Computer Warehouse Electronic Connexion Programs Unlimited Marion Computer Center North Oimstead Softwaire Centre International **OKLAHOMA**

Oklahoma City Merit Computers Tuisa Data Station - Tulsa

OREGON Beavertor Eugene Hillsboro Portland

Megrathea PENNSYLVANIA Software Corner

Micro-Computer Depot

Concurrent Technologies Corp.

Quest Enterprises, Inc.

Creative Computers & Electronics

University of Oregon Bookstore

Burtler Downington Computer Center Downington Exton Software City Philadelphia Some Hole In The Wall

Software Haus

SOUTH CAROLINA Charlestor

Heights Sumter Travelers Resi

TENNESSEE Knowille First Byte Computer Co

TEXAS

Impulse Computers Bay City Wagner Bros. Computer Store San Antonio UTAH

Lloyd's Business Machines

VERMON Computer Marketing VIRGINIA

Alonso Book & Periodicals Alexandria Falls Church Soft Cost Gloucester Electronics Gloucester Point Norfolk Micro-Enhancements Fairfax Computer Corp. Springfield Virginia Beach Beach Business Machines

WASHINGTON Centralia College Place Olympia Renton Seattle

Dunbar

Computer Center Puget Sound Electronics Bits & Chips B & I Magazine & Books WEST VIRGINIA Charleston

Salmon's Diversified Office Services Wilsumco Computer

Commercial Computer Systems

Centralia Computer Center

Discount Computer Supply



SOFT SECTOR April 1986

ADE CIT

Canadian and Foreign Distributors

APGENTINA **Buenes Aires** AUSTRALIA: SYDNEY

ICP, SA

Paris Radio Electronics

Kingsford VICTORIA Melbourne CANADA:

ALBERTA Tesserac Computer Systems Calgary The Computer Shop Edmontor CompuSoft Computique

Computer Biz

Compu-ware Disk and Chip Grand Prairie LPW Computers

BRITISH COLUMBIA Clearbrook Computer Centre

Penticton Port Cogultiam Prince George

Victoria MANITOBA Winnipeg **NOVA SCOTIA**

Halifax ONTARIO Burlington Guelph Kitchene London

Ottown Peterborough

Richmond

Computer King Computer King The Computer Dept. of London Drugs Odvssey Computer Services

Micro-Mentor, Inc.

Computer King

Compulit

Corporate Computer

Attantic News

Burlington Business Systems Neutron Computers, Inc. Home Computer Centre ABA Computer Center Town & Country Business Machines FT. Wison Office Fauinment LTD. Computer Support

Scarborough Toronto

Computer Junction Computer Junction Facts & Figures Computer Service

Waterloo Windsor QUEBEC Montreal

Lemond PC

SASKATCHEWAN Memory Lane Computers

ENGLAND East Sussen PANAMA Colon

Saskatoon

Molimerx LTD

NEW ZEALAND VENEZUELA Maracaibo

Palmerston North Viscount Electronics LTD

Byte Computer Center

We encourage you to patronize our advertisers - all of whom support the Sanyo line of personal computers. We will appreciate your mentioning SOFT SECTOR when you contact these firms.

A-OK Computers	.31,	33
Block Mkt		
Bluewater		.24
Computer Associates, Inc		49
Comp-U-Type		6
Computer Grove		.52
Computer Toolbox, Inc., The		
Comtel		
PIC Sales Inc		
uture Systems		
YI Computer Service		.53
ntersecting Concepts		.34
James River Group, Inc., The		
Michigan Software Distributors		
MichTron		

MVP Software16

Owl-Services......35 Peripheral Products Distributing7 PT Software......53 Soft Sector Binder27 Soft Sector On Disk27 Software Toolworks58 Solution Software41 Systems Peripherals18 Tampa Bay Digital48 True Data41 VCR.....IBC Wagner Brothers16



Jack Garland Garland Associates, Inc. 10 Industrial Park Road Hingham, MA 02043 (617) 749-5852

Call Kim Vincent Advertising Representative The Falsoft Building 9509 US. Highway 42 Prospect, KY 40059 (502) 228-4492

Cindy Shackleford Director, West Coast Office Shirley Duranseau Advertising Representative 12110 Meridian South-Suite 5 P.O. Box 73-578 Puyallup, WA 98373-0578 (206) 848-7766



7/1/2

THE HOME VIDEO MONTHLY

The publishers of Soft Sector

are taking an interest in a different type of programming



Yes, I'm ready for some real entertainment! Send the next 12 issues of VCR to my door.

Subscribe now for only \$15 and save 36% off the regular newsstand price.

Address	StateZIP
My check in the amount of hold down costs, we do not bill.)	is enclosed. (In order to
Charge to: VISA MasterCard	☐ American Express
Account Number	Exp. Date

"Jubicriptions to VCR are \$15 a year in the United States, Canadian rate is U.S. \$22. Air mail rate elswhere is U.S. \$60. All subscriptions begin with the current issue. Please allow 5 to 6 weeks for first copy. Kentucky residents add 5% sales tax. U.S. currency only, please. In order to hold down non-editorial costs, we do not bill.

Sanyopoly aren't the only great ones around. There are also Silver Streak and Star Trek and Some Like It Hot - software of a different sort. That's why we're introducing VCR,

hat's right. We've decided that

programs like Sketch-It and

The Home Video Monthly, the magazine for the new generation of home viewer.

Home video has evolved beyond the "hacker" era, when you needed a degree in electronics just for a little entertainment. Most people don't care about signal-to-noise ratio and wow-and-flutter specs. They simply want to know how best to use and enjoy the equipment they have.

And that's what VCR will offer how to get the very best in home entertainment from your equipment.

Each month, VCR will bring you previews and ratings of every new offering on tape and disc: music videos, children's shows, how-to guides, and movies, movies, movies.

We'll tell you which shows the critics themselves will be taping on network and cable, and we'll pass along tips from the experts on how to get the best possible reproductions. You can also turn to us for the answers to your questions, ranging from the trivial to the technical.

Even more, each month we will feature exclusive interviews with the stars and the star-makers, along with articles designed to help you relive some of your fondest video "memories."

Yes, programming is more than spreadsheets and databases. And we know you'll want to be a charter subscriber to the guide to the very best in entertainment software.

VCR. The Home Video Monthly. made its debut in January 1986.

Mail to: VCR, The Falsoft Building, P.O. Box 385, Prospect, KY 40059



\$325 Set of Three \$465 Set of Five

ACCOUNTING FOR MICROS is a set of integrated accounting programs which meet professional standards. They're fast and easy to use, with complete instructions. Our manual (shown above) also includes helpful information on bookkeeping and computers.

Allows up to 1,000 accounts & 1,000 transactions/month. Retains mo/end balances for Last year, This Year and Forecast. Includes Cash Disbursements, Cash Receipts and General Journals. Reports include Balance Sheet, Income Statement, Annual

ACCOUNTS RECEIVABLE \$125
Allows up to 2,500 customers and 1,000 invoices per month. Invoicing can access Inventory Module. Keeps customer

Summaries and Journal Reports.

names and addresses. Invoice prints on plain paper or any pre-printed form. Statements can be printed at any time.

Allows up to 4,000 parts. Keeps 3 month history of unit sales as well as year to date. With AR, can be used as point of sale system (prints invoices, handles cash). Reports include Inventory Value and Stock Report, Internal and Customer Price List.

ACCOUNTS PAYABLE \$125

Allows up to 500 vendors and 600 invoices/mo. Records invoices and handwritten checks. Prints computer checks on any pre-printed form. Keeps vendor names and addresses.

PAYROLL \$125

Will handle up to 100 employees with eight deductions per employee. Deductions may be determined as fixed dollar amounts or percentages, or referred to a table for automatic look-up. Tax tables are easily entered, or purchased separately. Prints checks and W2's.

SET OF FIVE	\$465
SET OF FOUR	\$395
SET OF THREE	\$325

RUN ON MOST CPM AND MSDOS

Apple CPM	IBM PC,XT,PC jt,AT	Sanyo (all)
Columbia	Kaypro (all)	Tandy (all)
Compag	Morrow (all)	TeleVidea .
Corona	Osborne (all)	Zenith 100 & 150
Eagle (all)	Panasonic	8 CPM
Epson QX-10	Radio Shack CPM	Other compatible

DEMO DISK \$18.00



TMAN \$125

The "Catch-All" program. Files any type of information for quick access. Name or subject oriented with 15 lines of notes per name. Use TMAN as a mailing list, filing system, notebook, etc. Can be used alone or with data from our other programs.

Try TMAN DEMO \$16

HOW TO ORDER: Please specify machine and disk format. You can pay by check, by VISA or MasterCard (we need your expiration date and card number), or by UPS COD (add \$2.50 COD charge). Our price includes shipping. Minnesota residents, add 6% sales tax). We ship most orders the same day.

or ORDER BY PHONE: 612-339-2521

James River Group



125 North First Street Minneapolis, MN 55401

(612) 339-2521